

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SOR PART A - GASKETS FOR LLDPE/HDPE UNIT (AS PER SCC and not drawing)											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
				Y	A	B	C	D	E = (A) + (B) + (C) + (D)	X = (Y) X (E)	
1		GSKT OF CONDENSATE FILTER,117-GN-471A/B NPS 6, 4.5MM THK,ASME B16.2,CLASS 300RF, SPIRAL WOUND GASKET, SS316+GRAFIL, CS OUTER RING	8	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
2		GASKET OF 117-GN-496 TOP DOME FLANGE GASKET OF LOOP PURGE GUARD FILTER, 117-GN-496 , NPS 8, 4.5MM THK,ASME B16.2,CLASS 300RF, SPIRAL WOUND GASKET,IR, SS316+GRAFIL	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
3		GASKET OF HCD FILTERS 117-GN-505A/B NPS 6, 4.5MM THK,ASME B16.2,CLASS 150RF, SPIRAL WOUND GASKET,SS316+GRAFIL	8	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
4		GASKET OF NITROGEN FILTER,117-GN-570A/B NPS 16, 4.5MM THK,ASME B16.2,CLASS 150RF, SPIRAL WOUND GASKET,SS316+GRAFIL	8	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
5		GSKT OF HYDROGEN GUARD FILTER,117-GN-971 NPS 6, 4.5MM THK,ASME B16.2,CLASS 600RF, SPIRAL WOUND GASKET, IR,SS316+GRAFIL,CS OUTER RING	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
6		PELLET WATER FILTER117-GN-848A/B NPS 20, 4.5MM THK,ASME B16.2,CLASS 150RF, NON ASBESTOS, B7531 GR.X GASKET,SS316+GRAFIL	8	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
7		GSKT OF CATALYST VENT FILTER 117-GN-551 MOC: SILICON RUBBER, GASKET OD: 2150MM, GASKET ID: 1922MM , THICKNESS: 3MM	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
8		GSKT OF PRIMARY DEGASSER 117-VV-425 MOC: SILICON RUBBER, GASKET OD: 3255MM, GASKET ID: 3075MM , THICKNESS: 5MM , HOLE PCD: 3170MM, (Ø39MM X 100 NOS. OF HOLES)	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
9		GSKT OF VV-430 VENT FILTER 117-GN-430 MOC: SILICON RUBBER, GASKET OD: 2355MM, GASKET ID: 2224MM , THICKNESS: 5MM , HOLE PCD: 2290MM (Ø30MM X 84 NOS. OF HOLES)	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
10		GSKT OF YF-460 VENT FILTER 117-GN-465 MOC: SILICON RUBBER, GASKET OD: 1340MM, GASKET ID: 1224MM , THICKNESS: 4MM , HOLE PCD: 1280MM (Ø30MM X 40 NOS. OF HOLES)	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

[illegible]

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
17		GASKET OF 117-GN-851 GSKT OF PELLET CONVEYING FILTER 117-GN-851, MOC: SILICON WHITE, GASKET OD: 900MM, GASKET ID: 802MM, THICKNESS: 5MM , HOLE PCD: 860M (Ø14MM X28 NOS. OF HOLES)	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
18		GASKET OF 117-GN-882A/B GSKT OF FINAL PELLET CONVEYING FILTER 117-GN-882A/B, MOC: SILICON WHITE, GASKET OD: 900MM, , GASKET ID: 802MM THICKNESS: 5MM , HOLE PCD: 860MM, (Ø14MM X28 NOS. OF HOLES)	8	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
SOR PART B - GASKETS FOR CPP UNIT (AS PER SCC and not drawing)											
1		GSKT,SPW,SS316,GRF,SPW,600,STEAM,3/4IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL:SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:600,SERVICE:STEAM, NOMINAL PIPE SIZE:3/4 IN, GASKET FOR HP STEAM	25	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
2		GSKT,SPW,SS316,GRF,IO,CL300,2IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:CARBON STEEL, TYPE:WITH INNER AND OUTER RING,PRESSURE CLASS:CLASS 300, NOMINAL PIPE SIZE:2 IN	40	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
3		GSKT,SPW,SS316,GRF,SPW,600,STEAM,2IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:600,SERVICE:STEAM, NOMINAL PIPE SIZE:2 IN, GASKET FOR HP STEAM	30	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

[illegible]

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
9		GSKT,SPW,SS316,GRF,SPW,300,STEAM,10IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:300,SERVICE:STEAM,NOMINAL PIPE SIZE:10 IN GASKET FOR DM WATER	20	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
10		GSKT,SPW,SS316,GRF,IO,CL600,12IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL STAINLESS STEEL 316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 316, TYPE:WITH INNER AND OUTER RING,PRESSURE CLASS:CLASS 600, NOMINAL PIPE SIZE:12 IN	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
11		GSKT,SPW,SS316,GRF,SPW,300,STEAM,14IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL,, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:300,SERVICE:STEAM,NOMINAL PIPE SIZE:14 IN GASKET FOR MP&LP STEAM	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
12		GSKT,SPW,SS316,GRF,SPW,600,STEAM,14IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL,, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:SS304, TYPE:SPW, PRESSURE CLASS:600,SERVICE:STEAM, NOMINAL PIPE SIZE:14 IN GASKET FOR HP STEAM	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
13		GSKT,SPW,SS316,GRF,SPW,150,FUEL GAS,16IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:150,SERVICE:F GAS,NOMINAL PIPE SIZE:16 IN GASKET FO RLP STEAM&FUEL GAS LINE	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
14		GSKT,SPW,SS316,GRF,IO,CL150,20IN GASKET,SPIRAL WOUND, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL:STAINLESS STEEL 316, FILLER MATERIAL:GRAFOIL, INNER RING MATERIAL:CARBON STEEL, TYPE:WITH INNER AND OUTER RING, PRESSURE CLASS:CLASS 150, NOMINAL PIPE SIZE:20 IN,THICKNESS:4.5	2	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
15		GSKT,SPW,SS316,GRAPHITE,IO,CL150,24IN GASKET,SPIRAL WOUND, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL:STAINLESS STEEL 316, FILLER MATERIAL:GRAPHITE, INNER RING MATERIAL:STAINLESS STEEL 316, TYPE:WITH INNER AND OUTER RING, PRESSURE CLASS:CLASS 150, NOMINAL PIPE SIZE:24 IN	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
16		GSKT,SPW,SS316,GRF,SPW,150,STEAM,26IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B 16.47 SERIES B, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL:SS316, FILLER MATERIAL:GRAFIL, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:150,SERVICE:STEAM,NOMINAL PIPE SIZE:26 IN GASKET FOR LP STEAM	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
17		GSKT,SPW,SS316,PTFE,SPW,300,LUBE OIL,1IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:PTFE, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:300,SERVICE:LUBE OIL, NOMINAL PIPE SIZE:1 IN FOR STG LUBE OIL	45	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
18		GSKT,SPW,SS316,PTFE,SPW,300,OIL,1.5IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:PTFE, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:300,SERVICE:OIL, NOMINAL PIPE SIZE:1.5 IN, GASKET FOR LUBE OIL	40	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
19		GSKT,SPW,SS316,PTFE,SPW,150,OIL,2IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:PTFE,INNER RING MATERIAL:SS316,TYPE:SPW, PRESSURE CLASS:150,SERVICE:OIL,NOMINAL PIPE SIZE:2 IN	40	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
20		GSKT,SPW,SS316,PTFE,IO,150,3IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:SS316, WINDING MATERIAL:SS316, FILLER MATERIAL:PTFE, INNER RING MATERIAL:SS316,TYPE:I/O RING, PRESSURE CLASS:150, NOMINAL PIPE SIZE:3 IN	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
21		GSKT,SPW,SS316,PTFE,SPW,150,LUBE OIL,12IN GASKET,SPIRAL WOUND,DESIGN STANDARD:ASME B16.20, FLANGE DESIGNATION:ASME B16.5, OUTER RING MATERIAL:CARBON STEEL, WINDING MATERIAL: SS316, FILLER MATERIAL:PTFE, INNER RING MATERIAL:STAINLESS STEEL 304,TYPE:SPW, PRESSURE CLASS:150,SERVICE:LUBE OIL, NOMINAL PIPE SIZE:12 IN	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
22		GSKT,RTJ,5CR-0.5MO,2500,STEAM,R23,1.5IN GASKET,RING TYPE JOINT, DESIGN STANDARD:ASME B.16.20/API 6A, FLANGE DESIGNATION:ASME B16.5, MATERIAL:5%CR-0.5%MO, TYPE:R-OCT, PRESSURE CLASS:2500,SERVICE:STEAM, RING NUMBER:R23,NOMINAL PIPE SIZE:1.5 IN, STEAM AND FEED WATER	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
23		GSKT,RTJ,5CR-0.5MO,2500,STEAM,R32,3IN GASKET,RING TYPE JOINT, DESIGN STANDARD:ASME B16.20/API 6A, FLANGE DESIGNATION:ASME B16.5, MATERIAL:5%CR-0.5%MO, TYPE:STYLE R-OCTAGONAL,PRESSURE CLASS:2500, SERVICE:STEAM, RING NUMBER:R32,NOMINAL PIPE SIZE:3 IN, GASKET FOR VHP STEAM	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
24		GSKT,RTJ,SFIR,CL1500,R39,4IN GASKET, RING TYPE JOINT,DESIGN STANDARD:ASME B16.20 FLANGE DESIGNATION:ASME B16.5,MATERIAL:SOFT IRON TYPE:STYLE R-OCTAGONAL,PRES URE CLASS:CLASS 1500 RING NUMBER:R39,NOMINAL PIPE SIZE:4 IN	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
25		GSKT,RTJ,5CR-0.5MO,2500,STEAM,R60,12IN GASKET,RING TYPE JOINT, DESIGN STANDARD:ASME B.16.20/API 6A, FLANGE DESIGNATION:ASME B16.5, MATERIAL:5%CR-0.5%MO, TYPE:STYLE R-OCTAGONAL,PRESSURE CLASS:2500, SERVICE:STEAM, RING NUMBER:R60,NOMINAL PIPE SIZE:12 IN	5	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
26		GSKT,SHT,CAF,GSK SHEET,25,NA,NANA,1.5 GASKET,SHEET,DESIGN STANDARD:IS/EQV, FLANGE DESIGNATION:NA, MATERIAL:CAF, MATERIAL GRADE:W/3,TYPE:GSK SHEET, PRESSURE CLASS:25KG,SERVICE:NA, NOMINAL PIPE SIZE:NA, THICKNESS:1.5MM, "COMPRESSED ASBESTOS FIBRE JOINTING SHEET.NON METALLIC, SIZE: 1525X1650X1.5 (MM). GRADE:W/3, RECOMMENDED MAX TEMP: 360°C RECOMMENDED MAX PRESSURE:25 KG/CM2	10	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

[illegible]

[illegible]

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
14		GASKET; PN:7; 112-EE-201 GASKET AS PER DRAWING NO.: PRJ/9753/101/42, PART NO. 7; LHS CHANNEL GASKET,550 X 578 X 604 X 612 X 4.5, 4.5 THCK SS316 SPIRAL WOUND GRAPHITE FILLED GASKET, WITH OUTER AND INNER RING AS PER ASME B 16.20, REFRIGERATION PACKAGE LUBE OIL COOLER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
15		GASKET; PN:8; 112-EE-201 GASKET AS PER DRAWING NO.: PRJ/9753/101/42, PART NO. 8; RHS CHANNEL GASKET,550 X 578 X 604 X 612 X 4.5 , 4.5 THCK SS316 SPIRAL WO ND GRAPHITE FILLED GASKET , WITH OUTER AND INNER RING AS PER ASME B 16.20, REFRIGERATION PACKAGE LUBE OIL COOLER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
16		GASKET; PN:7; 112-EE-203 GASKET AS PER DRAWING NO.: PRJ/9753/101/40, PART NO. 7; LHS CHANNEL GASKET,600 X 624 X 654 X 662 X 4.5, 4.5 THCK SS316 SPIRAL WOUN GRAPHITE FILLED GASKET , WITH OUTER AND INNER RING AS PER ASME B 16.20, REFRIGERATION PACKAGE ECONOMISER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
17		GASKET; PN:8; 112-EE-203 GASKET AS PER DRAWING NO.: PRJ/9753/101/40, PART NO. 8; RHS CHANNEL GASKET,600 X 624 X 654 X 662 X 4.5, 4.5 THCK SS316 SPIRAL WOUN GRAPHITE FILLED GASKET, WITH OUTER AND INNER RING AS PER ASME B 16.20,ECONOMISER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
18		GASKET; PN:9; 112-EE-202 GASKET AS PER DRAWING NO.: PRJ/9753/101/39, PART NO. 9; LHS CHANNEL GASKET, 1900 X 1969 X 1999 X 2007 X 4.5, 4.5 THCK SS316 SPIRAL WOUND GRAPHITE FILLED GASKET , WITH OUTER AND INNER RING AS PER ASME B 16.20, REFRIGERATION PACKAGE CONDENSER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
19		GASKET; PN:10; 112-EE-202 GASKET AS PER DRAWING NO.: PRJ/9753/101/39, PART NO. 10; RHS CHANNEL GASKET, 1900 X 1969 X 1999 X 2007 X 4.5, 4.5 THCK SS316 SPIRA WOUND GRAPHITE FILLED GASKET , WITH OUTER AND INNER RING AS PER ASME B 16.20, REFRIGERATION PACKAGE CONDENSER	4	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
20		GASKET; PN:301; 112-EE-111 GASKET,IJA,OD:1377 X ID:1351 X THK:3 MM, FOR LEAN GAS COMPRESSOR INTER COOLER, DRG NO. PE/1000/HE-112-EE-111/09 SHT 4 OF 5 R02.,	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
21		GASKET; PN:302; 112-EE-111 GASKET,IJA,OD:1377 X ID:1351 X THK:3 MM, FOR LEAN GAS COMPRESSOR INTER COOLER, DRG NO. PE/1000/HE-112-EE-111/09 SHT 4 OF 5 R02.,	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
22		GASKET; PN:303; 112-EE-111 GASKET,IJA,OD:1347 X ID:1321 X THK:3 MM, FOR LEAN GAS COMPRESSOR INTER COOLER, DRG NO. PE/1000/HE-112-EE-111/09 SHT 4 OF 5 R02.,	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
23		GASKET,PN: 8; 112-EE-113 GASKET AS PER DRG. NO. GLN-1140, REV. 02, OD:760 X ID:734 X THK:3 MM; IJA, FOR REGENRATION GAS TRIM COOLER	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
24		GASKET,PN: 9; 112-EE-113 GASKET AS PER DRG. NO. GLN-1140, REV. 02, OD:760 X ID:734 X THK:3 MM; IJA, FOR REGENRATION GAS TRIM COOLER	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
25		GASKET,PN: 10; 112-EE-113 GASKET AS PER DRG. NO. GLN-1140, REV. 02, OD:734 X ID:708 X THK:3 MM; IJA, FOR REGENRATION GAS TRIM COOLER	1	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
TOTAL AMOUNT IN FIGURE										Quoted / Not quoted	Quoted / Not quoted
TOTAL AMOUNT IN WORDS: Quoted / Not quoted											

BCPL/DIB/C&P/LE18S073MB Dated 03.07.2018											
SUPPLY OF GASKETS FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____ (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
i) You are requested to quote in the above standard SOR format only. Kindly do not attach any other SOR format and strictly adhere to the aforesaid format.											
ii) All other charges which are not appearing above and become applicable during execution of this PO, same shall be considered included in the quote rates.											
iii) Items shall be properly packed to avoid any damage during Transit and Part No. / Item No. shall be tagged on the supplied item with description for proper identification.											
iv) Vendor shall maintain BCPL material code along with HSN Code in all corresponding documents for ease of identification & scrutiny.											
v) Please mention HSN code against each SOR items.											
vi) The items quoted should be strictly as per the specifications mentioned. Drawings are only to be referred for gaskets of GSU unit i.e. SOR PART C. For other SOR parts, only SCC need to be referred.											
vii) The evaluation will be done on item-wise basis.											