

**Bid Document/ बिड दस्तावेज़**

| Bid Details/बिड विवरण                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>                                                                                      | 08-05-2023 15:00:00                                                                                                                                                                                                                                                                                                                                                             |
| <b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>                                                                                     | 08-05-2023 15:30:00                                                                                                                                                                                                                                                                                                                                                             |
| <b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>                                                        | 90 (Days)                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>                                                                                        | Ministry Of Petroleum And Natural Gas                                                                                                                                                                                                                                                                                                                                           |
| <b>Department Name/विभाग का नाम</b>                                                                                                     | Brahmaputra Cracker And Polymer Limited                                                                                                                                                                                                                                                                                                                                         |
| <b>Organisation Name/संगठन का नाम</b>                                                                                                   | Brahmaputra Cracker And Polymer Limited                                                                                                                                                                                                                                                                                                                                         |
| <b>Office Name/कार्यालय का नाम</b>                                                                                                      | Lepetkata                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Total Quantity/कुल मात्रा</b>                                                                                                        | 125                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Item Category/मद केटेगरी</b>                                                                                                         | Cylindrical Roller Bearing-IS:6455 (Q3) , Ball Bearings-IS:6455 (Q3) , Spherical Roller Bearing-IS:6455 (Q3)                                                                                                                                                                                                                                                                    |
| <b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>                                                 | No                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>                                         | No                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>                                                                     | OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| <b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>                                                                               | No                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Type of Bid/बिड का प्रकार</b>                                                                                                        | Two Packet Bid                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Primary product category</b>                                                                                                         | Cylindrical Roller Bearing-IS:6455                                                                                                                                                                                                                                                                                                                                              |
| <b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b> | 5 Days                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>                                      | No                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Evaluation Method/मूल्यांकन पद्धति</b>                                                                                               | Total value wise evaluation                                                                                                                                                                                                                                                                                                                                                     |

**EMD Detail/ईएमडी विवरण**

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

**ePBG Detail/ईपीबीजी विवरण**

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

|                                            |    |
|--------------------------------------------|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--------------------------------------------|----|

**MSE Purchase Preference/एमएसई खरीद वरीयता**

|                                           |     |
|-------------------------------------------|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|-------------------------------------------|-----|

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**Cylindrical Roller Bearing-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| ITEM          | Type of Cylindrical Roller Bearing                                                                          | Radial contact                                                         |
|               | Number of Row in Cylindrical Roller Bearing                                                                 | Single                                                                 |
| DESIGN        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | NU-309 ECJ                                                             |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Ball Bearings-IS:6455 ( 6 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|----------------------------------------------------------------|
| Item          | Type of ball Bearing               | Angular contact                                                |

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
|               | Number of Row in ball bearing                                                                               | One                                                            |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 7206                                                           |
|               | Bearing cage material as per IS 2398                                                                        | T: cage, non metallic, centred by rolling elements             |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                             |
|               | Closure                                                                                                     | Open                                                           |
|               | Protecting device/ closure                                                                                  | NA                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                             |
|               | Material of lubricated Shield                                                                               | NA                                                             |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 6               | 60                           |

**Cylindrical Roller Bearing-IS:6455 ( 3 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| ITEM          | Type of Cylindrical Roller Bearing                                                                          | Radial contact                                                         |
|               | Number of Row in Cylindrical Roller Bearing                                                                 | Single                                                                 |
| DESIGN        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | NU-309 (45*100*25)                                                     |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepatkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

### Ball Bearings-IS:6455 ( 6 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|----------------------------------------------------------------|
| Item          | Type of ball Bearing               | Angular contact                                                |

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
|               | Number of Row in ball bearing                                                                               | Two                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 3309(45*100*39)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 6               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6312(60*130*31)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Shield(Z) Open                                                         |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Ball Bearings-IS:6455 ( 8 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6310ZZ(50*110*27)                                                      |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | No contact seal(RZ)                                                    |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 8               | 60                           |

**Ball Bearings-IS:6455 ( 3 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | Radial contact                                                         |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6310(50*110*27)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6310ZZ(50*110*27)                                                      |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Cylindrical Roller Bearing-IS:6455 ( 3 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| ITEM          | Type of Cylindrical Roller Bearing                                                                          | Radial contact                                                         |
|               | Number of Row in Cylindrical Roller Bearing                                                                 | Single                                                                 |
| DESIGN        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | NU-211 (55*100*21)                                                     |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepatkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

### Cylindrical Roller Bearing-IS:6455 ( 3 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|----------------------------------------------------------------|
| ITEM          | Type of Cylindrical Roller Bearing | Radial contact                                                 |

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
|               | Number of Row in Cylindrical Roller Bearing                                                                 | Single                                                                 |
| DESIGN        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | NU-307 (35*80*21)                                                      |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

### Ball Bearings-IS:6455 ( 5 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|----------------------------------------------------------------|
| Item          | Type of ball Bearing               | DEEP GROOVE                                                    |
|               | Number of Row in ball bearing      | One                                                            |

| Specification | Specification Name/विशिष्टि का नाम                                                                                 | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Design        | <b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b> | 6309ZZ(45*100*25)                                                      |
|               | <b>Bearing cage material as per IS 2398</b>                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | <b>Radial internal clearance in ball bearing as per IS 6455-1972</b>                                               | C0                                                                     |
|               | <b>Closure</b>                                                                                                     | No contact seal(RZ)                                                    |
|               | <b>Protecting device/ closure</b>                                                                                  | Both sided                                                             |
|               | <b>Material of lubricated Sea</b>                                                                                  | NA                                                                     |
|               | <b>Material of lubricated Shield</b>                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 5               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6204-ZZ(20*47*14)                                                      |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Shield(Z) Open                                                         |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6204-ZZ(20*47*14)                                                      |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Shield(Z) Open                                                         |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Ball Bearings-IS:6455 ( 6 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6208ZZ(40*80*18)                                                       |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 6               | 60                           |

**Ball Bearings-IS:6455 ( 10 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                    |
|               | Number of Row in ball bearing                                                                               | One                                                            |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6206ZZ(30*62*16)                                               |
|               | Bearing cage material as per IS 2398                                                                        | Steel                                                          |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                             |
|               | Closure                                                                                                     | Shield(Z) Open                                                 |
|               | Protecting device/ closure                                                                                  | Both sided                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                             |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                         |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 10              | 60                           |

### Ball Bearings-IS:6455 ( 8 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6208ZZ(40*80*18)                                                       |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Shield(Z) Open                                                         |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 8               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6206(30*62*16)                                                         |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Shield(Z) Open                                                         |
|               | Protecting device/ closure                                                                                  | Both sided                                                             |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                 |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                    |
|-----------------------------|--------------------|
| Brand Type/ब्रांड का प्रकार | Unregistered Brand |
|-----------------------------|--------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य                           |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | Radial contact                                                                           |
|               | Number of Row in ball bearing                                                                               | One                                                                                      |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6205-ZZ                                                                                  |
|               | Bearing cage material as per IS 2398                                                                        | M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                                       |
|               | Closure                                                                                                     | Contact seal(RS)                                                                         |
|               | Protecting device/ closure                                                                                  | One sided                                                                                |
|               | Material of lubricated Sea                                                                                  | Rubber                                                                                   |
|               | Material of lubricated Shield                                                                               | Low Carbon Press Steel                                                                   |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6319(95*200*45)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Ball Bearings-IS:6455 ( 3 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6312(60*130*31)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

### Spherical Roller Bearing-IS:6455 ( 4 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification        | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|----------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| ITEM                 | Type of Spherical Roller Bearing                                                                            | Radial contact                                                         |
|                      | Number of Row in Spherical Roller Bearing                                                                   | Two                                                                    |
| DESIGN AND DIMENSION | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 22313 (65*140*48)                                                      |
|                      | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|                      | Cage Inner Ring                                                                                             | With Rib                                                               |
|                      | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|                      | No of hole for oil lubrication                                                                              | 2                                                                      |
|                      | Diameter of hole for oil lubrication                                                                        | 4.0                                                                    |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                           | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006, M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Spherical Roller Bearing-IS:6455 ( 3 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification        | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|----------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| ITEM                 | Type of Spherical Roller Bearing                                                                            | Radial contact                                                         |
|                      | Number of Row in Spherical Roller Bearing                                                                   | Two                                                                    |
| DESIGN AND DIMENSION | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 22320(100*215*73)                                                      |
|                      | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|                      | Cage Inner Ring                                                                                             | Without Rib                                                            |
|                      | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|                      | No of hole for oil lubrication                                                                              | 3                                                                      |
|                      | Diameter of hole for oil lubrication                                                                        | 6.0                                                                    |

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 3               | 60                           |

### Ball Bearings-IS:6455 ( 2 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | Angular contact                                                        |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6318(90*190*43)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | No contact seal(RZ)                                                    |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 2               | 60                           |

### Ball Bearings-IS:6455 ( 4 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | Radial contact                                                         |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6314(70*150*35)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

**Ball Bearings-IS:6455 ( 4 pieces )**

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | Radial contact                                                         |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6309(45*100*25)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C3                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

### Ball Bearings-IS:6455 ( 8 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम                                                                          | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | Two                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6305(25*62*17)                                                         |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 8               | 60                           |

### Ball Bearings-IS:6455 ( 4 pieces )

|                             |                  |
|-----------------------------|------------------|
| Brand Type/ब्रांड का प्रकार | Registered Brand |
|-----------------------------|------------------|

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्ट का नाम                                                                           | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य         |
|---------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Item          | Type of ball Bearing                                                                                        | DEEP GROOVE                                                            |
|               | Number of Row in ball bearing                                                                               | One                                                                    |
| Design        | Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987 | 6313(65*140*33)                                                        |
|               | Bearing cage material as per IS 2398                                                                        | J: Cage, steel, sheet, strip or wire form, centred by rolling elements |
|               | Radial internal clearance in ball bearing as per IS 6455-1972                                               | C0                                                                     |
|               | Closure                                                                                                     | Open                                                                   |
|               | Protecting device/ closure                                                                                  | NA                                                                     |
|               | Material of lubricated Sea                                                                                  | NA                                                                     |
|               | Material of lubricated Shield                                                                               | NA                                                                     |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                                                                                                                          | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| 1              | Dhrupad Rajkhowa                                        | 786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam) | 4               | 60                           |

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to

increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## 2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

## 4. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

## 5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

## 6. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

## 7. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

## 8. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

## 9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

- 1) Please refer the attached instruction to bidder, BEC/PQC, GCC, SCC & Scope of work, BOQ attached with the bid for all details. To be eligible, bidder must submit all the requisite documents as per PQC/BEC.
- 2) Bidder to read carefully all the attached documents before quoting.
- 3) Bidder must upload/submit Forms & Formats attached.
- 4) In case of any conflict between GTC & BCPL's documents, the provision of BCPL's documents (i.e. ITB, B EC, SCC, SOW, GCC etc) shall prevail.
- 5) Bidder's offer is liable to be rejected if they don't upload any of the certificates /documents sought in the Bid document, ATC and Corrigendum if any.
- 6) PRICE BREAK UP (EXCEL) shall be a part of the contract but not part of evaluation. Same to be uploaded

with financial bid only.

7) Any charges payable to GeM shall be borne by the bidder.

8) **Cylindrical Roller [Bearing-IS:6455](#), NU-309 ECJ ( 4 pieces ) at sl. no.1 is a duplicate created against Cylindrical Roller [Bearing-IS:6455](#), NU-309 (45\*100\*25) ( 3 pieces ) at sl. no.3.**

**Bidder to quote '(Re.0.01)' for Cylindrical Roller [Bearing-IS:6455](#), NU-309 ECJ ( 4 pieces ) since it is a duplicate item & not required. Due to system constraints it cannot be removed from the tender. In case bidder quotes for the same, it will not be considered for evaluation or for award/only Re.0.01 will be considered per unit. L1 bidder will be evaluated on overall basis excluding any quote for Cylindrical Roller [Bearing-IS:6455](#), NU-309 ECJ ( 4 pieces ) or considering only Re.0.01 per unit. Hence bidders are requested to quote only the minimal amount allowed by system (like Re. 0.01) for the 1st item of Cylindrical Roller [Bearing-IS:6455](#), NU-309 ECJ ( 4 pieces ).**

**However bidder to quote their prices for Cylindrical Roller [Bearing-IS:6455](#), NU-309 (45\*100\*25) ( 3 pieces ) at sl. no.3 which will be considered for evaluation & award.**

.

#### 10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**