

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-09-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-09-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Petroleum And Natural Gas
Department Name/विभाग का नाम	Brahmaputra Cracker And Polymer Limited
Organisation Name/संगठन का नाम	Brahmaputra Cracker And Polymer Limited
Office Name/कार्यालय का नाम	Lepetkata
Total Quantity/कुल मात्रा	347
Item Category/मद केटेगरी	Tapered Bearings as per IS 12102 (Q3) , Spherical Roller Bearing as per IS 6455 (Q3) , Ball Bearings as per IS 6455 (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Ball Bearings as per IS 6455
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Tapered Bearings As Per IS 12102 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Number of Row in tapered Roller Bearing	Single
Design	Tapered Roller Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 7461: Part 1:1993	30204 (20*47*15.25)
	Tapered Roller Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Tolerance class in Tapered Roller bearing as per IS 7460-1974	Normal
	Angle Series	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Tapered Bearings As Per IS 12102 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Number of Row in tapered Roller Bearing	Single

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Tapered Roller Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 7461: Part 1:1993	30206 (30*62*17.25)
	Tapered Roller Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Tolerance class in Tapered Roller bearing as per IS 7460-1974	Normal
	Angle Series	3

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006, M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Tapered Bearings As Per IS 12102 (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Number of Row in tapered Roller Bearing	Single

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Tapered Roller Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 7461: Part 1:1993	32208 (40*80*24.75)
	Tapered Roller Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Tolerance class in Tapered Roller bearing as per IS 7460-1974	Normal
	Angle Series	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006, M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2	56

Spherical Roller Bearing As Per IS 6455 (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Spherical Roller Bearing	spherical outside surface
	Number of Row in Spherical Roller Bearing	Two

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	21309CW33 (45*100*25)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	With Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	No of hole for oil lubrication	3
	Diameter of hole for oil lubrication	1.0

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	8	56

Spherical Roller Bearing As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Spherical Roller Bearing	Angular contact
	Number of Row in Spherical Roller Bearing	Two

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	21311CW33 (55*120*29)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	With Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	No of hole for oil lubrication	3
	Diameter of hole for oil lubrication	1.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Spherical Roller Bearing As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Spherical Roller Bearing	Radial contact
	Number of Row in Spherical Roller Bearing	Two

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	21314 CC(70*150*35)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	Without Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	No of hole for oil lubrication	3
	Diameter of hole for oil lubrication	3.0

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Spherical Roller Bearing As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Spherical Roller Bearing	spherical outside surface
	Number of Row in Spherical Roller Bearing	Two

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	22214(70*125*31)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	Without Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	No of hole for oil lubrication	3
	Diameter of hole for oil lubrication	3.0

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Spherical Roller Bearing As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Spherical Roller Bearing	spherical outside surface
	Number of Row in Spherical Roller Bearing	Two

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DESIGN AND DIMENSION	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	22320(100*215*73)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Cage Inner Ring	Without Rib
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	No of hole for oil lubrication	4
	Diameter of hole for oil lubrication	6.0

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6202(15*35*11)
	Bearing cage material as per IS 2398	H: Cage, light metal, not in sheet, strip or wire form, ring centered.
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2	56

Ball Bearings As Per IS 6455 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6216(80*140*26)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepatkata - 786006 Dibrugarh (Assam)	6	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6206 ZZ
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6203-ZZ(17*40*12)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	4	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6204-ZZ(20*47*14)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (50 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6205-ZZ
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	50	56

Ball Bearings As Per IS 6455 (3 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6205-ZZ
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	No contact seal(RZ)
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	3	56

Ball Bearings As Per IS 6455 (32 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6207(35*72*17)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	32	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6208ZZ(40*80*18)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6208ZZ(40*80*18)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	No contact seal(RZ)
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (19 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6209(45*85*19)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	19	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6220(100*180*34)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (15 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6307
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	15	56

Ball Bearings As Per IS 6455 (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6310(50*110*27)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	10	56

Ball Bearings As Per IS 6455 (17 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6311(55*120*29)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	17	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6302(15*42*13)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (3 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6303
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	3	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6305(25*62*17)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (3 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6305(25*62*17)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	No contact seal(RZ)
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	3	56

Ball Bearings As Per IS 6455 (3 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6306(30*72*19)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	3	56

Ball Bearings As Per IS 6455 (30 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6306(30*72*19)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	30	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6307(35*80*21)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6307(35*80*21)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	8	56

Ball Bearings As Per IS 6455 (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6308ZZ(40*90*23)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	No contact seal(RZ)
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2	56

Ball Bearings As Per IS 6455 (92 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6308(40*90*23)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	92	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	Two
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6308ZZ(40*90*23)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6309(45*100*25)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6310(50*110*27)
	Bearing cage material as per IS 2398	Steel
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	10	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6312(60*130*31)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6313(65*140*33)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6315(75*160*37)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6316(80*170*39)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1	56

Ball Bearings As Per IS 6455 (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6318(90*190*43)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2	56

Ball Bearings As Per IS 6455 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6319(95*200*45)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manash Pratim Gogoi	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	6	56

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder must read carefully the 'Buyer uploaded ATC document' (which consists of the BCPL Tender Document with Bid Evaluation Criteria (BEC), Bid Evaluation Methodology, Instructions to bidders with applicable form & formats, GPC, SCC, Technical Specifications etc.) along with other terms & conditions of bid document including General Terms & Conditions (GTC) of GeM before quoting.

2. In case of any conflict between "BCPL Tender Document attached in 'Buyer uploaded ATC document' of the GeM Bid Document" and GeM GTC/GeM Bid Document, tender conditions as per the "BCPL Tender Document" shall prevail.

3. The quoted price shall be inclusive of P&F, Freight charges upto Consignee Address and all taxes & duties. As such, no additional charges such as packing & forwarding/ transportation / loading charges/transit insurance/GST/ local levies etc. shall be payable over and above the quoted/contract price.

4. The contract performance security towards faithful performance of the contractual obligations shall be:

5% of Annualized Order / Contract value (exclusive of GST) within 30(Thirty) days of FOA/notification of award.

OR

Initial security deposit (ISD) @ 2.5% of Annualized Order / Contract value within 30 days of FOA/notification of award and deduction @2.5% of the RA bill subsequently from RA bills till the total amount of security deposit (including ISD and deducted amount) reaches 5% of Annualized Order/Contract value. It must be valid for 03(Three) months beyond the contract period/warranty period (whichever is later). For the purpose of contract performance security, contract/order value shall be exclusive of taxes & duties as per ITB of BCPL tender document.

However, CPS/SD shall not be applicable in cases wherein the order value as specified in PO/FOA is less than INR 5 lakhs (exclusive GST).

5. Any charges payable to GeM shall be borne by the bidder.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---