

Bid Document

Bid Details	
Bid End Date/Time	21-11-2022 15:00:00
Bid Opening Date/Time	21-11-2022 15:30:00
Bid Offer Validity (From End Date)	90 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Brahmaputra Cracker And Polymer Limited
Organisation Name	Brahmaputra Cracker And Polymer Limited
Office Name	Lepetkata
Total Quantity	500
Item Category	Indusrial Safety Helmet (Png)-IS 2925 (Q3)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Indusrial Safety Helmet (Png)-IS 2925
Time allowed for Technical Clarifications during technical evaluation	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	No
------------------------	----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Industrial Safety Helmet (png)-is 2925	400
Schedule 2	Industrial Safety Helmet (png)-is 2925	100

Industrial Safety Helmet (Png)-IS 2925 (400 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
SPECIFICATION	Conformity to specification	IS 2925:latest, EN 397 certified, CE/ANSI and DGMS
MATERIAL	Quality of Shell	High quality, high impact, heat & chemical resistant, light weight, Tough
DESIGN	Industrial Safety Helmet (PNG) Design	The shell of Industrial Safety Helmet should be provided with ventilation holes on the helmet as per the requirement of EN 397. At the same time it should not allow water to ingress inside helmet., The Inner headband should be made from high quality light weight LDPE and synthetic webbing for better comfort and fit., The shell of Industrial Safety Helmet should be designed in such a manner that, it deflects any liquid that falls from the top., The Brim of the Industrial Safety Helmet shall be designed to prevent falling water straight downward in case of rain and give protection to face., The Shell of Industrial Safety Helmet to have lateral slots above the ears for easy integration and quick detachability for ear muff, face shield., The Shell of Industrial Safety Helmet to have suitable locks to prevent unwarranted ` detachment of headband from the shell., The headband of Industrial Safety Helmet should be in the range of 540 mm to 590 mm with a tolerance of ± 10 mm ., Industrial Safety Helmet should be provided with appropriate sweatband to absorb and dry sweat from the forehead., Ventilated sweat band made of good quality sponge with perforated backing (for sweat evaporation and comfort) shall fit on the forehead and temple comfortably., The sweat band shall have a quilted design which minimizes the surface of contact with the fore head., The headband of Industrial Safety Helmet should have at least 4 anchor points with shell for better comfort and fit and ensure equal load distribution and minimum impact on the wearer., The headband of Industrial Safety Helmet shall have suitable arrangement for easy mounting inside the slots provided in the shell and to fit crown straps., The headband of Industrial Safety Helmet should be ratchet type with spring loaded locking facility / direct locking facility., Crown Straps shall maintain sufficient vertical clearance between the top of wearer's head and the inside of the shell for enabling the helmet to be adjusted for comfortable wearing heights., The chin strap shall be adjustable in length through non-metallic buckle arrangement., Option for without holes should be allowed . It requires to conduct test for Electrical insulation as per ANSI, The shell of Industrial Safety Helmet should be provided without ventilation holes on the helmet as per ANSI to conduct electrical and water resistance test. Eight - point connecting head attachment with synthetic harness and a deep ergonomic nape strap design for improved comfort & protection.
COLOUR	Colour of Helmet	Green

Specification	Specification Name	Bid Requirement (Allowed Values)
ADVANCE SAMPLE	Agree to Provide Advance Sample to Buyer's before Commencement of bulk supply(Hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)	YES
CERTIFICATE/APPROVAL	Possession of Certificate/Approval of Industrial Safety Helmet (PNG)	Valid BIS License, Valid EN Approval, CE/ANSI and DGMS & CLI/NABL Test report

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	400	60

Industrial Safety Helmet (Png)-IS 2925 (100 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
SPECIFICATION	Conformity to specification	IS 2925:latest, EN 397 certified, CE/ANSI and DGMS
MATERIAL	Quality of Shell	High quality, high impact, heat & chemical resistant, light weight, Tough

Specification	Specification Name	Bid Requirement (Allowed Values)
DESIGN	Industrial Safety Helmet (PNG) Design	The shell of Industrial Safety Helmet should be provided with ventilation holes on the helmet as per the requirement of EN 397. At the same time it should not allow water to ingress inside helmet., The Inner headband should be made from high quality light weight LDPE and synthetic webbing for better comfort and fit., The shell of Industrial Safety Helmet should be designed in such a manner that, it deflects any liquid that falls from the top., The Brim of the Industrial Safety Helmet shall be designed to prevent falling water straight downward in case of rain and give protection to face., The Shell of Industrial Safety Helmet to have lateral slots above the ears for easy integration and quick detachability for ear muff, face shield., The Shell of Industrial Safety Helmet to have suitable locks to prevent unwarranted ` detachment of headband from the shell., The headband of Industrial Safety Helmet should be in the range of 540 mm to 590 mm with a tolerance of ± 10 mm ., Industrial Safety Helmet should be provided with appropriate sweatband to absorb and dry sweat from the forehead., Ventilated sweat band made of good quality sponge with perforated backing (for sweat evaporation and comfort) shall fit on the forehead and temple comfortably., The sweat band shall have a quilted design which minimizes the surface of contact with the fore head., The headband of Industrial Safety Helmet should have at least 4 anchor points with shell for better comfort and fit and ensure equal load distribution and minimum impact on the wearer., The headband of Industrial Safety Helmet shall have suitable arrangement for easy mounting inside the slots provided in the shell and to fit crown straps., The headband of Industrial Safety Helmet should be ratchet type with spring loaded locking facility / direct locking facility., Crown Straps shall maintain sufficient vertical clearance between the top of wearer's head and the inside of the shell for enabling the helmet to be adjusted for comfortable wearing heights., The chin strap shall be adjustable in length through non-metallic buckle arrangement., Option for without holes should be allowed . It requires to conduct test for Electrical insulation as per ANSI, The shell of Industrial Safety Helmet should be provided without ventilation holes on the helmet as per ANSI to conduct electrical and water resistance test. Eight - point connecting head attachment with synthetic harness and a deep ergonomic nape strap design for improved comfort & protection.
COLOUR	Colour of Helmet	White
ADVANCE SAMPLE	Agree to Provide Advance Sample to Buyer's before Commencement of bulk supply(Hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)	YES

Specification	Specification Name	Bid Requirement (Allowed Values)
CERTIFICATE/APPROVAL	Possession of Certificate/Approval of Industrial Safety Helmet (PNG)	Valid BIS License, Valid EN Approval, CE/ANSI and DGMS & CLI/NABL Test report

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	100	60

Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder must read carefully the 'Buyer uploaded ATC document' (which consists of the BCPL Tender Document with Bid Evaluation Methodology, Instructions to bidders with applicable form & formats, General Purchase Conditions (GPC), Technical Specifications, SCC etc.) along with other terms & conditions of bid document including General Terms & Conditions (GTC) of GeM before quoting.

2. In case of any conflict between "BCPL tender document attached in 'Buyer uploaded ATC document' of the GeM Bidding document" and GeM GTC , tender conditions as per the "BCPL tender document" shall prevail.

3. Any charges payable to GeM shall be borne by the bidder.

.

3. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

4. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions.](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---