



दर अनुसूची (एसओआर)

SCHEDULE OF RATES (SOR)

(To be uploaded in Folder –I (Techno-commercial part))

[Do not quote here. Only confirm that you have uploaded the Priced SOR as per this format in Folder II (Finance /Price folder)]



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
BRAHMAPUTRA CRACKER AND POLYMER LIMITED
(भारत सरकार का उपक्रम) / (A Government of India Enterprise)

SCHEDULE OF RATES (SOR) -UN-PRICED BID

(BIDDER TO QUOTE PRICE IN PRICED SOR)

TENDER NO: BCPL/C&P/LE18S478AS/02193

PROCUREMENT OF CONTROL VALVES FOR GT FLARE LINE AND REGENERATION UNIT FOR BCPL LAKWA AT BCPL LEPETKATA

Item. No.	Material Code	Material Description	Offered Make	6 Digit HSN Code of Material I	UQC	QTY	Per Unit Price Ex-works [Including packing & forwarding, duties & excluding freight]		Per Unit Freight upto BCPL Site at Lepetkata Applicable on (H) only		Per Unit GST (CGST & SGST/UTGST or IGST) Mark (✓) on the applicable one above. Applicable on (H+K) only		Per Unit FOT Site BCPL Lepetkata Basis (P=H+K+M)	Total FOT site BCPL Lepetkata Basis Amount Q=(P*G)
							(In numerical) Rs.	(In words) Rs.	%	Rs.	%	Rs.	Rs.	Rs.
A	B	C	D	E	F	G	H	I	J	K	L	M	P	Q



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड

BRAHMAPUTRA CRACKER AND POLYMER LIMITED

(भारत सरकार का उपक्रम) / (A Government of India Enterprise)

01	8502021083	VLV, CTRL, GLB, WCB, V-TFF, 8IN Long Text: "VALVE, CONTROL, VALVE TYPE: GLOBE , BODY MATERIAL: A216 GR. WCB , BONNET TYPE: PLAIN , PACKING MATERIAL: V-TFF, CHARACTERISTIC : EQUAL% , GASKET MATERIAL: V543 / 595 , LEAKAGE SPEC: V , PRESSURE RATING: CLASS 600 , FLANGE FACING: RF, FACE FINISH: A125 AARH , FLANGE TO FLANGE: 600 MM , SHUTOFF DP: 64 , VALVE SIZE: 8 IN, TAG NO : 11- PCV-1301, SERVICE HC, LINE SIZE "" 8"" SCH-100, FLOW : 75000 KG/HR - 90000 KG/HR, TEMP : 50-75 DEGC, I/L PRESS: 43-48.5 KG/CM2G, PRESSURE OUT : 3-3.5 KG/CM2G, DP SIZING : 40-45 KG/CM2G, DP SHUT-OFF: 64.0 KG/CM2G , MW: 21.3, TYPE : GLOBE, BODY : 8"" 600#, BODY : A216 GR WCB, TRIM SS316 STELLATED, CHAR : EQ % , PACKING: VTEF, GASKETS : V-543/595, BONNET : PLAIN , GUIDE: CAGE, AIR FAIL : CLOSE, POSITIONER : ELECTRONIC SMART, SIGNAL : 4-20 MA, LEAKAGE CLASS : V, HAND WHEEL : SIDE MOUNTED , TUBING : SS316, WITH DIFFUSER/ CARTRIDGE, DIMENSION VALVE : FLANGE TO FLANGE : 600 MM, DIMENSION DIFFUSER/CARTRIDGE FLANGE TO FLANGE : 825 MM, DIFFUSER : 8"" X 12"" , TUBING SS316, WITH AIR FILTER REGULATOR AND GAUGES"			EA	01							
----	------------	---	--	--	----	----	--	--	--	--	--	--	--



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
BRAHMAPUTRA CRACKER AND POLYMER LIMITED

(भारत सरकार का उपक्रम) / (A Government of India Enterprise)

02	8502021073	VLV, O/F, GLOBE, ASTM, VTEFLON, 54KG/CM2, 8 IN Long Text: "VALVE, ON-OFF, VALVE TYPE : GLOBE, BODY MATERIAL: ASTM A216 WCB , PACKING MATERIAL: V-TEFLON , GASKET MATERIAL: V543/595 , LEAKAGE SPEC: ANSI IV, PRESSURE RATING: CLASS 600 , FLANGE FACING: RF , FACE FINISH: RF 125 AARH , FLANGE TO FLANGE: 600 MM , SHUTOFF DP: 54 KG/CM2, VALVE SIZE: 8 IN, TAG NO : 11-UV-1302, SERVICE : HC, FLOW RATE : 1650 M2/HR, TEMP : 95 DEG C, INLET PRESSURE: 44 KG/CM2 G, O/L PRESSURE : 1.1 KG/CM2G, DP SIZING : 42.9 KG/CM2, DP SHUT OFF : 54 KG/CM2G, MW: 21.264, VALVE TYPE : GLOBE, VALVE SIZE " 8" 600, BODY MATERIAL : A216 GR WCB, TRIM MATERIAL SS316 STELLATED, CHAR : MODIFIED LINEAR, PACKING : V TEFLON , GASKET : V-543/595, BONNET: PLAIN, GUIDE : CAGE, ON AIR FAIL : CLOSE, HAND WHEEL : SIDE MOUNTED, WITH VOLUME BOOSTER, 2 NOS, AIRSET WITH GAUGE 2 NOS , SOLENOID VALVE 1 NO, LIMIT SWITCH 2 NOS, FULL CLOSE TO FULL OPEN : LESS THEN 7 SEC, TUBING : SS 316, ENCLOSURES: EXD IIA IIB II C , T5"			EA	01								
----	------------	--	--	--	----	----	--	--	--	--	--	--	--	--



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
BRAHMAPUTRA CRACKER AND POLYMER LIMITED

(भारत सरकार का उपक्रम) / (A Government of India Enterprise)

03	8504020073	VLV, CTRL, ONOFF, WCB, TEFLON, 10IN Long Text: "VALVE, CONTROL, VALVE TYPE: BUTTERFLY , BODY MATERIAL: A216 GR. WCB, BONNET TYPE: PLAIN, PACKING MATERIAL: TEFLON , CHARACTERISTIC: MODIFIED EQ % , LEAKAGE SPEC: CLASS IV, PRESSURE RATING: 150#, FLANGE FACING: RF, FACE FINISH: SERRATED, FLANGE TO FLANGE : WAFER 114.1 MM, SHUTOFF DP: 18 KG/CM2, VALVE SIZE: 10 IN, TAG NO : 11-FCV-1602, LINE SIZE : 12" SCH 20, SERVICE: REGEN GAS TO HEATER, TYPE : BUTTERFLY WAFER, BODY SIZE , PORT : 8" , FUL BORE, GUIDING: SHAFT, END CONNECTION : WAFER 10" 150, WAFER F-F 114.1 MM, RF SERRATED, BODY MATERIAL : A216 GR WCB, BONNET TYPE : PLAIN, PACKING MATERIAL : TEFLON, TRIM FORM : MODIFIED EQ %, TRIM/ DISC MATERIAL : 316 SS, LEAKAGE CLASS : IV, ACTUATOR : SPRING DIAPHRAGM, AIR FAIL : OPEN, HANDWHEEL SIDE MOUNTED, POSITIONER : ELECTRONIC SMART (4-20 MA), WITH AIR FILTER REGULATOR AND GAUGES, FLUID : HC (V), FLOW MIN/ MAX/NOR : 7000/ 35000/29000 KG/HR, I/L PRESS : 9-12 KG/CM2G, DP SIZING : 0.3 KG/CM2, DP SHUT-OFF : 18 KG/CM2G, TEMP OPER : 30-45 DEG C MAX 65, MOL WT : 21.18, CP/CV: 1.24- 1.3, COMPRESSIBILITY FACTOR : 0.97, STUD MATERIAL : A193 GR BT, NUT MATERIAL : A194 GR 2H, TUBING SS316, VENDOR TO SUPPLY LONG NUT AND BOLT"			EA	01								
----	------------	--	--	--	----	----	--	--	--	--	--	--	--	--



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
BRAHMAPUTRA CRACKER AND POLYMER LIMITED
(भारत सरकार का उपक्रम) / (A Government of India Enterprise)

COLUMN-WISE TOTAL AMOUNT:			---		---			
TOTAL AMOUNT (AFTER SUMMING UP COLUMN Q) IN FIGURE:								
TOTAL AMOUNT (AFTER SUMMING UP COLUMN Q) IN WORDS:								
Note: 1. In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule above. 2. In case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST (CGST & SGST/UTGST or IGST) during evaluation of bid. Where BCPL is entitled for input credit of GST (CGST & SGST/UTGST or IGST), the same will be considered for evaluation of bid as per evaluation methodology of tender document. 3. In case any cess on GST is applicable, same shall also be considered in evaluation.								
Name of authorized person submitting the tender on behalf of the Bidder (s):								
Designation of authorized person:								
Name of firm / Contractor:								
Address of firm / Contractor:								
Date:								
COLUMN-WISE TOTAL AMOUNT:		-----	---		---		---	
TOTAL AMOUNT (AFTER SUMMING UP COLUMN P) IN FIGURE:								
TOTAL AMOUNT (AFTER SUMMING UP COLUMN P) IN WORDS:								
Note: 1. In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule above. 2. In case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST (CGST & SGST/UTGST or IGST) during evaluation of bid. Where BCPL is entitled for input credit of GST (CGST & SGST/UTGST or IGST), the same will be considered for evaluation of bid as per evaluation methodology of tender document. 3. In case any cess on GST is applicable, same shall also be considered in evaluation.								
Name of authorized person submitting the tender on behalf of the Bidder (s):								