

Bid Document

Bid Details	
Bid End Date/Time	12-03-2021 16:00:00
Bid Opening Date/Time	12-03-2021 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Chemicals And Fertilizers
Department Name	Department Of Chemicals And Petrochemicals
Organisation Name	Brahmaputra Cracker And Polymer Limited (bcpl) Guwahati Assam
Office Name	Lepetkata
Total Quantity	16500
Item Category	Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418
Minimum Average Annual Turnover of the Bidder	19 Lakh (s)
Years of Past Experience required	2 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418
Time allowed for Technical Clarifications during technical evaluation	5 Days
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Estimated Bid Value	3906280
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	ICICI
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

MANAGER(C&P)

BRAHMAPUTRA CRACKER AND POLYMER LIMITED (A Government of India Enterprise) ADMINISTRATIVE BUILDING,
PO:LEPETKATA DISTT.: DIBURGARH, ASSAM , PIN CODE: 786006, PHONE NO. 0373 2914636
(Bhaskar Jyoti Barman)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	450000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1000
Schedule 2	475000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2500
Schedule 3	595000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2500
Schedule 4	305000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2000
Schedule 5	504280	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1000
Schedule 6	280000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2000
Schedule 7	141000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1500
Schedule 8	92000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1000
Schedule 9	196000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1000
Schedule 10	868000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2000

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	95.0
	Number of cores (nos)	3
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded, Stranded and Shaped

CONSTRUCTIONAL	Material of conductor	Aluminium EC Grade
	standard cable length on a drum	250 meter for size 240sqmm and above., 500 meter for cable size up to and including 185 sqmm.
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2500 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	35.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Aluminium EC Grade
	standard cable length on a drum	250 meter for size 240sqmm and above., 500 meter for cable size up to and including 185 sqmm.
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2500	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2500 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	50.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Aluminium EC Grade
	standard cable length on a drum	250 meter for size 240sqmm and above., 500 meter for cable size up to and including 185 sqmm.
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2500	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	4.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	16.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005

	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	500 meter for cable size up to and including 185 sqmm., 1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2000 meter)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	2.5
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	500 meter for cable size up to and including 185 sqmm.

Additional Specification Parameters - Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)

Availability Of Type Test Report From Central Government::NABL::ILAC Accredited Laboratory To Prove Conformity To The Specification For Minimum And Maximum Ratings.	Yes
Availability Of Type Test Report From Central Government::NABL::ILAC Accredited Laboratory To Prove Conformity To The Specification For Minimum And Maximum Ratings.	Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1500 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	10.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Aluminium EC Grade
	standard cable length on a drum	250 meter for size 240sqmm and above., 500 meter for cable size up to and including 185 sqmm.
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for	yes

minimum and maximum ratings.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1500	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	2.5
	Number of cores (nos)	3
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armouring
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Additional Specification Parameters - Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Armouring	Galvanised round steel wire armouring, Galvanised single strip armouring

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

--	--	--	--	--

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	6.0
	Number of cores (nos)	3
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	16.0
	Number of cores (nos)	3
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised round steel wire armoured, Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid, Stranded, Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Copper
	standard cable length on a drum	500 meter for cable size up to and including 185 sqmm., 1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2000	90

Special terms and conditions for category Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418

- 1.Specification for Cross linked Polyethylene insulated thermoplastic sheathed cables" is as per IS:7098 (Part 1):1988 with latest amendments including amendment no.5. Manufacturer shall furnish calculation sheet as per Appendix-C of IS:7098 (Part 1):1988 amdt., no.5 to buyer/consignee on demand. (Gem Category: Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with latest amendment including amendment no.5)

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2.Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 3.For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.
- 4.Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three

years, ending on 31st March of the previous financial year, should be as indicated in the bid document.

Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
6. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
7. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
8. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
9. **Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER):** Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.
When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.
10. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
11. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
12. Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of BRAHMAPUTRA CRACKER AND POLYMER LIMITED payable at Dibrugarh, Assam. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.
13. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
14. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): i) Type Test Certificate of the offered item or Type test certificate of the higher rating item along with an undertaking for providing Type test certificate for each and every types of Cable from Govt. Lab/NABL/ILAC accredited Laboratory. ii) Bidder to upload the declaration for Bid Security as given in the link : <https://bcplonline.co.in/UploadFiles/Declaration%20for%20Bid%20Security.pdf>.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---