

Bid Document

Bid Details	
Bid End Date/Time	06-07-2020 12:00:00
Bid Opening Date/Time	2020-07-06 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Chemicals And Fertilizers
Department Name	Department Of Chemicals And Petrochemicals
Organisation Name	Brahmaputra Cracker And Polymer Limited (bcpl) Guwahati Assam
Office Name	Lepetkata
Total Quantity	3
Item Category	THICKNESS MEASURING GAUGE
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

THICKNESS MEASURING GAUGE (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
TYPE / MATERIAL	Application	To measure thickness of paper, film, wire, sheet metal, groove depth, tube thickness, jewelry, leather and similar materials.	*
	Type	Digital Thickness Gauge	Digital Thickness Gauge
	Anvil	Fixed	Fixed
	Contact Points	Carbide ball	Carbide ball
PERFORMANCE	Measurement Range (mm)	0 - 50	0 - 50
	Maximum measuring depth (Jaw / Throat Depth) (Distance from the center of the anvil to the Throat of the jaw frame)	-	300.0
	Least Count / Resolution	0.01	0.001, 0.01 Or lower
	Accuracy (Maximum error in reading) at 20 deg C ($\pm$)	0.02	0.005, 0.01, 0.015, 0.02 Or lower
DISPLAY / DATA OUTPUT	Type of Display	LCD	LCD
	Back-lit display	Yes	Yes
	Number of Digits in Display(May indicate '0' for Dial indicator Thickness Gauge)	0	*
	Display digit Size(May indicate '0' for Dial indicator Thickness Gauge)	-	*
	Data Output to other devices	No	No
BATTERY	Power Source	Alkaline Batteries (Non-Rechargeable)	*

	Battery Size, if Non Rechargeable Battery	SR44	*
	Battery Chemistry	Alkaline	*
	Number of Batteries required for operation (May Indicate '0' for Dial indicator Thickness Gauge)	1	*
	Number of Batteries supplied May Indicate '0' for Dial indicator Thickness Gauge)	1	1
	Battery Life (Approx) under normal use (May Indicate '0' for Dial indicator Thickness Gauge)	1	*
SALIENT FEATURES / FUNCTIONS	salient Features / Functions	Paper Thickness measurement, Tube thicknesses measurement, Groove Depth measurement, Manual ON/OFF, Data Hold, Low battery alarm, Auto Power OFF	Paper Thickness measurement, Tube thicknesses measurement, Groove Depth measurement, Manual ON/OFF, Auto Power OFF, Low battery alarm, Data Hold
ACCESSORIES	Standard accessories inclusive in the scope of supply	Carrying case, instruction booklet	instruction booklet, Carrying case
GENERIC	Material of the Frame / Jaw	Malleable Cast Iron	Malleable Cast Iron
	Material of the Spindle and Anvil	Hardened Stainless Steel	*
	Weight	-	*
	Dimensions (mm x mm x mm)	-	*
	Additional features, if any	-	*
	List of Items and Quantity of each item included in the offer	-	*
OPERATING CONDITIONS / INGRESS PROTECTION	Minimum Operating Temperature	0	0, -5, -10 Or lower
	Maximum Operating Temperature	50	50, 55, 60, 70 Or higher
	Maximum Operating Humidity at 40 deg C	70	70, 75, 80, 85, 90, 95 Or higher

	(Rh)		
	Ingress Protection	NA	*
WARRANTY	Warranty	1	1, 2, 3, 5, 8, 10 Or higher
CALIBRATION	Calibration Certificate for each Micrometer Provided to the buyer along with supplies	Yes	*
	Calibration Certificate issuing authority	OEM Certificate	OEM Certificate

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	3	30

Bid Specific Additional Terms and Conditions

1. ISO 9001: The bidder must have ISO 9001 certification.
2. Scope of supply (Bid price to include all cost components) : Only supply of Goods
3. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---