



BRAHMAPUTRA CRACKER AND POLYMER LIMITED

(A Govt. of India Enterprise)

Administrative Building, BCPL Project Site,

Lepetkata-786006, Dibrugarh, Assam, India.

Tel: +91 373-2914604, Website: www.bcplonline.co.in

Corporate Identification Number (CIN): U11101AS2007GOI008290

REQUEST FOR QUOTATION (RFQ)

S.No.	Material Code	Material Description	UOM	Quantity
1	2906120213	BRG,ROLL,CYLD.ROLL.BRG,NU 324 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 324 ECJ, NU 324 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 55 MM, WIDTH: 55 MM, OUTSIDE DIAMETER: 260 MM, LIMITING SPEED: 3200 R/MIN, REFERENCE SPEED: 2800 R/MIN	EA	6
2	2906120203	BRG,ROLL,CYLD.ROLL.BRG,NU 308 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 308 ECJ, NU 308 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 23 MM, BORE DIAMETER: 40 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 8000 R/MIN	EA	18
3	2906120193	BRG,ROLL,CYLD.ROLL.BRG,NU 310 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 310 ECJ, NU 310 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 27 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	9
4	2906120183	BRG,ROLL,CYLD.ROLL.BRG,NU 312 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 312 ECJ, NU 312 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 31 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6700 R/MIN, REFERENCE SPEED: 5600 R/MIN	EA	2
5	2901011013	BRG,BALL,DEEP GROOVE BAL,608 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:608 , 608, DEEP GROOVE BALL BERINGS, SINGLE ROW,WIDTH: 7 MM, BORE DIAMETER: 8 MM, OUTSIDE DIAMETER: 22 MM, LIMITING SPEED: 48000 R/MIN, REFERENCE SPEED: 75000 R/MIN	EA	7

S.No.	Material Code	Material Description	UOM	Quantity
6	2901040323	BRG,BALL,DEEP GROOVE BAL,6202 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6202 , 6202, DEEP GROOVE BALLBEARINGS, SINGLE ROW,WIDTH: 11 MM, BORE DIAMETER: 15 MM, OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 28000 R/MIN, REFERENCE SPEED: 43000 R/MIN	EA	1
7	2901040293	BRG,BALL,DEEP GROOVE BAL,6214 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6214 , 6214, DEEP GROOVE BALLBEARINGS, SINGLE ROW, WIDTH: 24 MM, BORE DIAMETER: 70 MM,OUTSIDE DIAMETER: 125 MM, LIMITING SPEED: 7000 R/MIN, REFERENCE SPEED: 11000 R/MIN	EA	4
8	2901040283	BRG,BALL,DEEP GROOVE BAL,6216 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6216 , 6216, DEEP GROOVE BALLBEARINGS, SINGLE ROW, WIDTH: 26 MM, BORE DIAMETER: 80 MM,OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 6000 R/MIN, REFERENCE SPEED: 9500 R/MIN	EA	6
9	2901050553	BRG,BALL,DEEP GROOVE BAL,6301 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6301 , 6301, DEEP GROOVE BALLBEARINGS, SINGLE ROW, WIDTH: 12 MM, BORE DIAMETER: 12 MM,OUTSIDE DIAMETER: 37 MM, LIMITING SPEED: 28000 R/MIN, REFERENCE SPEED: 45000 R/MIN	EA	3
10	2901060013	BRG,BALL,DEEP GROOVE BAL,6405 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6405 , 6405, DEEP GROOVE BALLBEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 25 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 13000 R/MIN, REFERENCE SPEED: 20000 R/MIN	EA	3
11	2901160223	BRG,BALL,DEEP GROOVE BAL,6200-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6200-2Z , 6200-2Z, DEEP GROOV BALL BEARINGS, SINGLE ROW,WIDTH: 9 MM, BORE DIAMETER: 10 MM, OUTSIDE DIAMETER: 30 MM, LIMITING SPEED: 28000 R/MIN, REFERENCE SPEED: 56000 R/MIN	EA	12
12	2921061013	BRG,BALL,DEEP GROOVE BAL,6410 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6410 C3 , 6410 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 31 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 1200 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
13	2903170123	BRG,BALL,BALL BEARINGS,7308 BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7308 BECBJ , 7308 BECBJ; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 9000 R/MIN	EA	47
14	2901280013	BRG,BALL,DEEP GROOVE BALL,6201-2RS1 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:DEEP GROOVE,ROWS:1,DESIGNATION:6201-2RS1, DEEP GROOVE BALL BEARING 6201-2S1, FOR TEA METERING PUMPS DRIVE UNIT,TAG NO.118-PA-170A/B,, MANUFACTURER:SKF,REFERENCE NO.:6201-2RS1	EA	4
15	2921260013	BRG,BALL,DEEP GROOVE BALL,6009.2VSR C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6009.2VSR C3 , 6009.2VS C3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 16 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 75 MM, LIMITING SPEED: 5600 R/MIN	EA	4
16	2905020023	BRG,ROLL,SPHERICAL ROLLER,21314 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:21314 E , 21314 E; SPHERICAL ROLLER BEARINGS; CYLINDRICAL BORE ,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	2
17	2904020023	BRG,ROLL,TAPERED ROLLER ,30307 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30307 J2/Q , 30307 J2/Q; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 22.75 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	1
18	2904021013	BRG,ROLL,TAPERED ROLLER ,30308 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30308 J2/Q , 30308 J2/Q; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 25.25 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 6000 R/MIN	EA	8
19	2903510033	BRG,BALL,ANGULAR CONTACT,QJ 312 MA Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:FOUR-POINT CONTACT ,ROWS:SINGLE ROW , DESIGNATION:QJ 312 MA ,QJ 312 MA; ANGULAR CONTACT BALL BEARINGS, FOUR-POINT CONTACT, WIDTH: 31 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	5
20	2911010013	GE 20 C Long Text : GE 20 C; RADIAL SPHERICAL PLAIN BEARINGS, WIDTH: 16 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 35 MM	EA	1

S.No.	Material Code	Material Description	UOM	Quantity
21	2906420093	BRG,CYLINDRICAL,ROLLER,SKF-NU 308 ECP Long Text : 'DESIGNATION: NU 308 ECP INNER DIAMETER: 40 OUTER DIAMETER: 90 WIDTH: 23	EA	4
22	2906421073	BRG,ROLL,CYLINDRICAL ROL,NU 314 ECP/C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 314 ECP/C3 , NU 314 EP/C3; CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4800 R/MIN	EA	2
23	2903360013	BRG,BALL,ANGULAR CONTACT,3306 A-2RS1TN9/ Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3306 A-2RS1TN9/MT33 3306 A-2RS1TN9/MT33; ANGULAR CONTACT BALL BEARINGS,WIDTH: 30.2 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 6300 R/MIN REFERENCE SPEED: 9000 R/MIN	EA	8
24	2901130013	BRG,BALL,DEEP GROOVE BAL,626-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:626-2Z , 626-2Z; DEEP GROOVEBALL BEARINGS, SINGLE ROW,WIDTH: 6 MM BORE DIAMETER: 6 MM OUTSIDE DIAMETER: 19 MM, LIMITING SPEED: 40000 R/MIN REFERENCE SPEED: 80000 R/MIN	EA	8
25	2901140103	BRG,BALL,DEEP GROOVE BAL,6001-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6001-2Z , 6001-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 8 MM BORE DIAMETER: 12 MM OUTSIDE DIAMETER: 28 MM, LIMITING SPEED: 30000 R/MIN REFERENCE SPEED: 60000 R/MIN	EA	12
26	2901060023	BRG,BALL,DEEP GROOVE BAL,6408 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6408 , 6408; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 27 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 14000 R/MIN	EA	8
27	2901160283	BRG,BALL,DEEP GROOVE BAL,6202-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6202-2Z , 6202-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 11 MM BORE DIAMETER: 15 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 22000 R/MIN REFERENCE SPEED: 43000 R/MIN	EA	20
28	2901040083	BRG,BALL,DEEP GRV,6213/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6213/C3	EA	30

S.No.	Material Code	Material Description	UOM	Quantity
29	2906120243	BRG,ROLL,CYLD.ROLL.BRG,NU 209 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 209 ECP, NU 209 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 19 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 85 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 9000 R/MIN	EA	8
30	2906110163	BRG,ROLL,CYLD.ROLL.BRG,NU 211 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 211 ECP, NU 211 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 55 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 7500 R/MIN	EA	2
31	2906110153	BRG,ROLL,CYLD.ROLL.BRG,NU 2214 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 2214 EC , NU 2214 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 31 MM, BORE DIAMETER: 70 MM, OUTSIDE DIAMETER: 125 MM, LIMITING SPEED: 6300 R/MIN, REFERENCE SPEED: 6000 R/MIN	EA	2
32	2906120163	BRG,ROLL,CYLD.ROLL.BRG,NU 307 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 307 ECP, NU 307 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN, REFERENCE SPEED: 9500 R/MIN	EA	12
33	2906120173	BRG,ROLL,CYLD.ROLL.BRG,NU 305 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 305 ECP, NU 305 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 17 MM, BORE DIAMETER: 25 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN, REFERENCE SPEED: 12000 R/MIN	EA	8
34	2906110123	BRG,ROLL,CYLD.ROLL.BRG,NU 213 ECP/C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 213 ECPC3 , NU 213 ECP/C3, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 23 MM, BORE DIAMETER: 65 MM, OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 6700 R/MIN, REFERENCE SPEED: 6300 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
35	2906370013	BRG,ROLL,CYLD.ROLL.BRG,NUP 2212 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NUP 2212 ECP , NUP 221 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 28 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	1
36	2903320013	BRG,BALL,ANGULAR CONTACT,3206 ATN9 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3206 ATN9 , 3206 ATN, ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 23.8 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 10000 R/MIN, REFERENCE SPEED: 10000 R/MIN	EA	2
37	2903350023	BRG,BALL,ANGULAR CONTACT,3306 ATN9 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3306 ATN9 , 3306 ATN, ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 30.2 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 9000 R/MIN, REFERENCE SPEED: 9000 R/MIN	EA	5
38	2903350013	BRG,BALL,ANGULAR CONTACT,3307 ATN9 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3307 ATN9 , 3307 ATN, ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 34.9 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 8500 R/MIN, REFERENCE SPEED: 8500 R/MIN	EA	7
39	2903210143	BRG,BALL,ANGULAR CONTACT,3309 A Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3309 A , 3309 A, AGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 39.7 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 6700 R/MIN	EA	1
40	2903340023	BRG,BALL,ANGULAR CONTACT,3311 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING, CONSTRUCTION:ANGULAR CONTACT BALL BEARING,ROWS:2, DESIGNATION:3311,3311 BEARING FO GT-1 EOP	EA	4
41	2903060013	BRG,BALL,ANGULAR CONTACT,7226 BCBM Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7226 BCBM , 7226 BCB, ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 40 MM, BORE DIAMETER: 130 MM, OUTSIDE DIAMETER: 230 MM, LIMITING SPEED: 3400 R/MIN, REFERENCE SPEED: 3200 R/MIN	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
42	2903210113	BRG,BALL,ANGULAR CONTACT,7310 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7310 BEP , 7310 BEP ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 27 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 7500 R/MIN	EA	8
43	2903210103	BRG,BALL,ANGULAR CONTACT,7311 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7311 BEP , 7311 BEP ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 29 MM, BORE DIAMETER: 55 MM, OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 6700 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	22
44	2903210093	BRG,BALL,ANGULAR CONTACT,7312 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7312 BEP , 7312 BEP ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 31 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6000 R/MIN, REFERENCE SPEED: 6000 R/MIN	EA	8
45	2903210073	BRG,BALL,ANGULAR CONTACT,7316 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7316 BEP , 7316 BEP ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 39 MM, BORE DIAMETER: 80 MM, OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 4500 R/MIN, REFERENCE SPEED: 4500 R/MIN	EA	6
46	2903120093	BRG,BALL,ANGULAR CONTACT,7206 BECBP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7206 BECBP , 7206 BECBP, ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 16 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 14000 R/MIN, REFERENCE SPEED: 14000 R/MIN	EA	8
47	2903010033	BRG,BALL,ANGULAR CONTACT,7214 BECBP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7214 BECBP , 7214 BECBP, ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 24 MM, BORE DIAMETER: 70 MM, OUTSIDE DIAMETER: 125 MM, LIMITING SPEED: 6300 R/MIN, REFERENCE SPEED: 6300 R/MIN	EA	8
48	2903400013	BRG,BALL,BALL BEARINGS,7410 BCBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7410 BCBM , 7410 BCBM; ANGULAR CONTACTBALL BEARINGS, SINGLE ROW,WIDTH: 31 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6700 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
49	2903080013	BRG,BALL,SINGLE ROW,SKF-7212 BEP Long Text : 'DESIGNATION: 7212 BEP	EA	25
50	2903170113	BRG,BALL,BALL BEARINGS,7322 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7322 BECBM , 7322 BECBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 50 MM BORE DIAMETER: 110 MM OUTSIDE DIAMETER: 240 MM, LIMITING SPEED: 3600 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	2
51	2903300013	BRG,BALL,BALL BEARINGS,7324 BCBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7324 BCBM , 7324 BCBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 55 MM BORE DIAMETER: 120 MM OUTSIDE DIAMETER: 260 MM, LIMITING SPEED: 3000 R/MIN REFERENCE SPEED: 3000 R/MIN	EA	4
52	2903210023	BRG,BALL,BALL BEARINGS,7319 BEP Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7319 BEP , 7319 BEP; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 45 MM BORE DIAMETER: 95 MM OUTSIDE DIAMETER: 200 MM, LIMITING SPEED: 3800 R/MIN REFERENCE SPEED: 3800 R/MIN	EA	6
53	2903121053	BRG,BALL,BALL BEARINGS,7314 BECBP Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7314 BECBP , 7314 BECBP; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 5600 R/MIN	EA	2
54	2903650143	BRG,BALL,ANGULAR CONTACT,7310 BECBJ Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7310 BECBJ , 7310 BEBJ; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 27 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 7500 R/MIN	EA	19
55	2903170143	BRG,BALL,BALL BEARINGS,7312 BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7312 BECBJ , 7312 BECBJ; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 31 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6000 R/MIN REFERENCE SPEED: 6000 R/MIN	EA	14

S.No.	Material Code	Material Description	UOM	Quantity
56	2903650133	BRG,BALL,ANGULAR CONTACT,7313 BECBM Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7313 BECBM , 7313 BEBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 33 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 6300 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	6
57	2903170153	BRG,BALL,BALL BEARINGS,7309 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7309 BECBM , 7309 BECBM; ANGULAR CONTAT BALL BEARINGS, SINGLE ROW,WIDTH: 25 MM BORE DIAMETER: 45 MM OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 9000 R/MIN	EA	4
58	2903170163	BRG,BALL,BALL BEARINGS,7311 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7311 BECBM , 7311 BECBM; ANGULAR CONTAT BALL BEARINGS, SINGLE ROW,WIDTH: 29 MM BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	8
59	2903210033	BRG,BALL,BALL BEARINGS,7206 BEP Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7206 BEP , 7206 BEP; ANGULAR CONTACT BLL BEARINGS, SINGLE ROW,WIDTH: 16 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 13000 R/MIN	EA	4
60	2903210043	BRG,BALL,ANGULAR CONTACT,7320 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7320 BEP ,7320 BEP; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW, WIDTH: 47 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER: 215 MM, LIMITING SPEED:600 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	2
61	2907020023	BRG,BALL,THRUST BALL BEA,51113 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51113 , 51113; THRUST BALL BEARINS, SINGLE DIRECTION,WIDTH: 18 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN REFERENCE SPEED: 3400 R/MIN	EA	30
62	2901490013	BRG,BALL,DEEP GROOVE BAL,16026 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:16026 , 16026; DEEP GROOVEALL BEARINGS, SINGLE ROW,WIDTH: 22 MM BORE DIAMETER: 130 MM OUTSIDE DIAMETER: 200 MM, LIMITING SPEED: 4300 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	3

S.No.	Material Code	Material Description	UOM	Quantity
63	2907020033	BRG,BALL,THRUST BALL BEA,51100 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51100 , 51100; THRUST BALL BEARINGS, SINGLE DIRECTION,WIDTH: 9 MM BORE DIAMETER: 10 MM OUTSIDE DIAMETER: 24 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 9500 R/MIN	EA	1
64	2903651113	BRG,BALL,ANGULAR CONTACT,7314 BECBM Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7314 BECBM , 7314 BCBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 5600 R/MIN	EA	9
65	2903630053	BRG,BALL,SINGLE ROW,SKF-7214 BECBJ Long Text : 'DESIGNATION: 7214 BECBJ	EA	1
66	2904990103	BRG,ROLL,RAD TPR RLR BRG,B5 HH 224346/HH Long Text : BEARING,ROLLER,TYPE:RADIAL TAPER ROLLER BEARINGS , CONSTRUCTION:RADIAL TAPER ,ROWS:SINGLE ROW , DESIGNATION:B5 HH 224346/HH 224310, B5 HH 224346/HH 224310; RADIAL TAPER ROLLER BEARINGS	EA	4
67	2904990093	BRG,ROLL,TAPERED ROLLER ,B6 932/936 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:B6 932/936 , B6 932/936, TAPEREDOLLER BEARINGS, TSF (TAPERED SINGLE WITH FLANGE)	EA	4
68	2904480013	BRG,HM926710/HM926740,WPIL Long Text : BEARING BEARING NO: HM926710/HM926740 MAKE: TIMKEN	EA	10
69	2906411063	BRG,ROLL,CYLINDRICAL ROL,NU 208 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 208 ECP , NU 208 ECP;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 18 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN REFERENCE SPEED: 9500 R/MIN	EA	8
70	2906411033	BRG,ROLL,CYLINDRICAL ROL,NU 212 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 212 ECP , NU 212 ECP;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 22 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	21
71	2906420103	BRG,ROLL,CYLINDRICAL ROL,NU 306 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 306 ECP , NU 306 ECP;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 19 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 12000 R/MIN REFERENCE SPEED: 11000 R/MIN	EA	18

S.No.	Material Code	Material Description	UOM	Quantity
72	2910070033	BRG,ROLL,YOKE TYPE TRACK,NATR10-PP Long Text : BEARING,ROLLER,TYPE:YOKE TYPE TRACK ROLLERS NATR , CONSTRUCTION:ROLLERS NATR ,ROWS:SINGLE ROW , DESIGNATION:NATR10-PP , NATR10-PP;YOKE TYPE TRACK ROLLERS NATR.PP, AXIAL PLAIN WASHERS ON BOTH SIDES	EA	1
73	2910070023	BRG,ROLL,YOKE TYPE TRACK,NATR6 Long Text : BEARING,ROLLER,TYPE:YOKE TYPE TRACK ROLLERS NATR , CONSTRUCTION:ROLLERS NATR ,ROWS:SINGLE ROW ,DESIGNATION:NATR6 , NATR6; YOKE TYP TRACK ROLLERS NATR, WITH AXIAL GUIDANCE, , GAP SEALS ON BOTH SIDES	EA	1
74	2902020013	BRG,BALL,BALL BEARINGS,2201 ETN9 Long Text : BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS , CONSTRUCTION:SELF-ALIGNING ,ROWS:SINGLE ROW , DESIGNATION:2201 ETN9 ,2201 ETN9; SEF-ALIGNING BALL BEARINGS, WIDTH: 14 MM OUTSIDE DIAMETER: 32 MM, LIMITING SPEED: 30000 R/MIN REFERENCE SPEED: 45000 R/MIN	EA	6
75	2903310013	BRG,BALL,ANGULAR CONTACT,3208 A Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3208 A , 3208 A; ANULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 30.2 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 8000 R/MIN	EA	8
76	2903990013	BRG,BALL,BALL BEARINGS,3208 Long Text : BEARING,BALL,TYPE:BALL BEARINGS ,CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW ,DESIGNATION:3208 ,3208 ; ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 30.2 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM,LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 8000 R/MIN	EA	8
77	2903340053	BRG,BALL,ANGULAR CONTACT,3309 A/C3 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3309 A/C3 , 3309 A/C; ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 39.7 MM BORE DIAMETER: 45 MM OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 6700 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	4
78	2903340043	BRG,BALL,ANGULAR CONTACT,3311 A/C3 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3311 A/C3 , 3311 A/C; ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 49.2 MM BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 5300 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
79	2901060033	BRG,BALL,DEEP GROOVE BAL,6407 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6407 , 6407; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 25 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 16000 R/MIN	EA	2
80	2903650123	BRG,BALL,ANGULAR CONTACT,7310 BECBP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7310 BECBP , 7310 BEBP; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 27 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 8000 R/MIN	EA	32
81	2904310033	BRG,ROLL,TPRED RLR,4T-15100/15250 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-15100/15250 , 4T-15100/15250;APERED ROLLER BEARING; SINGLE ROW	EA	10
82	2906120153	BRG,ROLL,CYLD.ROLL.BRG,NU 320 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 320 ECP, NU 320 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 47 MM, BORE DIAMETER: 100 MM, OUTSIDE DIAMETER: 215 MM, LIMITING SPEED: 3800 R/MIN, REFERENCE SPEED: 3200 R/MIN	EA	1
83	2907990023	BRG,BALL,BALL BRG,6204 Long Text : BEARING,BALL,TYPE:BALL BEARING 6204,ROWS:1,DESIGNATION:6204, SINGLE ROW DEEP GROOVE BALL BEARING NO.6204 DE,, FOR PEROXIDE CIRCULAION PUMP (118-PA-210),,LIQUID ADDITIVE METERING PUMP (118-PA-240), SILANE CIRCULATION PUMP (118-PA-190A/B), MANUFACTURER:SKF,REFERENCE NO.:6204	EA	4
84	2901040363	BRG,BALL,DEEP GROOVE BAL,6205 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6205 , 6205; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 15 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 52 MM, LIMITING SPEED: 18000 R/MIN REFERENCE SPEED: 28000 R/MIN	EA	12
85	2901040313	BRG,BALL,DEEP GROOVE BAL,6207 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6207 , 6207, DEEP GROOVE BALLEARINGS, SINGLE ROW,WIDTH: 17 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 13000 R/MIN, REFERENCE SPEED: 20000 R/MIN	EA	19

S.No.	Material Code	Material Description	UOM	Quantity
86	2901040143	BRG,BALL,BALL BRG NO 620,6208 Long Text : BEARING,BALL,TYPE:BALL BEARING NO.6208,ROWS:1, DESIGNATION:6208, SINGLE ROW DEEP GROOVE BALL BEARING NO.6208 DE,, FOR PEROXIDE CIRCULATION PUMP (118-PA-210), LIQUID ADDITIVE METERING PUMP (118-PA-240),, SILANE CIRCULATION PUMP (118-PA-190A/ B),MANUFACTURER:SKF,REFERENCE NO.:6208	EA	1
87	2901040303	BRG,BALL,DEEP GROOVE BAL,6212 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6212 , 6212, DEEP GROOVE BALLEARINGS, SINGLE ROW,WIDTH: 22 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 13000 R/MIN	EA	25
88	2901050533	BRG,BALL,DEEP GROOVE BAL,6306 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6306 , 6306, DEEP GROOVE BALLEARINGS, SINGLE ROW,WIDTH: 19 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 13000 R/MIN, REFERENCE SPEED: 20000 R/MIN	EA	26
89	2901050013	BRG,BALL,DEEP GRV,6307 Long Text : BEARING ,BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6307 ,MAKE:SKF OR EQUIVALENT	EA	34
90	2901050023	BRG,BALL,DEEP GRV,6309 Long Text : BEARING ,BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6309 ,MAKE:SKF OR EQUIVALENT	EA	29
91	2901050523	BRG,BALL,DEEP GROOVE BAL,6310 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6310 , 6310, DEEP GROOVE BALLEARINGS, SINGLE ROW, WIDTH: 27 MM, BORE DIAMETER: 50 MM,OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8500 R/MIN, REFERENCE SPEED: 13000 R/MIN	EA	22
92	2901050513	BRG,BALL,DEEP GROOVE BAL,6311 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6311 , 6311, DEEP GROOVE BALLEARINGS, SINGLE ROW, WIDTH: 29 MM, BORE DIAMETER: 55 MM,OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 12000 R/MIN	EA	14
93	2901050443	BRG,BALL,DEEP GROOVE BAL,6315 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6315 , 6315; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 37 MM BORE DIAMETER: 75 MM OUTSIDE DIAMETER: 160 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 9000 R/MIN	EA	1

S.No.	Material Code	Material Description	UOM	Quantity
94	2901050503	BRG,BALL,DEEP GROOVE BAL,6320 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6320 , 6320, DEEP GROOVE BALL BEARINGS, SINGLE ROW, WIDTH: 47 MM, BORE DIAMETER: 100 MM,OUTSIDE DIAMETER: 215 MM, LIMITING SPEED: 4300 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	3
95	2901141063	BRG,BALL,DEEP GROOVE BAL,6012-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6012-2Z , 6012-2Z, DEEP GROOV BALL BEARINGS, SINGLE ROW,WIDTH: 18 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 95 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 15000 R/MIN	EA	40
96	2901170213	BRG,BALL,DEEP GRV,6306-ZZ Long Text : BEARING,BALL TYPE : DEEP GROOVE ROWS : SINGLE DESIGNATION : 636-ZZ INNER DIAMETER: 30 OUTER DIAMETER: 72 WIDTH: 19 MAKE:SKF	EA	2
97	2921041043	BRG,BALL,DEEP GROOVE BAL,6206 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6206 C3 , 6206 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW, ,SPECIAL CLEARANCE, WIDTH: 16 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN, REFERENCE SPEED: 2400 R/MIN	EA	4
98	2921041033	BRG,BALL,DEEP GROOVE BAL,6208 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6208 C3 , 6208 C3, DEE GROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 18 MM, BORE DIAMETER: 40 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN, REFERENCE SPEED: 1800 R/MIN	EA	1
99	2921050063	BRG,BALL,SINGLE ROW,SKF-6308 Long Text : 'DESIGNATION: 6308 INNER DIAMETER: 40 OUTER DIAMETER: 90 WIDTH: 23	EA	41
100	2921051053	BRG,BALL,DEEP GROOVE BAL,6309 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6309 C3 , 6309 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 25 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 1500 R/MIN	EA	7

S.No.	Material Code	Material Description	UOM	Quantity
101	2921051043	BRG,BALL,DEEP GROOVE BAL,6316 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6316 C3 , 6316 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 39 MM, BORE DIAMETER: 80 MM, OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5300 R/MIN, REFERENCE SPEED: 8500R/MIN	EA	2
102	2901050413	BRG,BALL,DEEP GRV,6209-ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:OPEN SEAL, C3 CLEARNCE ,ROWS:SINGLE ROW , DESIGNATION:6322 C3 , BALL BEARING,DEEP GROE,SINGLE ROW,OPEN TYPE,6322-C3	EA	4
103	2901280043	BRG,BALL,DEEP GROOVE BAL,6210-2RS1 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210-2RS1 , 6210-2RS1, DEEP GOOVE BALL BEARINGS, SINGLE ROW, WIDTH: 20 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN	EA	4
104	2921280043	BRG,BALL,DEEP GROOVE BAL,6210.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6210.2VSR3 , 6210.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 20 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN	EA	8
105	2921280033	BRG,BALL,DEEP GROOVE BAL,6212.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6212.2VSR3 , 6212.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 22 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 4000 R/MIN	EA	4
106	2921220013	BRG,BALL,DEEP GROOVE BAL,6214.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6214.2VSR3 , 6214.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 24 MM, BORE DIAMETER: 70 MM, OUTSIDE DIAMETER: 125 MM, LIMITING SPEED: 3400 R/MIN	EA	4
107	2921280023	BRG,BALL,DEEP GROOVE BAL,6216.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6216.2VSR3 , 6216.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 26 MM, BORE DIAMETER: 80 MM, OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 3000 R/MIN	EA	28

S.No.	Material Code	Material Description	UOM	Quantity
108	2921280013	BRG,BALL,DEEP GROOVE BAL,6218.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6218.2VSR3 , 6218.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 30 MM, BORE DIAMETER: 90 MM, OUTSIDE DIAMETER: 160 MM, LIMITING SPEED: 2600 R/MIN, REFERENCE SPEED: R/MIN	EA	20
109	2905020013	BRG,ROLL,SPHERICAL ROLLE,21309 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:21309 E ,21309 E; SPHERICAL ROLLER BEARINGS; CYLINDRICAL BORE, WIDTH: 25 MM BORE DIAMETER: 45 MM OUTSIDE DIAMETER: 100 MM, LIMITING SPEED:500 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	2
110	2905040013	BRG,ROLL,SPHERICAL ROLLE,22212 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:22212 E , 22212 E; SPHERICAL ROLLER BEARINGS; CYLINDRICAL BORE,WIDTH: 28 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 5600 R/MIN	EA	4
111	2905450013	BRG,ROLL,ROLLER BRG,24048 CC/W33 Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING ,CONSTRUCTION:SPHERICAL , ROWS:DOUBLE ROW ,DESIGNATION:24048 CC/W33 , 24048 CC/W33; SPHERICAL RLLER BEARINGS,WIDTH: 118 MM BORE DIAMETER: 240 MM OUTSIDE DIAMETER: 360 MM, LIMITING SPEED: 1600 R/MIN REFERENCE SPEED: 1100 R/MIN	EA	4
112	2905420023	BRG,ROLL,ROLLER BRG,29430 E Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING ,CONSTRUCTION:SPHERICAL , ROWS:DOUBLE ROW ,DESIGNATION:29430 E , 29430 E; SPHERICAL ROLLER THRUT BEARINGS,WIDTH: 90 MM BORE DIAMETER: 150 MM OUTSIDE DIAMETER: 300 MM, LIMITING SPEED: 2200 R/MIN REFERENCE SPEED: 1200 R/MIN	EA	4
113	2905030033	BRG,ROLL,SPHERICAL ROLLE,22217 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:22217 E ,22217 E; SPHERICAL ROLLER BEARINGS; CYLINDRICAL BORE, WIDTH: 36 MM BORE DIAMETER: 85 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED:600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	4
114	2905030023	BRG,ROLL,SPHERICAL,22219 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:22219 E ,22219 E; SPHERICAL ROLLER BEARINGS; CYLINDRICAL BORE, WIDTH: 43 MM BORE DIAMETER: 95 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED:800 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
115	2908020013	BRG,ROLL,THRUST BEARINGS,29320 E Long Text : BEARING,ROLLER,TYPE:THRUST BEARINGS , CONSTRUCTION:SPHERICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:29320 E , 29320 E; SPHERICAL ROLLER THRUST BEARINGS,WIDTH: 42 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 3600 R/MIN REFERENCE SPEED: 2200 R/MIN	EA	6
116	2904070033	BRG,ROLL,TAPERED ROLLER ,33209/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:33209/Q , 33209/Q; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 32 MM BORE DIAMETER: 45 MM OUTSIDE DIAMETER: 85 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 5300 R/MIN	EA	2
117	2904040053	BRG,ROLL,TAPERED ROLLER ,31312 J2/QCLDF Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:31312 J2/QCLDF , 31312 J2/QCLDF;TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 33.5 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	2
118	2905090013	BRG,ROLL,SPHERICAL ROLLER,23120 CC/W33 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW , DESIGNATION:23120 CC/W33 ,23120 CC/W33; SPHERICAL ROLLER BEARINGS, WIDTH: 52 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER: 165 MM, LIMITING SPEED: 4000 R/MIN REFERENCE SPEED: 3000 R/MIN	EA	1
119	2905040023	BRG,ROLL,SPHERICAL ROLLER,23948 CC C3/W33 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW , DESIGNATION:23948 CC C3/W33 , 23948 CC C/W33; SPHERICAL ROLLER BEARINGS,WIDTH: 60 MM BORE DIAMETER: 240 MM OUTSIDE DIAMETER: 320 MM, LIMITING SPEED: 2000 R/MIN REFERENCE SPEED: 1900 R/MIN	EA	1
120	2904990113	BRG,ROLL,TAPERED ROLLER ,B2 74500/74850 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:B2 74500/74850 , B2 74500/74850;TAPERED ROLLER BEARINGS , TSF (TAPERED SINGLE WITH FLANGE)	EA	4
121	2904990083	BRG,ROLL,ROLLER BRG,JHM516810 Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING ,CONSTRUCTION:TAPERED , ROWS:SINGLE ROW ,DESIGNATION:JHM516810 , JHM516810 TAPERED ROLLER BEARING, SINGLE CUP, STANDARD TOLERANCE	EA	2
122	2904990123	BRG,ROLL,TAPERED ROLLER,JHM516849 Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING ,CONSTRUCTION:TAPERED ,ROWS:SINGLE CONE ,DESIGNATION:JHM516849 ,JHM516849 TAPERED ROLLER BEARINGS - SINGLE CONE"	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
123	2904990073	BRG,ROLL,TAPERED ROLLER ,JHM516849 - JHM Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:JHM516849 - JHM516810 , JHM51684 - JHM516810, TAPERED ROLLER BEARINGS - TS , (TAPERED SINGLE)	EA	6
124	2905010073	BRG,ROLL,SPHERICAL ROLLE,21316 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:SINGLE ROW ,DESIGNATION:21316 E , 21316 E; SPHERICALOLLER BEARINGS,WIDTH: 39 MM BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 3800 R/MIN	EA	2
125	2905010063	BRG,ROLL,SPHERICAL ROLLE,21316 E/C3 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:SINGLE ROW , DESIGNATION:21316 E/C3 , 21316 E/C3; SPERICAL ROLLER BEARINGS,WIDTH: 39 MM BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 3800 R/MIN	EA	2
126	2901050593	BRG,BALL,DEEP GROOVE BAL,6316 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6316 , 6316; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 39 MM BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 8500 R/MIN	EA	4
127	2901140093	BRG,BALL,DEEP GROOVE BAL,6003-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6003-2Z , 6003-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 10 MM BORE DIAMETER: 17 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 22000 R/MIN REFERENCE SPEED: 45000 R/MIN	EA	34
128	2901140083	BRG,BALL,DEEP GROOVE BAL,6004-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6004-2Z , 6004-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 12 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 42 MM, LIMITING SPEED: 19000 R/MIN REFERENCE SPEED: 38000 R/MIN	EA	100
129	2901040333	BRG,BALL,DEEP GROOVE BAL,6204-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6204-2Z , 6204-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 14 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 47 MM, LIMITING SPEED: 17000 R/MIN REFERENCE SPEED: 32000 R/MIN	EA	50
130	2901140073	BRG,BALL,DEEP GROOVE BAL,6208-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6208-2Z , 6208-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 18 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 18000 R/MIN	EA	36

S.No.	Material Code	Material Description	UOM	Quantity
131	2901170263	BRG,BALL,DEEP GROOVE BAL,6305-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6305-2Z , 6305-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 17 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	2
132	2901170253	BRG,BALL,DEEP GROOVE BAL,6306-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6306-2Z , 6306-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 19 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 11000 R/MIN REFERENCE SPEED: 20000 R/MIN	EA	6
133	2901380013	BRG,BALL,DEEP GROOVE BAL,6002-2RSH Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6002-2RSH , 6002-2RSH; DEEPGROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 9 MM BORE DIAMETER: 15 MM OUTSIDE DIAMETER: 32 MM, LIMITING SPEED: 14000 R/MIN REFERENCE SPEED: R/MIN	EA	2
134	2903210063	BRG,BALL,ANGULAR CONTACT,7306 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7306 BEP , 7306 BEP, ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 19 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 12000 R/MIN, REFERENCE SPEED: 12000 R/MIN	EA	6
135	2905020033	BRG,ROLL,SPHERICAL ROLLER,22217 EK + H 31 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW , DESIGNATION:22217 EK + H 317 , 22217 EK H 317; SPHERICAL ROLLER BEARINGS ON AN ADAPTER SL,WIDTH: 36 MM BORE DIAMETER: 75 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	11
136	2904310013	BRG,ROLL,TPRED RLR,4T-3188/3120 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-3188/3120 , 4T-3188/3120; TAPEED ROLLER BEARING; SINGLE ROW	EA	30
137	2903210133	BRG,BALL,ANGULAR CONTACT,7308 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7308 BEP , 7308 BEP, ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 23 MM, BORE DIAMETER: 40 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9000 R/MIN, REFERENCE SPEED: 9000 R/MIN	EA	30

S.No.	Material Code	Material Description	UOM	Quantity
138	2903210123	BRG,BALL,ANGULAR CONTACT,7309 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7309 BEP , 7309 BEP,ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 25 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 8000 R/MIN	EA	4
139	2903170133	BRG,BALL,BALL BEARINGS,7310 BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7310 BECBJ , 7310 BECBJ; ANGULAR CONTAT BALL BEARINGS, SINGLE ROW,WIDTH: 27 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 7500 R/MIN	EA	14
140	2904070043	BRG,ROLL,TAPERED ROLLER ,33217/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:33217/Q , 33217/Q; TAPERED ROLLERBEARINGS, SINGLE ROW,WIDTH: 49 MM BORE DIAMETER: 85 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 4300 R/MIN REFERENCE SPEED: 3000 R/MIN	EA	2
141	2901050753	BRG,BALL,DEEP GROOVE BAL,6315/C3 Long Text : "BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING ,CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6315/C3 ,6315/C3; DEEP GROOVE BALL BEARINGS, SINGLE ROW ,WIDTH: 37MM BORE DIAMETER:75MM OUTSIDE DIAMETER:160MM"	EA	4
142	2905020043	BRG,BALL,SPHERICAL ROLLE,22215 EK + H 31 Long Text : BEARING,BALL,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:SINGLE ROW , DESIGNATION:22215 EK + H 315 , 22215 EK + 315; SPHERICAL ROLLER BEARINGS ON AN ADAPTER SL,WIDTH: 31 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6300 R/MIN REFERENCE SPEED: 4800 R/MIN	EA	8
143	2911030013	GE 25 ES-2RS Long Text : GE 25 ES-2RS; RADIAL SPHERICAL PLAIN BEARINGS, WIDTH: 16 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 42 MM	EA	1
144	2904010063	BRG,ROLL,TAPERED ROLLER ,30207 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30207 J2/Q , 30207 J2/Q; TAPEREDOLLER BEARINGS, SINGLE ROW,WIDTH: 18.25 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	2
145	2904010053	BRG,ROLL,TAPERED ROLLER ,30208 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30208 J2/Q , 30208 J2/Q; TAPEREDOLLER BEARINGS, SINGLE ROW,WIDTH: 19.75 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 8500 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
146	2906110133	BRG,ROLL,HYBRID CYLINDRI,NU 211ECM/HC5C3 Long Text : BEARING,ROLLER,TYPE:HYBRID CYLINDRICAL ROLLER , CONSTRUCTION:HYBRID CYLINDRICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:NU 211 ECM/H5C3 , NU 211 ECM/HC5C3, HYBRID CYLINDRICAL ROLLER BEARINGS, SINGLE,WIDTH: 21 MM, BORE DIAMETER: 55 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 7000 R/MIN	EA	22
147	2907030013	BRG,BALL,THRUST BALL BEA,51203 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51203 , 51203; THRUST BALL BEARINS, SINGLE DIRECTION,WIDTH: 12 MM BORE DIAMETER: 17 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	1
148	2901050673	BRG,BALL,DEEP GROOVE BAL,6305 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:BALL BEARING ,ROWS:1 ,DESIGNATION:6305 , MAKE: SKF/FAG/ TIMKEN/NTN/ EQUIALENT	EA	12
149	2903510033	BRG,BALL,ANGULAR CONTACT,QJ 312 MA Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:FOUR-POINT CONTACT ,ROWS:SINGLE ROW , DESIGNATION:QJ 312 MA ,QJ 312 MA; ANGULAR CONTACT BALL BEARINGS, FOUR-POINT CONTACT, WIDTH: 31 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITINGSPEED: 9000 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	2
150	2904060013	BRG,ROLL,TAPERED ROLLER ,32305 J2 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:32305 J2 , 32305 J2; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 25.25 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 12000 R/MIN REFERENCE SPEED: 8000 R/MIN	EA	8
151	2906140023	BRG,ROLL,CYLINDRICAL ROL,NU 1007 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 1007 ECP , NU 1007 EC; CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 14 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 13000 R/MIN	EA	8
152	2906210013	BRG,ROLL,CYLD.ROLL.BRG,NJ216ECJ+HJ216 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NJ 216 ECJ+ HJ 216 , NJ 26 ECJ + HJ 216, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 26 MM, BORE DIAMETER: 80 MM, OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 5600 R/MIN, REFERENCE SPEED: 5300 R/MIN	EA	2
153	5945012023	"TAPERED ROLLER BEARING, NO. - 30213 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 30213	EA	30

S.No.	Material Code	Material Description	UOM	Quantity
154	5945012013	"TAPERED ROLLER BEARING, NO. - 32012 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 32012, FRONT WHEEL (OUTER)"	EA	30
155	5945012003	"TAPERED ROLLER BEARING, - 30209 J2/Q Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 30209 J2/Q, REAR WHEEL (INNER)"	EA	30
156	5945011993	"TAPERED ROLLER BEARING, - 32306 J2/Q Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 32306 J2/Q, REAR WHEEL (OUTER)"	EA	30
157	5945011983	"TAPERED ROLLER BEARING, NO. - 509043 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 509043, STEERING COLUMN BEARING"	EA	30
158	5945011973	"SHIELDED DEEP GROOVE BALL BEARG,6206 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING, BEARING NO. - 6206 Z, TRACTION MOTOR DRIVE END"	EA	30
159	5945011963	"CYLINDRICAL ROLLER BEARING, NO. - NU205 Long Text : "CYLINDRICAL ROLLER BEARING, BEARING NO. - NU205, TRACTION MOTOR COMMUTATOR END"	EA	30
160	5945011953	"SHIELDED DEEP GROOVE BALL BEARG,6305 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING, BEARING NO. - 6305 Z, HYDRAULIC PUMP MOTOR DRIVE END"	EA	30
161	5945011943	"SHIELDED DEEP GROOVE BALL BEARG,6204 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING,BEARING NO. - 6204 Z, HYDRAULIC PUMP MOTOR COMMUTATOR END"	EA	30
162	5945011933	"NEEDLE ROLLER BEARING, BRG NO. - DL2520 Long Text : "NEEDLE ROLLER BEARING, BEARING NO. - DL2520, BELL CRANK LEVER ASSEMBLY"	EA	30
163	5945011923	"NEEDLE ROLLER BEARING, BRG NO - HK 2216 Long Text : "NEEDLE ROLLER BEARING, BEARING NO. - HK 2216, STEERING ASSEMBLY"	EA	30
164	5945011913	"ROLLER BEARING, BERING NO - DL 3016 NA Long Text : "ROLLER BEARING, BEARING NO. - DL 3016 NA, THRUST BEARING OF KING PIN"	EA	30
165	2908020023	BRG,ROLL,THRUST BEARINGS,29324 E Long Text : BEARING,ROLLER,TYPE:THRUST BEARINGS , CONSTRUCTION:SPHERICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:29324 E , 29324 E; SPHERICAL ROLLER THRUST BEARINGS,WIDTH: 54 MM BORE DIAMETER: 120 MM OUTSIDE DIAMETER: 210 MM, LIMITING SPEED: 2800 R/MIN REFERENCE SPEED: 1700 R/MIN	EA	4
166	2904040063	BRG,ROLL,TAPERED ROLLER ,31312/DF Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:31312/DF , 31312/DF; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 33.5 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 5299.99 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
167	2904990063	BRG,ROLL,TAPERED ROLLER ,6580 - 6535 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:6580 - 6535 , 6580 - 6535, TAPERD ROLLER BEARINGS - TSF, (TAPERED SINGLE WITH FLANGE) IMPERIAL	EA	10
168	2904990053	BRG,ROLL,TAPERED ROLLER ,742/749 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:742/749 , 742/749 ; TAPERED ROLLER BEARINGS - TS , (TAPERED SINGLE) IMPERIAL	EA	10
169	2902010013	BRG,BALL,BALL BEARINGS,1206 EKTN9 + H Long Text : BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS , CONSTRUCTION:SELF-ALIGNING ,ROWS:SINGLE ROW , DESIGNATION:1206 EKTN9 + H 206 , 120 EKTN9 + H 206; SELF-ALIGNING BALL BEARINGS,WIDTH: 16 MM BORE DIAMETER: - OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	6
170	2903510043	BRG,BALL,ANGULAR CONTACT,QJ 311 MA Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:QJ 311 MA , QJ 311 M; ANGULAR CONTACT BALL BEARINGS, FOUR-POINT CONTACT BALL BEARINGS WIDTH: 29 MM ,BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM , LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	6
171	2904310023	BRG,ROLL,TPRED RLR,4T-15100/15245 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-15100/15245 , 4T-15100/15245;APERED ROLLER BEARING; SINGLE ROW	EA	32
172	2906020083	BRG,BALL,ROLLER BRG,N308 ECM/C3 Long Text : BEARING,BALL,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:BEARING ,ROWS:SINGLE ROW , DESIGNATION:CYL ROLL BRG N308 ECM/C3 , WIDT: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 8000 R/MIN"	EA	6
173	2906020073	BRG,BALL,ROLLER BRG,N314 ECM/C3 Long Text : BEARING,BALL,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:BEARING ,ROWS:SINGLE ROW , DESIGNATION:CYL ROLL BRG N314 ECM/C3 , WIDT: 35 MM BORE DIAMETER:70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4800 R/MIN"	EA	4
174	2906120283	BRG,ROLL,CYLD.ROLL.BRG,NU316 ECM/C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:BEARING ,ROWS:SINGLE ROW , DESIGNATION:CYN ROLLER BRG NU316 ECM/C3 ,WIDTH: 39 MM BORE DIAMETER:80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5000 R/MIN REFERENCE SPEED: 4300 R/MIN"	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
175	2901050803	BRG,BALL,BALL BEARINGS,6307NR Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6307NR(WITH SNAP RING) , WIDTH: 21 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 12000 R/MIN REFERENCE SPEED: 19000 R/MIN	EA	8
176	2903170063	BRG,BALL,ANG CON,7315-BECBM,7315-BMUA Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW , DESIGNATION:7315-BECBM,DESIGNATION:7315-BMUA ,MAKE:SKF OR EQUIVALENT	EA	4
177	2903250033	BRG,BALL,SINGLE ROW,SKF 7307 BG Long Text : 'DESIGNATION: 7307 BG	EA	4
178	2903170283	BRG,BALL,BALL BEARINGS,7316BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7316BECBJ , WIDTH: 39 M BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 5600 R/MIN"	EA	4
179	2903170273	BRG,BALL,BALL BEARINGS,7316BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7316BECBM , WIDTH: 39 M BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 5600 R/MIN"	EA	4
180	2903170263	BRG,BALL,BALL BEARINGS,7216BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7216BECBM , WIDTH: 26 M BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 5600 R/MIN"	EA	10
181	2903170293	BRG,BALL,BALL BEARINGS, 7216BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CON BRG 7216BECBJ , WIDTH: 26 MM BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 5600 R/MIN"	EA	4
182	2903170253	BRG,BALL,BALL BEARINGS,7312BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7312BECBM , WIDTH: 31 M BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 8500 R/MIN REFERENCE SPEED: 6300 R/MIN"	EA	10
183	2903170203	BRG,BALL,BALL BEARINGS,7306BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANGULAR CONTACT BRG 7306BECBJ , WIDT: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 9500 R/MIN"	EA	16

S.No.	Material Code	Material Description	UOM	Quantity
184	2903170193	BRG,BALL,BALL BEARINGS,7306BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7306BECBM , WIDTH: 19 M BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 16000 R/MIN REFERENCE SPEED: 12000 R/MIN"	EA	16
185	2903170243	BRG,BALL,BALL BEARINGS,7311-BECBJ Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7311-BECBJ , WIDTH: 29M BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 7000 R/MIN"	EA	6
186	2904040083	BRG,BALL,TAPERED ROLLER ,31310BECBJ Long Text : BEARING,BALL,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:TAPER ROLL BRG 31310BECBJ WIDTH: 29.25 MM BORE DIAMETER:50 MM OUTSIDE DIAMETER: 110, LIMITING SPEED: 6000 R/MIN REFERENCE SPEED: 4500 R/MIN"	EA	4
187	2902060053	BRG,BALL,BALL BEARINGS,1308K/H 308 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:SELF-ALIGNING , ROWS:DOUBLE ROW ,DESIGNATION:BALL BRG 1308K/H 308 , WIDTH: 23 MM BOR DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 14000 R/MIN"	SE	8
188	2907020073	BRG,BALL,BALL BEARINGS,51112 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:THRUST , ROWS:SINGLE ROW ,DESIGNATION:THRUST BALL BRG 51112 , WIDTH: 17 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 85 MM, LIMITING SPEED: 5000 R/MIN REFERENCE SPEED: 3600 R/MIN"	EA	30
189	2907020063	BRG,BALL,BALL BEARINGS,51118 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:THRUST , ROWS:SINGLE ROW ,DESIGNATION:THRUST BAL BRG 51118 , WIDTH: 22 MM BORE DIAMEER: 90 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 3800 R/MIN REFERENCE SPEED: 2600 R/MIN"	EA	42
190	2901990013	BRG,BALL,SINGLE ROW,SKF-357/354 A Long Text : DESIGNATION: 357/354 A	EA	6
191	2903190013	BRG,BALL,BALL BEARINGS,7314 BEGAM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7314 BEGAM , WIDTH: 35M BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 5600 R/MIN"	EA	4
192	2903170083	BRG,BALL,ANG CON,7314-BECBJ Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW , DESIGNATION:7314-BECBJ,MAKE:SKF OR EQUIVALENT	EA	6

S.No.	Material Code	Material Description	UOM	Quantity
193	2903990033	BRG,BALL,BALL BEARINGS,7310 BL 1DBC3 Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7310 BL 1DBC3 , WIDTH:7 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8000 R/MIN LIMITING SPEED: 7500 R/MIN	EA	4
194	2903170223	BRG,BALL,BALL BEARINGS,7310BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:ANG CONT BRG 7310BECBM , WIDTH: 27 M BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 7500 R/MIN"	EA	6
195	2905020073	BRG,ROLL,SPHERICAL,22207 CE4 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARING , CONSTRUCTION:DOUBLE ROW ,ROWS:DOUBLE ROW , DESIGNATION:22207 CE4 , N22207CE4 PRODUC TABLE: SPHERICAL ROLLERL BEARINGS, , DOUBLE ROW WIDTH: 23 MM BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 72 MM LIMITING SPEE	EA	4
196	2905020063	BRG,ROLL,SPHERICAL,22206CE4 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARING , CONSTRUCTION:DOUBLE ROW SPHERICAL ROLLER ,ROWS:DOUBLE ROW , DESIGNATION:22206CE4 , 22206CE4 PRODUCT TABLE: SPHERICAL ROLLERL BEARINGS, , DOUBLE ROW WIDTH: 20 MM BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62	EA	12
197	2903540023	BRG,BALL,ANGULAR CONTACT,5205 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:DOUBLE ROW ANGULAR CONTACT BALL , ROWS:DOUBLE ROW ,DESIGNATION:5205 5205 PRODUCT TABLE: ANGULAR CONTACT BALL BEARINGS, DOUBLE , ROW WIDTH: 20.6 MM BORE DIAMETER: 25 MM, OUTSIDE DIAMETER: 52 MM	EA	12
198	2903540013	BRG,BALL,ANG CON,5206 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT , CONSTRUCTION:DOUBLE ROW ANGULAR CONTACT BALL , ROWS:DOUBLE ROW ,DESIGNATION:5206 , 5206 PRODUC TABLE: ANGULAR CONTACT BALL BEARINGS, DOUBLE , ROW WIDTH: 23.8 MM BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM LIMITING	EA	4
199	2902020023	BRG,BALL,SELF ALIGNMENT,2217C3 Long Text : BEARING,BALL,TYPE:SELF ALIGNMENT BALL BEARING , CONSTRUCTION:DOUBLE ROW SELF ALIGNMENT ,ROWS:DOUBLE ROW , DESIGNATION:2217C3 , 227C3, PRODUCT TABLE: SELF ALLIGNEMENT BALL BEARINGS, , DOUBLE ROW WIDTH: 36 MM BORE DIAMETER: 85 MM, OUTSIDE DIAMETER: 15	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
200	2906120293	BRG,ROLL,CYLD.ROLL.BRG,NU320 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:SINGLE ROW CYLINDRICAL ROLLER ,ROWS:SINGLE , DESIGNATION:NU320 ECP ,U320 ECP , PRODUCT TABLE: CYLINDRICAL ROLLER BEARINGS, SINGLE ROW, WIDTH: 47 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER:	EA	2
201	2903240013	BRG,BALL,ANGULAR CONTACT,7320 BMPU0 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:SINGLE ROW ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7320 BMPU0, 7320 BMPU0 PRODUCT TABLE: ANGULAR CONTACT BALL BEARINGS, SINGLE ROW WIDTH: 47 MM BORE DIAMETER: 100 MM, OUTSIDE DIAMETER: 2	EA	2
202	2901050813	BRG,BALL,DEEP GROOVE BAL,6003 2VSR Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:SINGLE ROW DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6003.2VSR , 6003VSR PRODUCT TABLE: DEEP GROOVE BALL BEARINGS, SINGLE ROW WIDTH: 10 MM BORE DIAMETER: 17 MM, OUTSIDE DIAMETER: 35 MM LIMITIN	EA	56
203	2906170033	BRG,ROLL,CYLD.ROLL.BRG,BRG Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:SINGLE ROW CYLINDRICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:NU220E.VP2 ,NU 220E.TVP2 , PRODUCT TABLE: CYLINDRICAL ROLLER BEARINGS, SINGLE ROW, WIDTH: 34 MM BORE DIAMETER: 100 MM, OUTSI	EA	2
204	2903630073	BRG,BALL,BRG,7220 BMPUA Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL , CONSTRUCTION:SINGLE ROW ANGULAR CONTACT BALL , ROWS:SINGLE ROW ,DESIGNATION:7220 BMPUA , 220BMPUA PRODUCT TABLE: ANGULAR CONTACT BALL BEARINGS, SING, LE ROW WIDTH: 34 MM BORE DIAMETER: 100 MM, OUTSIDE DIAMETER: 180	EA	4
205	2910070053	BRG,ROLL,NDLE RLR BRG,NA 4914 Long Text : BEARING,ROLLER,TYPE:NEEDLE ROLLER BEARING , CONSTRUCTION:NEEDLE ROLLER ,ROWS:1 ,DESIGNATION:NA 4914 , WITH MACHINED INNER AND OUTE RINGS, BASIC DYNAMIC LOAD RATING: 84.2 KN,BASIC STATIC LOAD RATING: 163 KN,FATIGUE LOAD LIMIT: 20.8 KN, REFERENCE SPEED: 5000 RPM,LIMITING SPEED: 5600 RPM, LIMITING SPEED:600 RPM	EA	3

S.No.	Material Code	Material Description	UOM	Quantity
206	2910070063	BRG,ROLL,NDLE RLR BRG,NA 4911 Long Text : BEARING,ROLLER,TYPE:NEEDLE ROLLER BEARING, CONSTRUCTION:NEEDLE ROLLER ,ROWS:1 ,DESIGNATION:NA 4911, WITH MACHINED RINGS,WIDTH: 25M ,BORE DIAMETER: 55 MM,OUTSIDE DIAMETER: 80 MM,BASIC DYNAMIC LOAD RATING: 57.2 KN, BASIC STATIC LOAD RATING: 106 KN,REFERENCE SPEED: 6300 R/MIN, LIMITINGSPEED: 7000 R/MIN	EA	3
207	2907030023	BRG,BALL,THRUST BALL BEA,51213 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARING , CONSTRUCTION:THRUST BALL ,ROWS:1 ,DESIGNATION:51213 , WIDTH: 27 MM,BORE DIAMETER: 65 MM,OUTSIDE DIAMETER: 100 MM,BASIC DYNAMIC LOAD RATING: 60.5 KN, BASIC STATIC LOAD RATING: 150 KN,REFERENCE SPEED: 2600 R/MIN, LIMITING SPEED: 3600 R/MIN	EA	3
208	2903550023	BRG,BALL,ANGULAR CONTACT,5311 BDDUC3E EN Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:ANGULAR CONTACT ,ROWS:2 , DESIGNATION:5311 BDDUC3E ENSX68 , ANGULARCONTACT BALL BEARING DOUBLE ROW,B=25° CONTACT ANGLE. DDU=(2RS)RUBBER SEALS AT EACH SIDE, C3=INTERNAL CLEARANCE LARGER THAN NORMAL,E=BALL BEARING, BORE DIAMETER: 5 MM,OUTSIDE DIAMETER: 120 MM,WIDTH: 49.20 MM	EA	2
209	2906120303	BRG,ROLL,CYLD.ROLL.BRG,NU307E Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:1 ,DESIGNATION:NU307E , WIDTH: 21 MM,BORE DAMETER: 35 MM,OUTSIDE DIAMETER: 80 MM,BASIC DYNAMIC LOAD RATING: 75 KN, BASIC STATIC LOAD RATING: 63 KN,REFERENCE SPEED:9500 R/MIN, LIMITING SPEED: 11000 R/MIN	EA	3
210	2901020143	BRG,BALL,DEEP GROOVE BAL,6011 C3 Long Text : "BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING ,CONSTRUCTION:DEEP GROOVE ,ROWS:1 ,DESIGNATION:6011 C3 ,INSIDE DIAMETER: 55MM,WIDTH: 18MM,STATIC LOAD RATING: 21.2 KN,OUTSIDE DIAMETER: 90MM,DYNAMIC LOAD RATING: 29.6KN,REFERENCE SPEED: 16000 R/MIN,LIMITING SPEED: 10000 R/MIN"	EA	3
211	2910100013	DESIGNATION: NK312/16 Long Text : BRG,NEEDLE,ROLLER,SKF-NK312/16	EA	2
212	2901040513	BRG,BALL,DEEP GROOVE BAL,6207DU Long Text : "BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING ,CONSTRUCTION:DEEP GROOVE ,ROWS:1, DESIGNATION:6207DU,SINGLE ROW RADIAL BEARING,INNER (ID): 35MM,OUTER (OD): 72MM,WIDTH: 17MM"	EA	3

S.No.	Material Code	Material Description	UOM	Quantity
213	2903340093	BRG,BALL,ANG CONT,3310A Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT , CONSTRUCTION:ANGULAR CONTACT BALL BEARING ,ROWS:2 , DESIGNATION:3310A , 3310A ANGULAR CONTACTBALL BEARING DOUBLE ROW,BORE DIA- 50 MM, OD- 110 MM, WIDTH- 44.4 MM, LIMITING SPEED - 6000 R/MIN,REFERENCE SPEED -6000 R/MIN, CAGE MATERIAL- STEEL	EA	2
214	2902070013	BRG,BALL,SELF ALIGN,SKF-2304 Long Text : DESIGNATION: 2304	EA	2
215	2905030083	BRG,ROLL, SPHERICAL ROLL,22317E1K.C3 Long Text : BEARING,ROLLER,TYPE: SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ROLLER ,ROWS:2 , DESIGNATION:22317E1K.C3 ,22317E1K.C3 SPHEICAL ROLLER BEARING, BORE DIA- 85MM, OD -180MM, WIDTH - 60, LIMITING SPEED - 4100 R/MIN,REFERENCE SPEED - 3200 R/MIN	EA	2
216	2902020013	BRG,BALL,BALL BEARINGS,2201 ETN9 Long Text : BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS , CONSTRUCTION:SELF-ALIGNING ,ROWS:SINGLE ROW , DESIGNATION:2201 ETN9 ,2201 ETN9; SEF-ALIGNING BALL BEARINGS, WIDTH: 14 MM OUTSIDE DIAMETER: 32 MM, LIMITING SPEED: 30000 R/MIN REFERENCE SPEED: 45000 R/MIN	EA	2
217	2901160323	BRG,BALL,DEEP GROOVE BAL,6220-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:1 ,DESIGNATION:6220-2Z , 6220-2Z DEEP GROOVE BALL BEARNG, BORE DIA- 100 MM, OD- 180 MM, WIDTH-34 MM, LIMITING SPEED - 7500 R/MIN,REFERENCE SPEED -3800 R/MIN	EA	6
218	2911070013	BRG,BALL,PLAIN BRG,GE 20C Long Text : BEARING,BALL,TYPE:PLAIN BEARING ,CONSTRUCTION:SPHERICAL , DESIGNATION:GE 20C ,GE-20C RADIAL SPHERICAL PLAIN BEARING, BORE DIA- 20M, OD- 35 MM, WIDTH- 16 MM	EA	4
219	2902010033	BRG,BALL,ANGULAR CONTACT,1224 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:2 ,DESIGNATION:1224 , 1224 SELF ALIGNING BAL BEARING,BORE DIA- 120 MM,OD- 215 MM, WIDTH - 42,LIMITING SPEED - 4000 R/MIN, REFERENCE SPEED - 6300 R/MIN	EA	2
220	2903340083	BRG,BALL,ANG CON THRUST,3307A Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT THRUST , CONSTRUCTION: ANGULAR CONTACT ,ROWS:2 ,DESIGNATION:3307A	EA	4
221	2903630043	BRG,BALL,SINGLE ROW,SKF-7210 BECBJ Long Text : 'DESIGNATION: 7210 BECBJ	EA	8

S.No.	Material Code	Material Description	UOM	Quantity
222	2903120013	BRG,BALL,SINGLE ROW,SKF-7310 BECBP Long Text : 'DESIGNATION: 7310 BECBP INNER DIAMETER: 50 OUTER DIAMETER: 110 WIDTH: 54	EA	12
223	2906110113	BRG,ROLL,CYLD.ROLL.BRG,NU212ECJ+HJ-212 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 212 ECJ+ HJ-212 , NU 212 ECJ + HJ-212, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 22 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	12
224	2903349803	7308 BG OR EQV Long Text : BEARING NAME- 7308 BG OR EQV, ANGULAR CONTACT BALL BEARING, WIDTH- 23MM, BORE DIA- 40MM, OUTSIDE DIA- 90MM, LIMITING SPEED- 9000 RMIN, REFERENCE SPEED- 9500 R/MIN	EA	4
225	2903349813	3305 ATN9/C3 OR EQV Long Text : BEARING NAME-3305 ATN9/C3 OR EQV, DOUBLE ROW ANGULAR CONTACT BALL BEARINGS, WIDTH- 25.4MM, BORE DIA- 25MM, OUTSIDE DIA- 62MM, LIMITING SPEED- 11000 R/MIN, REFERENCE SPEED- 11000 R/MIN	EA	8
226	2903349823	31308J2/DF03 OR EQV Long Text : BEARING NAME-31308J2/DF03 OR EQV, TAPERED ROLLER BEARINGS FOR COMBINED LOADS, WIDTH- 25.25MM, BORE DIA- 40MM, OUTSIDE DIA- 90MM, LIMITING SPEED- 7500 R/MIN, REFERENCE SPEED- 5600 R/MIN	EA	8
227	2903349833	7320 BEGAP OR EQV Long Text : BEARING NAME-7320 BEGAP OR EQV, SINGLE ROW ANGULAR CONTACT BALL BEARINGS, WIDTH- 47MM, BORE DIA- 100MM, OUTSIDE DIA- 215MM, LIMITING SPEED- 4000 R/MIN, REFERENCE SPEED- 3800 R/MIN	EA	8
228	2907029843	51119 OR EQV Long Text : BEARING NAME- 51119 OR EQV, THRUST BALL BEARINGS, WIDTH-22MM, BORE DIA- 95MM, OUTSIDE DIA- 120MM	EA	12
229	2903260093	BRG,BALL,ANGULAR CONTACT,7310BDB Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:STEEL CAGE ,ROWS:1 ,DESIGNATION:7310BDB ,7310BDB, PRODUCT TABLE : AGULAR CONTACT BALL BEARING,WIDTH : 27 MM,BORE DIAMETER : 50 MM,OUTSIDE DIAMETER : 110 MM, LIMITING SPEED : 8000 R/MIN,REFERENCE SPEED : 7500 R/MIN, FATIGUE LOAD LIMIT : 2.6 KN	EA	8

S.No.	Material Code	Material Description	UOM	Quantity
230	2903260013	BRG,BALL,ANG CON,7308-BDB Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW ,DESIGNATION:7308-BDB,MAKE:SKF OR EQUIVALENT	EA	12
231	2903510053	BRG,BALL,ANGULAR CONTACT,QJ315C3 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:STEEL CAGE ,ROWS:1 ,DESIGNATION:QJ315C3 ,QJ315C3, PRODUCT TABLE : AGULAR CONTACT BALL BEARING,WIDTH : 37 MM,BORE DIAMETER : 75 MM,OUTSIDE DIAMETER : 160 MM, LIMITING SPEED : 7500 R/MIN,REFERENCE SPEED : 6300 R/MIN, FATIGUE LOAD LIMIT : 7. KN	EA	2
232	2906420013	BRG,ROLL,ROLLER BRG,NU 311 Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING,CONSTRUCTION:CYLINDRICAL, ROWS:1,DESIGNATION:NU 311, CYLINDRICAL ROLLER BEARING NU 311 NDE, FORBLOWER OF REGENERATING N2 RECYCLE BLOWER,118- KA-110, MANUFACTURER:SKF,REFERENCE NO.:NU 311	EA	2
233	2907990033	BRG,BALL,BALL BRG,5309 Long Text : BEARING,BALL,TYPE:BALL BEARING 5309,ROWS:1,DESIGNATION:5309, THRUST BALL BEARING 5309 NDE, FOR EXTRUDER OFFGAS VACUUM PUMP,TAG NO.18-KA-662X,, MANUFACTURER:SKF,REFERENCE NO.:5309	EA	2
234	2901040373	BRG,BALL,BALL BEARINGS,6209 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6209 ,ID=45MM,OD=85MM,H=19MM	EA	2
235	2903550013	BRG,BALL,BALL BEARING 53,5311 NDE,5311 Long Text : BEARING,BALL,TYPE:BALL BEARING 5311 DE, CONSTRUCTION:ANGULAR CONTACT,ROWS:2,DESIGNATION:5311, DOUBLE ROW ANGULAR CONTACT BALL BEARNG 5311 DE, FOR BLOWER OF REGENERATING N2 RECYCLE BLOWER,118- KA-110, MANUFACTURER:SKF,REFERENCE NO.:5311	EA	8
236	2904020043	BEARING, HR 30312 JP5 A Long Text : BEARING, HR 30312 JP5 A, WIDTH: 33.5, BORE DIA: 60, OD: 130, LIMITING SPEED: 5300, REFERENCE SPEED: 4300	EA	1
237	2966050023	BRG,BALL,PLAIN BRG,S-UCP 206 Long Text : BEARING,BALL,TYPE:PLAIN BEARING,CONSTRUCTION:PILLOW BLOCK, ROWS:1,DESIGNATION:S-UCP 206 (NTN), PLAIN BEARING S-UCP 206 (NTN),,LOCATION:PILLOW BLOCK- DE&NDE,, UNDER WATER CUTTER,EXTRUDER PACKAGE(118-ZX-360), MANUFACTURER:SKF,REFERENCE NO.:S-UCP 206 (NTN),	EA	1
238	2901990353	BEARING, 22210 E Long Text : BEARING, 22210 E, WIDTH: 23, BORE DIA: 50, OD: 90, LIMITING SPEED: 9500, REFERENCE SPEED: 7000	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
239	2905010043	BRG,ROLL,SPHERICAL ROLLE,21311 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:21311 E ,21311 E; SPHRICAL ROLLER BEARINGS,WIDTH: 29 MM BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 5600 R/MIN	EA	2
240	2966050013	BRG,BALL,PLAIN BEARING,UCP 207 Long Text : BEARING,BALL,TYPE:PLAIN BEARING UCP 207, CONSTRUCTION:PILLOW BLOCK,ROWS:1,DESIGNATION:UCP 207, PLAIN BEARING UCP 207,LOCATION:PILLW BLOCK- DE&NDE, FOR DRYING AIR FAN (118-KA-372X), MANUFACTURER:SKF,REFERENCE NO.:UCP 207	EA	2
241	2901050303	BRG,BALL,DEEP GROOVE BAL,6311/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:DEEP GROOVE,ROWS:1,DESIGNATION:6311/C3, DEEP GROOVE BALL BEARING 6311/C3,FOR PELLET WATER PUMP 118-PA-370AX/BX,CATALYST PREPARATION VESSEL AGITATOR 118-VM-301, CATALYST METERING VESSEL AGITATOR 118-VM-302A/B., MANUFACTURER:SKF,REFERENCE NO.:311/C3	EA	4
242	2905020083	BEARING, 22214 E Long Text : BEARING, 22214 E, WIDTH: 31, BORE DIA.: 70, OD: 125, LIMITING SPEED: 6700, REFERENCE SPEED: 5000	EA	2
243	2903130013	BRG,BALL,ANGULAR CONTACT,7306 BEGAP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING, CONSTRUCTION:ANGULAR CONTACT BALL BEARING,ROWS:1,DESIGNATION:7306 BEGAP,ANGULAR CONTACT BALL BEARING, 7306 BEGAP (DE),,FOR CATALYST SUSPENSION CIRCULATION PUMPS, 118-PA-300A/B.,MAUFACTURER:SKF,REFERENCE NO.:7306 BEGAP	EA	4
244	2903650103	BRG,BALL,ANGULAR CONTACT,7314 BEP Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING, CONSTRUCTION:40 DEG CONTACT ANGLE,ROWS:SINGLE ROW, DESIGNATION:7314 BEP,7314 BEP-NGULAR CONTACT BALL BEARING, SINGLE ROW,40 DEG CONTACT ANGLE,7300 SERIES	EA	1
245	2905030043	BRG,ROLL,SPHERICAL ROLLE,22320 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW ,DESIGNATION:22320 E , 22320 E; SPHERICALOLLER BEARINGS,WIDTH: 73 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER: 215 MM, LIMITING SPEED: 3000 R/MIN REFERENCE SPEED: 2400 R/MIN	EA	1
246	2906220013	BRG,ROLL,CYLD.ROLL.BRG,NJ 303 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NJ 303 ECP , NJ 303 EC, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 14 MM, BORE DIAMETER: 17 MM, OUTSIDE DIAMETER: 47 MM, LIMITING SPEED: 20000 R/MIN, REFERENCE SPEED: 17000 R/MIN	EA	1

S.No.	Material Code	Material Description	UOM	Quantity
247	2903320013	BRG,BALL,ANGULAR CONTACT,3206 ATN9 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3206 ATN9 , 3206 ATN, ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 23.8 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 10000 R/MIN, REFERENCE SPEED: 10000 R/MIN	EA	1
248	2901020223	BEARING, 6008 C3 Long Text : BEARING, 6008 C3, WIDTH: 15, BORE DIA: 40, OD: 68, LIMITING SPEED: 14000, REFERENCE SPEED: 22000	EA	1
249	2904100013	BRG,ROLL,TAPERED ROLLER ,32019 X/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:32019 X/Q , 32019 X/Q; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 32 MM BORE DIAMETER: 95 MM OUTSIDE DIAMETER: 145 MM, LIMITING SPEED: 4300 R/MIN REFERENCE SPEED: 3200 R/MIN	EA	1
250	2904021013	BRG,ROLL,TAPERED ROLLER ,30308 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30308 J2/Q , 30308 J2/Q; TAPERED ROLLER BEARINGS, SINGLE ROW,WIDTH: 25.25 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 6000 R/MIN	EA	1
251	2903660023	BEARING, 3212-BD Long Text : BEARING, 3212-BD, WIDTH: 36.5, BORE DIA: 60, OD: 110, LIMITING SPEED: 5000	EA	12
252	2906220023	BEARING, NJ-312 E-XL-M1-C3 Long Text : BEARING, NJ-312 E-XL-M1-C3, WIDTH: 31, BORE DIA: 60, OD: 130, LIMITING SPEED: 6500, MAKE: FAG X-LIFE OR EQUIVALENT	EA	8
253	2921051053	BRG,BALL,DEEP GROOVE BALL,6309 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6309 C3 , 6309 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 25 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 1500 R/MIN	EA	8
254	2903310033	BEARING, 3207 ATN9/C3 Long Text : BEARING, 3207 ATN9/C3, WIDTH: 27, BORE DIA: 35, OD: 72, LIMITING SPEED: 9000	EA	4
255	2906270013	BEARING, NJ 2208 ECP/C3 Long Text : BEARING, NJ 2208 ECP/C3, WIDTH: 23, BORE DIA: 40, OD: 80, LIMITING SPEED: 11000, REFERENCE SPEED: 9500	EA	2
256	2903500033	BEARING, QJ 214 N2 MA Long Text : BEARING, QJ 214 N2 MA, WIDTH: 24, BORE DIA: 70, OD: 125, LIMITING SPEED: 9000	EA	2
257	2901050833	BEARING, 6310 C3 Long Text : BEARING, 6310 C3, WIDTH: 27, BORE DIA: 50, OD: 110, LIMITING SPEED: 8500, REFERENCE SPEED: 13000	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
258	2906220033	BEARING, NJ314 E C3 Long Text : BEARING, NJ314 E C3, WIDTH: 35, BORE DIA: 70, OD: 150, LIMITING SPEED: 5600, REFERENCE SPEED: 4800	EA	2
259	2906210033	BEARING, NJ 214 ECJ/C3 Long Text : BEARING, NJ 214 ECJ/C3, WIDTH: 24, BORE DIA: 70, OD: 125, LIMITING SPEED: 6300, REFERENCE SPEED: 6000	EA	2
260	2906180043	BEARING, NU-2317 E TVP2 C3 Long Text : BEARING, NU-2317 E TVP2 C3, WIDTH: 60, BORE DIA: 85, OD: 180, LIMITING SPEED: 7000, REFERENCE SPEED: 4000	EA	4
261	2906170043	BEARING, NU2216 ECJ C3 Long Text : BEARING, NU2216 ECJ C3, WIDTH: 33, BORE DIA: 80, OD: 140, LIMITING SPEED: 5600, REFERENCE SPEED: 4800	EA	4
262	2906210043	BEARING, NJ215 ECP/C3 Long Text : BEARING, NJ215 ECP/C3, WIDTH: 25, BORE DIA: 75, OD: 130, LIMITING SPEED: 6000, REFERENCE SPEED: 5600	EA	4
263	2903500043	BEARING, QJ216 N2MPA Long Text : BEARING, QJ216 N2MPA, WIDTH: 26, BORE DIA: 80, OD: 140, LIMITING SPEED: 8000	EA	4
264	2906210053	BR,NJ206 EAC3Q(INNER),RNU206 EAP(OUTER) Long Text : BEARING, NJ206 EA C3Q (INNER), RNU206.EAP (OUTER), WIDTH: 16, BORE DIA: 30, OD: 62, LIMITING SPEED: 14000, REFERENCE SPEED: 13000	EA	2
265	2901040543	BEARING, 6210 C3 2RS1 Long Text : BEARING, 6210 C2 2RS1 (RUBBER SEAL), WIDTH: 20, BORE DIA: 50, OD: 90, LIMITING SPEED: 4800	EA	9
266	2901040123	BRG,BALL,DEEP GRV,6212-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6212-2RS	EA	16
267	2901280043	BRG,BALL,DEEP GROOVE BAL,6210-2RS1 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210-2RS1 , 6210-2RS1, DEEP GOOVE BALL BEARINGS, SINGLE ROW, WIDTH: 20 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN	EA	8
268	2901020153	BEARING, 6001 LLU Long Text : "BEARING, 6001 LLU, WIDTH: 8, BORE DIA: 12, OD: 28,LIMITING SPEED: 30000, REFERENCE SPEED: 60000"	EA	26
269	2901020163	BEARING, 6002 LLU Long Text : "BEARING, 6002LLU, WIDTH: 9, BORE DIA: 15, OD: 32,LIMITING SPEED: 26000, REFERENCE SPEED: 50000"	EA	30
270	2901020113	BRG,BALL,DEEP GROOVE BAL,6002 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:1 ,DESIGNATION:6002ZZR	EA	200

S.No.	Material Code	Material Description	UOM	Quantity
271	2901020173	BEARING, 6003 LLU Long Text : BEARING, 6003 LLU, WIDTH: 10, BORE DIA: 17, OD: 35, LIMITING SPEED: 28000, REFERENCE SPEED: 45000	EA	100
272	2901020183	BEARING, 6004 LLU Long Text : BEARING, 6004 LLU, WIDTH: 12, BORE DIA: 20, OD: 42, LIMITING SPEED: 19000, REFERENCE SPEED: 38000	EA	40
273	2901020073	BRG,BALL,DEEP GROOVE BAL,6005 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6005 ZZ , BEARING, BALL, SINGE ROW, DEEP GROOVE, RADIAL CONTACT, SHIELD SEAL ON BOTH SIDES , DESIGNATION: 6005 ZZ	EA	40
274	2901020193	BEARING, 6006 ZZ Long Text : BEARING, 6006 ZZ, WIDTH: 13, BORE DIA: 30, OD: 55, LIMITING SPEED: 14000, REFERENCE SPEED: 28000	EA	50
275	2901040533	BEARING, 6204 LLU Long Text : BEARING, 6204 LLU, WIDTH: 14, BORE DIA: 20, OD: 47, LIMITING SPEED: 20000, REFERENCE SPEED: 32000	EA	30
276	2901160233	BRG,BALL,DEEP GRV,6205-ZZ Long Text : BEARING,BALL TYPE : DEEP GROOVE ROWS : SINGLE DESIGNATION : 625-ZZ INNER DIAMETER: 25 OUTER DIAMETER: 52 WIDTH: 15 MAKE:SKF	EA	30
277	2921040043	BRG,BALL,SINGLE ROW,SKF-6206 Long Text : 'DESIGNATION: 6206 INNER DIAMETER: 30 OUTER DIAMETER: 62 WIDTH: 16	EA	10
278	2901050823	BEARING, 6302 ZZ Long Text : BEARING, 6302 ZZ, WIDTH: 13, BORE DIA: 15, OD: 42, LIMITING SPEED: 19000, REFERENCE SPEED: 38000	EA	10
279	2901990343	BEARING, 6811ZZ Long Text : BEARING, 6811 ZZ, WIDTH: 9, BORE DIA: 55, OD: 72, LIMITING SPEED: 8500	EA	10
280	2901160013	BRG,BALL,DEEP GRV,6304-ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6204-ZZ	EA	10
281	2910030013	BEARING, HK 1216 LL Long Text : BEARING, HK 1216 LL, WIDTH: 12, BORE DIA: 20, OD: 42, LIMITING SPEED: 10000	EA	20
282	2910030023	BEARING, HK2020 LL Long Text : BEARING, HK2020 LL, WIDTH: 20, BORE DIA: 20, OD: 26, LIMITING SPEED: 8000	EA	20
283	2910990013	BEARING, HMK1012L Long Text : BEARING, HMK1012L, WIDTH: 16, BORE DIA: 15, OD: 22, LIMITING SPEED: 10000	EA	20

S.No.	Material Code	Material Description	UOM	Quantity
284	2910990023	BEARING, HMK 1516LL Long Text : BEARING, HMK 1516LL, WIDTH: 16, BORE DIA: 15, OD: 22, LIMITING SPEED: 10000	EA	20
285	2906990183	BEARING, NN 3015 CC3 P5 Long Text : BEARING, NN 3015 CC3 P5,WIDTH: 30, BORE DIA: 75, OD: 115, LIMITING SPEED: 6300, CYLINDRICAL DOUBLE ROLLER BEARING, TOLERANCE CLASS ISO CLASS 5,	EA	2
286	2907990013	BRG,BALL,THRUST BALL BEA,53411U Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS,CONSTRUCTION:THRUST, ROWS:1,DESIGNATION:53411U,THRUST BALL BEARINGS 53411U, FOR DRYER SHAFT OF PELLET ROTARY DRYER,TAG NO.118- LD-372X., MANUFACTURER:SKF,REFERENCE NO.:53411U	EA	2
287	2921051043	BRG,BALL,DEEP GROOVE BAL,6316 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6316 C3 , 6316 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 39 MM, BORE DIAMETER: 80 MM, OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 5300 R/MIN, REFERENCE SPEED: 8500R/MIN	EA	4
288	2904020023	BRG,ROLL,TAPERED ROLLER ,30307 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30307 J2/Q , 30307 J2/Q; TAPEREDOLLER BEARINGS, SINGLE ROW,WIDTH: 22.75 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	2
289	2999990063	BRG,BALL,BALL,UK212,UK212 Long Text : BEARING,BALL,TYPE:BALL ,CONSTRUCTION:RADIAL ,ROWS:SING LE ROW , DESIGNATION:UK212 , BEARING UK212 RADIAL INSERT BAL BEARING;BORE DA=55MM;OUTER , DIA=110MM,WIDTH=62MM;FATIGUE LIMIT LOAD=1870N, MANUFACTURER:SKF,REFERENCE NO.:UK212	EA	8
290	2999990073	BRG,BALL,BALL,UK216 Long Text : BEARING,BALL,TYPE:BALL ,CONSTRUCTION:RADIAL ,ROWS:SING LE ROW , DESIGNATION:UK216 , UK216 RADIAL INSE BALL BEARING ,BORE DIA=70MMOUTER DIA=140, WIDTH=78MM;FATIGUE LOAD=2700N	EA	4
291	2901020133	BRG,BALL,BALL,6006 Long Text : BEARING,BALL,TYPE:BALL ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6006 , BEARING 6006-2RS1;DEEP GROOVE BALL ,BORE DI=30MM,OUTER , DIA=55MM,WIDTH=13MM;LIMITING SPEED=8000R/MIN,FATIGUE , LOAD=0.355KN	EA	6

S.No.	Material Code	Material Description	UOM	Quantity
292	2907030033	BRG,BALL,THRUST BALL BEA,8204 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARING ,CONSTRUCTION:THRUST, ROWS:SINGLE DIRECTION ,DESIGNATION:51204, 8204C/51204(NEW CODE);THRUSTBALL BEARING,SINGLE, DIRECTION,BORE DIA=20MM,OUTER, DIA=40MM,WIDTH=14MM,REFERENCE SPEED=6000RPM,LIMITING, SPEED=8000RPM	EA	2
293	2901990323	BRG,BALL,BALL BEARINGS,6205 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6205 , BEARING 6205C DEEP GROOVE BALL RADIL OPEN TYPE,BORE , DIA=25MM,OUTER DIA=52MM,WIDTH=15MM,LIMITING , SPEED=21600R/MIN,REFERENCE SPEED=16100R/MIN, FATIGUE LOAD=0.	EA	2
294	2901020124	BRG,BALL,BALL,6009 Long Text : BEARING,BALL,TYPE:BALL ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6009 2RSR , 6009 2RSR SEALED DEEP GROOVE RADIAL BAL;BORE , DIA=45MM,OUTER DIA=75MM,WIDTH=16MM,LIMITING , SPEED=4950R/MIN,FATIGUE LOAD 0.73KN,CAGE TYPE=STEEL	EA	2
295	2903260113	BRG,BALL,BALL,7313 Long Text : BEARING,BALL,TYPE:BALL ,CONSTRUCTION:ANGULAR CONTACT , ROWS:DOUBLE ROW ,DESIGNATION:7313 , BEARING ANGULAR CONTACT 7313BDB;BORE DA=65MM,OUTER , DIA=140MM,WIDTH=66MM	EA	8
296	2901990333	BRG,BALL,BALL,6202-2Z,6202 Long Text : BEARING,BALL,TYPE:BALL,CONSTRUCTION:DEEP GROOVE, ROWS:SINGLE ROW ,DESIGNATION:6202-2Z, 6202-2Z-H320B-C3,SHIELDED DEEP GROOVE BALLEARING;BORE,DIA=15MM,OUTER DIA=35MM;WIDTH=11MM;REFERENCE, SPEED=43000R/MIN,LIMITING SPEED=22,000R/MIN, MANUFACTURER:SKF,REFERENCE NO.:6202	EA	2
297	2903990043	BRG,BALL,BALL,7309,7309B Long Text : BEARING,BALL,TYPE:BALL,CONSTRUCTION:ANGULAR CONTACT, ROWS:SINGLE ROW,DESIGNATION:7309, 7309B,SINGLE ROW ANGULAR CONTACT BALL BEARIG,BORE, DIA=45MM,OUTER DIA=100MM,W=25MM,LIMITING SPEED- 8000RPM;REFRENE SPEED=8500RPM, MANUFACTURER:SKF,REFERENCE NO.:7309B	EA	6
298	2903260103	BRG,BALL,ANGULAR CONTACT,7312BDB Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:STEEL CAGE ,ROWS:1 ,DESIGNATION:7312BDB ,7312BDB, PRODUCT TABLE : AGULAR CONTACT BALL BEARING,WIDTH : 31 MM,BORE DIAMETER : 60 MM,OUTSIDE DIAMETER : 130 MM, LIMITING SPEED : 6700 R/MIN,REFERENCE SPEED : 6300 R/MIN, FATIGUE LOAD LIMIT : 3. KN	EA	7

S.No.	Material Code	Material Description	UOM	Quantity
299	2904300023	BRG,ROLL,TPRED RLR,3192/3120 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:1 , DESIGNATION:3192/3120 ,3192/3120, PRODUCT TBLE : TAPERED ROLLER BEARING,WIDTH : 30.162 MM,BORE DIAMETER : 28.575 MM,OUTSIDE DIAMETER : 72.626 MM, LUBRICATION SPEED (OIL) : 7700 R/MIN, BASIC DYNAMIC LOAD RATING : 78.8 KN,BASIC STATIC LOAD RATING : 89.3 KN	EA	10
300	2907029873	357/354A OR EQV Long Text : BEARING NAME- 357/354A OR EQV, TAPERED ROLLER BEARING, WIDTH-20.638MM, BORE DIA- 40MM, OUTSIDE DIA- 85.001MM	EA	3
301	2907029883	543/532X OR EQV Long Text : BEARING NAME- 543/532X OR EQV, SINGLE ROW TAPERED ROLLER BEARING, WIDTH-36.512MM, BORE DIA- 40MM, OUTSIDE DIA- 107.95MM	EA	3
302	2907029893	29586/29520 OR EQV Long Text : BEARING NAME- 29586/29520 OR EQV, TAPERED ROLLER BEARINGS, WIDTH-25.4MM, BORE DIA- 63.5MM, OUTSIDE DIA- 107.95MM	EA	6
303	2904010103	BRG,ROLL,TPRED RLR,30213A Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING, CONSTRUCTION:STD,ROWS:1 ,DESIGNATION:30213A ,TAPERED ROLLER BEARING,WIDTH: 24.75 MM,BORE DIAMETER: 65 MM,OUTSIDE DIAMETER: 120 MM,LIMITING SPEED: 6100 R/ MIN,REFERENCE SPEED: 3850 R/MIN"	EA	8
304	2904990133	BRG,ROLL,TPRED RLR,32012 X Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING, CONSTRUCTION: STD,ROWS:1, DESIGNATION:32012 X,TAPERED ROLLER BEARING,WIDTH: 23 MM,BORE DIAMETER: 60 MM,OUTSIDE DIAMETER: 95 MM,LIMITING SPEED: 7300 R/ MIN,REFERENCE SPEED: 4400 R/MIN"	EA	8
305	2904050013	BRG,ROLL,TPRED RLR,32212A Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING, CONSTRUCTION:STD,ROWS:1 ,DESIGNATION:32212A ,TAPEED ROLLER BEARING,WIDTH: 29.75 MM,BORE DIAMETER: 60 MM,OUTSIDE DIAMETER: 110 MM,LIMITING SPEED: 6600 R/ MIN,REFERENCE SPEED: 3800 R/MIN"	EA	4
306	2904050023	BRG,ROLL,TPRED RLR,32211 A Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING, CONSTRUCTION:STD ,ROWS:1 ,DESIGNATION:32211 A ,TAPERED ROLLER BEARING,WIDTH: 26.75 MM,BORE DIAMETER: 55 MM,OUTSIDE DIAMETER: 100 MM,LIMITING SPEED: 7200 R/ MIN,REFERENCE SPEED: 4050 R/MIN"	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
307	2904010113	BRG,ROLL,TPRED RLR,30206 A Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING, CONSTRUCTION:STD ,ROWS:1 ,DESIGNATION:30206 A,TAPERED ROLLER BEARING,WIDTH: 17.25MM,BORE DIAMETER: 30 MM,OUTSIDE DIAMETER: 62 MM,LIMITING SPEED:12400 R/ MIN,REFERENCE SPEED: 7400 R/MIN"	EA	4
308	2907029853	NU 310 ECP/C3 OR EQV Long Text : BEARING NAME- NU 310 ECP/C3 OR EQV, ROLLER BEARINGS, WIDTH-27MM, BORE DIA- 50MM, OUTSIDE DIA- 110MM, LIMITING SPEED- 8000 R/MIN, REFERENCE SPEED- 6700 R/MIN	EA	6
309	2904990143	BRG,ROLL,4T-JH307749/JH3,4T-JH307749/JH3 Long Text : "BEARING,ROLLER,TYPE:4T-JH307749/ JH307710 ,CONSTRUCTION:SINGLE ROW CYLINDRICAL ROLLER ,ROWS:1,DESIGNATION:4T-JH307749/ JH307710 ,TAPERED ROLLER BEARING, PRESSED STEEL CAGE,STATIC LOAD = 219 KN,DYNAMIC LOAD = 173 KN,NLIM (OIL) = 4600 TR/MIN,NLIM (GREASE) = 3500 TR/MIN,INNER DIA = 55 MM,OUTER DIA = 110 MM,THICKNESS = 39 MM"	EA	4
310	2921280043	BRG,BALL,DEEP GROOVE BAL,6210.2VSR3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6210.2VSR3 , 6210.2VSR3, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 20 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN	EA	8
311	2901020203	BEARING, 6007 ZZ Long Text : BEARING, 6007 ZZ, WIDTH: 14, BORE DIA: 35, OD: 62, LIMITING SPEED: 14000, REFERENCE SPEED: 28000	EA	30
312	2901020213	BEARING, 6010 LLU Long Text : BEARING, 6010 LLU, WIDTH: 16, BORE DIA: 50, OD: 80, LIMITING SPEED: 5000	EA	6
313	2901040523	BEARING, 6202 LLUNR Long Text : BEARING, 6202 LLUNR, WIDTH: 11, BORE DIA: 15, OD: 35, LIMITING SPEED: 28000, REFERENCE SPEED: 43000	EA	20
314	2902070023	BRG,BALL,BALL BEARINGS,2311-K-TVH-C3 Long Text : "BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS,CONSTRUCTION:SELF- ALIGNING,ROWS:2,DESIGNATION:2311-K-TVH-C3,2311-K-TVH-C3 SELF ALIGNING BALL BEARING WITH TAPERED BORE,BORE DIA-55 MM,OD- 120 MM, WIDTH- 43 MM,LIMITING SPEED-5700 R/ MIN,REFERENCE SPEED- 7100 R/MIN"	EA	4

Enclosed: - Enquiry with details

Thanking You,

(Signature with Seal of Vendor)