

Bid Document

Bid Details	
Bid End Date/Time	25-08-2021 15:00:00
Bid Opening Date/Time	25-08-2021 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Chemicals And Fertilizers
Department Name	Department Of Chemicals And Petrochemicals
Organisation Name	Brahmaputra Cracker And Polymer Limited (bcpl) Guwahati Assam
Office Name	Lepetkata
Total Quantity	31100
Item Category	PVC Copper cable single and multi core Circular Sheathed cable with flexible Conductor as per IS:694 , PVC Copper cable Single and multi core Circular Sheathed Cord with flexible Conductor as per IS:694 , Power Cable For Direct Burial XLpe Ugac Cable-IS: 10418 , Control Cable
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Control Cable
Time allowed for Technical Clarifications during technical evaluation	7 Days
Estimated Bid Value	5553663
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	ICICI
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	15

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

SM (C&P)

Brahmaputra Cracker and Polymer Limited (A Government of India Enterprise), C&P Department, Administrative Building, PO: Lepetkata, Dist.: DIBRUGARH, Assam, Pin Code: 786006
(Olivia Rajkumari)

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	No
------------------------	----

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	230500	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	500
Schedule 2	13500	Pvc Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per Is:694	1000
Schedule 3	37250	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	500
Schedule 4	185000	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	1000
Schedule 5	354000	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	1200
Schedule 6	58220	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	100
Schedule 7	77570	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	100
Schedule 8	5423	Pvc Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per Is:694	100
Schedule 9	1006200	Pvc Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per Is:694	15600
Schedule 10	215000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	1000
Schedule 11	21000	Pvc Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per Is:694	1000
Schedule 12	1050000	Pvc Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per Is:694	5000
Schedule 13	1700000	Control Cable	2000
Schedule 14	600000	Power Cable For Direct Burial Xlpe Ugac Cable-is: 10418	2000

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (500 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	4

Specification	Specification Name	Bid Requirement (Allowed Values)
	Sheath type	Type ST2 (HR)
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	10

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	500	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per IS:694 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	1
	Sheath type	Type ST3
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	1.5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (500 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	No. of core	1
	Sheath type	Type ST2 (HR)
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	10

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	500	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	No. of core	1
	Sheath type	Type ST2 (HR)
	Conductor material (Complying with IS:8130:1984 latest)	Annealed bare copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	16

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (1200 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)

Specification	Specification Name	Bid Requirement (Allowed Values)
	No. of core	1
	Sheath type	Type ST2 (HR)
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	35

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1200	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (100 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	1
	Sheath type	Type ST3
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	70

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	100	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (100 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	1
	Sheath type	Type ST3
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	95

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	100	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per IS:694 (100 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	No. of core	3
	Sheath type	Type ST2 (HR)
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	1.5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	100	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per IS:694 (15600 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	3
	Sheath type	Type ST3
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	2.5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	15600	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	4.0
	Number of cores (nos)	5
	Cable Type	PVC Insulated armoured cable with PVC outer sheath and copper conductor suitable for rated voltage at 1100 Volts Grade and confirming to IS 1554 P I
	Armouring	Galvanised round steel wire armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Solid
CONSTRUCTIONAL	Material of conductor	Copper

Specification	Specification Name	Bid Requirement (Allowed Values)
	standard cable length on a drum	1000 meter
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cord With Flexible Conductor As Per IS:694 (1000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type D
	No. of core	1
	Sheath type	Type ST3
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	2.5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	1000	90

PVC Copper Cable Single And Multi Core Circular Sheathed Cable With Flexible Conductor As Per IS:694 (5000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Category of cable	FR-LSH
	Type of Insulation (shall conforming to IS:5831:1984 latest)	Type C (HR)
	No. of core	4
	Sheath type	Type ST2 (HR)
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper
	Nominal Cross Sectional Area of Conductor (in Sq.mm)	6

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	5000	90

Control Cable (2000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Description of stores	Control cable suitable for use in non mines, Control cable suitable for use in mines
	Number of Core (in Nos.)	30
	Nominal area of conductor (in Sq.mm)	2.5
CONSTRUCTION	Cable category	1
	Conductor material	Copper
	Shape of conductor	Stranded
	Type of insulation	Type A
	Type of inner sheath	Extruded PVC-Type ST2
	Type of armouring	Galvanized steel strip
	Type of outer sheath	Type ST1
MARKING AND PACKING	Standard length of cable on each drum (in m)	500
CERTIFICATIONS	Availability of optional test reports from Central Govt. Lab/NABL/ILAC accredited laboratory for	Cold bend test, Cold impact test, Armour resistance test, No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2000	90

Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (2000 meter)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Size of Cable (in Sq.mm)	70.0
	Number of cores (nos)	3.5, 4
	Cable Type	PVC outer Sheathed FR of Type ST-2 cable FR Grade C1 Category having heat resisting insulation of PVC compound type C with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 1554 Part-1 1988 reaffirmed 2005
	Armouring	Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded and Shaped
CONSTRUCTIONAL	Material of conductor	Aluminium EC Grade
	standard cable length on a drum	500 meter for cable size up to and including 185 sqmm.
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dhrupad Rajkhowa	786006,M/s Brahmaputra Cracker And Polymer Limited, Contract & Procurement Department, Administrative Building, Lepetkata - 786006 Dibrugarh (Assam)	2000	90

Special terms and conditions-Version:1 effective from 04-05-2020 for category Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418

1. Specification for Cross linked Polyethylene insulated thermoplastic sheathed cables" is as per IS:7098 (Part 1):1988 with latest amendments including amendment no.5. Manufacturer shall furnish calculation sheet as per Appendix-C of IS:7098 (Part 1):1988 amdt., no.5 to buyer/consignee on demand. (Gem Category: Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with latest amendment including amendment no.5)

Buyer Added Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
3. Bidder shall submit the following documents along with their bid for Vendor Code Creation:
 - a. Copy of PAN Card.
 - b. Copy of GSTIN.
 - c. Copy of Cancelled Cheque.
 - d. Copy of EFT Mandate duly certified by Bank.
4. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
5. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
7. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
8. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Type Test Certificate of the offered item / Type test certificate of the higher rating similar item OR an undertaking in Company's letterhead for providing Type test certificate for the offered item / Type test certificate of the higher rating similar item from Govt. Lab/NABL/ILAC accredited Laboratory. .
9. Buyer Added text based ATC clauses
 1. Bidder to refer the ATC doc for PQC/BEC, evaluation methodology & other details.
 2. BG issuance message is to be transmitted through SFMS to beneficiary's bank as below:

Name of Bank: ICICI Bank

Branch: GUWAHATI - FANCY BAZAR

IFSC: ICIC0000543

The issuing bank while issuing/amending the BG, should ensure that the below information is correctly captured in the message i.e. IFN 760COV/ IFN 767COV:

<u>Field Number</u>	<u>Particulars (to be mentioned in Row 1)</u>
----------------------------	--

10. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---