

SECTION -VI

SCHEDULE OF RATES (SOR)[UNPRICED PART]

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
1.0	Operation and Maintenance charges for operation & maintenance of entire Construction Power Supply system equipments at BCPL, Lepetkata, Dibrugarh, Assam, including all plant buildings/non-plant buildings, construction sub-stations (CSS-01 to CSS-07, main receiving substation(MRSS) & SS#14), battery bank, battery charger, DC control panel, Ring main units, RTCC, all power and distribution transformers, all HV/MV/LV switchgears, associated cabling, capacitor banks, 4/2/1 pole structures with incoming and outgoing circuits, 6.6 KV feeder pillars, 6.6 KV overhead lines, 6.6 KV and MV/LV cabling system, indoor and outdoor area lighting system including high mast lighting with all accessories and flood lighting poles, earthing system, maintaining minimum power factor above 0.90 lagging at all construction sub-stations, deployment of required manpower [minimum deployment for operation and maintenance of electrical system on each shift basis for 24 hours shall include one supervisor (in general shift) and 3 electricians with 3 helpers in 3 shifts, adequate numbers of semi/unskilled workers etc. as required], tools and tackles including personal protective equipments for the manpower deployed at site, testing equipments including supply of all consumables, all transportation, all procurement efforts and all labour etc, for carrying out routine preventive and breakdown maintenance of all equipment and system network as per sound engineering, operating and maintenance practices and directions of engineer in charge, (contractor shall note that other than above specified minimum deployment, contractor shall deploy one Project Manager having minimum qualification diploma in electrical engineering with minimum 5 years of experience for overall co-ordination of the O&M contract and for interaction with client):	LS Per Month	12	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
2.0	Operation charges per running hour of 1 no. DG set of 500 KVA rating at BCPL Plant and 1 one of 500 KVA DG set at GDU Duliajan including but not limited to cost of Diesel (including loading/ unloading, transportation, refilling of diesel in day tank of DG Set.), periodical cleaning of Day Tank, Radiator checking coolant level, fuel level distilled water level and its specific gravity etc on daily basis.	Running Hour	600	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
3.0	Operation charges per running hour of 3 Nos. of DG sets of 250 KVA rating including but not limited to cost of Diesel (including loading/ unloading, transportation, refilling of diesel in day tank of DG Set.), periodical cleaning of Day Tank, Radiator, checking coolant level, fuel level distilled water level and its specific gravity etc on daily basis.	Running Hour	1500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
4.0	Supply of Diesel including supply, transportation, loading, unloading and refilling in to Day Tank of DG Set.	Litre	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.0	Supply of lamps for following lighting fixtures						
5.1	IND-1	Nos	150	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.2	IND-2	Nos	100	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.3	IND-3	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.4	IND-4	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.5	T5 Tube ,28 W Make: Philips/CG/Bajaj	Nos	60	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.6	T5 Tube ,14 W Make: Philips/CG/Bajaj	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.7	36 W CFL Lamp(2 Pin/4 Pin) Make: Philips/CG/Bajaj	Nos	80	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.8	18 W CFL Lamp(2 Pin/4 Pin) Make: Philips/CG/Bajaj	Nos	70	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.9	SFD-6	Nos	60	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.10	FD9	Nos	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.11	LB3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.12	HB4	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.13	CM-4	Nos	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
5.14	ST-1	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.15	ST-3	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.16	PT-3	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.17	FD-6	Nos	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.18	FD-7	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.19	CM-2	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.20	ST-8	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.22	RSD-1	Nos	4	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.23	RSD-6	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.24	ST-10	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.25	HB-3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.27	HB-5	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.28	HB-1	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.29	HB-2	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.30	CFL-3	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.31	CFL-4	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.32	CFL-8	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.33	CFL-6	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.34	9 W CFL (Pin Type) Make: Philips/CG/Bajaj	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
5.35	11 W CFL (Pin Type) Make: Philips/CG/Bajaj	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.36	18 W CFL (Pin Type) Make: Philips/CG/Bajaj	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.37	11 W CFL (Thread Type) Make: Philips/CG/Bajaj	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.38	14 W CFL (Thread Type) Make: Philips/CG/Bajaj	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.39	500 W Halogen Lamp(Type R7s) Make: Philips/CG/Bajaj	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.40	1000 W Halogen Lamp (Type R7s) Make: Philips/CG/Bajaj	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
5.41	150 W MH Lamp(Type Rx 7s) Make: Philips/CG/Bajaj	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.0	Supply of Ignitor for the following						
6.1	FD-9	Nos	250	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.2	LB-3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.3	HB-4	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.4	FD-6	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.5	FD-7	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.6	HB-3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.7	HB-4	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.8	HB-1	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.9	HB-5	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.10	HB-2	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
6.11	ST-10	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.12	ST-3	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.13	ST-4	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
6.14	ST-1	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.0	Supply of Capacitor for the following						
7.1	IND-1	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.2	IND-3	Nos	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.3	IND-4	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.4	SFD-6	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.5	FD-9	Nos	60	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.6	LB-3	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.7	HB-4	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.8	CM-4	Nos	2	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.9	ST-1	Nos	2	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.10	ST-3	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.11	PT-3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.12	FD-6	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.13	FD-7	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
7.14	CM-2	Nos	35	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.15	ST-8	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.16	IND-2	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.17	SFD-6	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.18	RSD-1	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.19	RSD-6	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.20	ST-10	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.21	HB-3	Nos	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.22	HB-4	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.23	HB-1	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
7.24	HB-2	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.0	Supply of choke for the following						
8.1	IND-1	Nos	60	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.2	IND-3	Nos	60	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.3	IND-4	Nos	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.4	SFD-6	Nos	100	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.5	FD-9	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.6	LB-3	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.7	HB-4	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
8.8	CM-4	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.9	ST-1	Nos	2	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.10	ST-3	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.11	PT-3	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.12	FD-6	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.13	FD-7	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.14	CM-2	Nos	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.15	ST-8	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.16	IND-2	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.18	RSD-1	Nos	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.19	RSD-6	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.20	ST-10	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.21	HB-3	Nos	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.23	HB-1	Nos	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
8.24	HB-2	Nos	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.0	Supply of MCB & ELCB of following ratings:						
9.1	SP MCB , 10A, Make:Standard or equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.2	SPN MCB , 10A, Make:Standard or equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
9.3	DP MCB , 20A, Make:Standard or equivalent.	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.4	DP MCB , 32 A, Make:Standard or equivalent.	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.5	TPN MCB , 40 A, Make:Standard or equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.6	TPN MCB , 63 A, Make:Standard or equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.7	FP MCB , 63 A, Make:Standard or equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.8	SP MCB , 20A, Make: Standard or Equivalent	Nos	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.9	4 P, 40A ELCB with 30mA sensitivity, Make: Standard or Equivalent.	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.10	4 P, 63A ELCB with 30mA sensitivity, Make: Standard or Equivalent.	Nos	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
9.11	4 P, 63A ELCB with 300mA sensitivity, Make: Standard or Equivalent.	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
10.0	Laying and termination of 3/ 3.5 /4 Core AYFY/CYFY Cables (excluding supply of cable) of following sizes :						
10.1	OD $\leq$ 20 mm	Mtr.	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
10.2	20 < OD $\leq$ 40 mm	Mtr.	3000	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
10.3	40 < OD $\leq$ 80 mm	Mtr.	1500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
10.4	80 < OD	Mtr.	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
11.0	Excavation & backfilling for making buried cable trenches of size upto 500X500 mm, including supply and laying of fine river sand & second class bricks for under ground cable laying as per relevant BIS code and instruction of Engineer-in-charge.	Mtr.	1500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
12.0	Supply of End Termination Kit(Indoor/Outdoor) of following types:(Make : Raychem/3M)						
12.1	6.6KV, 300 sqmm (indoor) type,	Nos	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
12.2	6.6KV, 300 sqmm (outdoor) type	Nos	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
12.3	33KV, 300 sqmm (indoor) type	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
12.4	33KV, 300 sqmm (outdoor) type	Nos	1	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.0	Supply of cables of following sizes:						
13.1	1.5 sq mm, PVC insulated multi strand Copper wire, Make: Havells, Finolex or equivalent	Mtr	2000	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.2	2.5 sq mm, PVC insulated multi strand Copper Wire, Make: Havells, Finolex or equivalent	Mtr	2000	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.3	4 sq mm, PVC insulated multi strand Copper Wire, Make: Havells, Finolex or equivalent	Mtr	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.4	6 sq mm, PVC insulated multi strand Copper Wire, Make: Havells, Finolex or equivalent	Mtr	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.5	3C X 6 sq mm, PVC insulated muti strand copper wire, Make: Havells, Finolex or equivalent	Mtr	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.6	10 sq mm, PVC insulated muti strand copper wire, Make: Havells, Finolex or equivalent	Mtr	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.7	3C X 10 sq mm, PVC insulated multi strand copper wire, Make: Havells, Finolex or equivalent	Mtr	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.8	3.5 C X35 sq,mm,PVC insulated,armoured Aluminium cable,1.1 KV ,Make Havell/Nicco/Polycab/Universal or eequivalent	Mtr	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.9	3.5 C X 50 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV, Make: Havell/Nicco/Polycab/Universal or equivalent.	Mtr	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
13.10	3.5 C X 95 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV, Make: Havell/Nicco/Polycab/Universal or equivalent.	Mtr	200	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
13.11	3.5 C X 300 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV, Make: Havell/Nicco/Polycab/Universal or equivalent.	Mtr	200	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.0	Supply of straight through cable jointing kits with all accessories for following sizes of cable(Heat shirankable joint kit). Make: 3M/ Raychem						
14.1	for 3.5 C X 35 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.2	for 3.5 C X 50 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.3	for 3.5 C X 70 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.4	for 3.5 C X 95 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.5	for 3.5 C X 120 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.6	for 3.5 C X 185 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.7	for 3.5 C X 240 sq mm, PVC insulated, armoured Aluminium cable, 1.1 KV	No.	7	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.8	for 3.5 C X 300 sq mm, 1.1 KV, PVC insulated, armoured Aluminium cable	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
14.9	For 3 C X 300 sq mm, 6.6 KV, XLPE insulated, armoured Aluminium cable	No.	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.0	Supply of following switches ,sockets and other electrical/wiring materials						
15.1	5/15 A switch, Make: Anchor or equivalent.	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.2	5/15 A Socket, Make: Anchor or equivalent.	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.3	5/15 A modular switch, Make: Anchor or equivalent	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.4	5/15 A modular Socket, Make:Anchor or equivalent.	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
15.5	Modular Plate, Make:Anchor or equivalent.	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.6	Electronic Regulator for fan, Make:Anchor or equivalent.	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.7	1" casing capping	Mtr	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.8	Switch board(7" x4")Modular/EquivalentPVC Board	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.9	Switch board(8" x6")Modular/EquivalentPVC Board	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.10	Spike Buster/Power strip, with 6 o/g sockets of 6 Amp, Make : Anchor or equiv	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.11	GI screw	Pkt	100	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.12	PVC Wall Plug (Gutka)	Pkt	100	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.13	GI Saddle	No.	200	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.14	Plug Top, 3 pin, 6 A (Make : Anchor)	No.	70	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.15	Plug Top, 2 pin, 6 A (Make: Anchor)	No.	70	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.16	Plug Top, 3 pin, 16 A (Make : Anchor)	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.17	Ding Dong Door Bell(Make : Anchor)	No.	25	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.18	Door Bell Switch (modular type)(Make : Anchor)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.19	L,T,external, Internal,Coupler etc.	No	200	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.20	Cable Tie-2 inch	Pkt.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.21	Cable Tie-4 inch	Pkt.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.22	Cable Tie-6 inch	Pkt.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.23	Cable Tie-10 inch	Pkt.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
15.24	M Seal (100 g packet)	Pkt.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.25	Ferrules(Numbers & Alphabets)	Pkt.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.26	Hydrometer (for battery electrolyte sp. gr. Measurement)	Nos	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.27	PVC Flexible conduit	Mtr.	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.28	PVC conduit pipe, 2.5 mm	Mtr.	500	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.29	20 A Industrial socket, 3 pin type	No	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.30	16 A S/S(Switch Socket) Combined	No	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.31	6 A S/S(Switch Socket) Combined	No	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
15.32	CRC	No	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
16.0	Wiring with 3 X 1.5/ 3 X 2.5 sq. mm PVC insulated multi strand Copper wire excuding supply of wire & other accessories.	Metre	1000	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.0	Supply & replacement of following items for ceiling fan upto 1400 mm sweep						
17.1	Bearing(ZZ),make: SKF/FAG	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.2	Shaft	No.	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.3	Blades(Set of 03nos)	No.	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.4	Plastic holder with connector for capacitor	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.5	4 µfd capacitor ,230 volt for Exhaust fan	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
17.6	2.5 µfd capacitor ,230 volt for Celeing fan	Nos	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
18.0	Rewinding of following 1 Phase AC motors including supply of all required material . The insulation class of the material used for rewinding shall be as per the original design of the motor .Transportation of burnt motor from site to Motor rewinding shop and delivering it back to site shall be in contractor's scope .			DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
18.1	Rewinding of burnt Ceiling fan motor	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
18.2	Rewinding of burnt exhaust fan motor	No.	15	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
18.3	Rewinding of water supply pump motors upto 1.1 HP rating	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
18.4	Dismantling, lifting and overhauling of submersible pumpset for borewell as per direction of Engineer in charge including all labour materials and tools .	No.	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
18.5	Lowering and installation of submersible pumpset for borewell as per direction of Engineer in charge including all labour materials and tools (excluding supply of submersible pump)	No.	5	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
19.0	Supply and filling of Engine Oil (15W40 conforming to the API CG-4 or API CH-4) for DG Set	Ltr	300	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
20.0	Supply of MCCB of following rating:						
20.1	MCCB, 4 pole, 63 Amps, 20 KA, Make:Schneider or equivalent.	No.	8	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
20.2	MCCB, 4 pole, 125 Amps, 25 KA, Make:Schneider or equivalent.	No.	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
20.3	MCCB, 4 pole, 250 Amps, 50 KA, Make:Schneider or equivalent.	No.	8	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
20.4	MCCB, 4 pole, 400 Amps, 50 KA, Make: Schneider or equivalent.	No.	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
21.0	Supply of Transformer Oil(Make : Power Oil)	Ltr	1000	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
22.0	Filtration & topping up of Transformer Oil.	Ltr	1250	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
23.0	Supply of Silica Gel for transformer	Kg	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.0	Supply of LUG(Aluminium/Copper) of following size(Make: Dowells/Comet)						
24.1	1.5 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.2	2.5 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.3	4 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.4	6 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.5	10 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.6	10 sqmm Ring Type(Al)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.7	16 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.8	16 sqmm Ring Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.9	16 sqmm Pin Type(Al)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.10	16 sqmm Ring Type(Al)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.11	16 sqmm Pin Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.12	16 sqmm Ring Type(Cu)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.13	35 sqmm Ring Type(Al)	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.14	35 sqmm Ring Type(Cu)	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.15	50 sqmm Ring Type(Al)	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.16	50 sqmm Ring Type(Cu)	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
24.17	70 sqmm Ring Type(Al)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.18	70 sqmm Ring Type(Cu)	No.	25	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.19	95 sqmm Ring Type(Al)	No.	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.20	95 sqmm Ring Type(Cu))	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.21	120 sqmm Ring Type(Cu)	No.	25	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.22	120 sqmm Ring Type(Al)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.23	150 sqmm Ring Type(Cu)	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.24	150 sqmm Ring Type(Al)	No.	25	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.25	185 sqmm Ring Type(Cu)	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.26	185 sqmm Ring Type(Al)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.27	240 sqmm Ring Type(Cu)	No.	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.28	240 sqmm Ring Type(Al)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.29	300 sqmm Ring Type(Cu)	No.	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
24.30	300 sqmm Ring Type(Al))	No.	50	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
25.0	Supply of DO Fuse for Overhead 6.6 KV/33 KV Line of following ratings:						
25.1	DO Fuse for 6.6 KV, 50 A/80A/100A	No	100	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
25.2	DO Fuse for 33 KV, 50 A/70A	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.0	Supply of GLAND(Single /Double Compression Type) of following size(Make: Comet/Dowells)						

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
26.1	16 Sq mm	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.2	35 Sqmm	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.3	50 Sqmm	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.4	70 Sqmm	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.5	95 Sqmm	No	20	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.6	120 Sqmm	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.7	150 Sqmm	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.8	185 Sqmm	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.9	240 Sqmm	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
26.10	300 Sqmm	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.0	Supply of following Materials						
27.1	12 V ,180 Ah Battery with charging indication for DG Set Make Exide	No	4	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.2	1200 mm sweep Celeing Fan Make :CG or Bajaj	No	6	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.3	300 mm sweep Exhaust fan: Make: CG or Bajaj	No	6	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.4	400 mm sweep Exhaust fan: Make: CG or Bajaj	No	6	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.5	Distilled Water for DG Set Battery	Ltr.	200	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.6	Copper Terminal for DG Battery (24 V, 180 Ah)	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.7	Remote operated calling bell with battery , Make : Anchor	No	10	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE

Sl. No.	Description	Unit	Qty	Per Unit Lumpsum Rate		Total Amount	
				In Figure (Rs)	In Words (Rs)	In Figure (Rs)	In Words (Rs.)
27.8	Fly Catchers (8 W) UVB Blue tubes, Make: AVRO or equivalent.	No	40	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.9	MCB Mounting Box	No	30	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.10	Electric Geyser , Digital Display, 15 Liter , (2/3 KW) Make: Jaquar/Havells/Venus	No	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
27.11	Fly Catcher with (2x 8w) UVA Blue tube, Make: AVRO or equivalent	No	3	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE	DO NOT QUOTE
A	SUB-TOTAL (Rs)						
	PRESENT RATE OF APPLICABLE SERVICE TAX (12.36%)						
B	BIDDER TO QUOTE PERCENTAGE (%) OF TOTAL BASIC ORDER VALUE ON WHICH SERVICE TAX IS APLLICABLE (40%/ 60% / 70%/ 75% 100%)						
C	AMOUNT ON WHICH SERVICE TAX IS APPLICABLE(PLEASE QUOTE NUMERICAL ONLY) [(PERCENTAGE(%) OF A]						
D	AMOUNT OF SERVICE TAX (RS) @12.36% ON [C]						
E	TOTAL AMOUNT (A+D)						

TOTAL AMOUNT (IN FIGURE) DO NOT QUOTE

TOTAL AMOUNT (IN WORDS) DO NOT QUOTE

Note:

1) Bids would be evaluated on overall lowest cost bid basis. Accordingly, all SOR items needs to be quoted otherwise bid will be liable for rejection.

2) Bidder must mentioned 'Quoted' in placed of of 'Do not Quote' in SOR (Unpriced Part).

Name of authorized person submitting the tender on behalf of the Bidder :

Designation of authorized person:

Name of firm / Contractor:

Address of firm / Contractor:

Date:
