



SECTION-VIII

[SOR-SCHEDULE OF RATE]

PRICED SOR

NAME OF WORK: “REFILLING OF CALIBRATION GAS CYLINDERS FOR BCPL LEPETKATA FOR A PERIOD OF TWO YEARS”.

e-TENDER No.: BCPL/C&P/LE18S168AP/00301



**SCHEDULE OF RATES (SOR) - PRICED BID
(BIDDER TO MENTION "PRICE" IN PRICED SOR)**

e-TENDER NO: BCPL/C&P/LE18S168AP/00301 FOR “REFILLING OF CALIBRATION GASA CYLINDERS FOR BCPL LEPETKATA FOR A PERIOD OF TWO YEARS”

A) SUPPLY PORTION

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
1	8305070943	GAS,CAL,113-AT-6201,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6201 ,CAPACITY:10 L, COMPOSITION : ,ETHYLENE-0.30%, HYDROGEN 40.00%, BALANCE- METHANE, CYLINDER CPACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130KG/CM2	EA	3				
2	8305070933	GAS,CAL,113-AT-6501,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6501 ,CAPACITY:10 L, COMPOSITION :,METHANE-250 PPM,BALANCE - NITROGEN, CYLINDER CAPACITY: 10 LTS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
3	8305070923	GAS,CAL,AT-6801 ST#2,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6801 STRM- 2 ,CAPACITY:10 L,COMPOSITION : ,PROPYLENE-500 PPM,PROPANE-500	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		PPM,ACETYLENE-1%,ETANE-30%,BALANCEETHYLENE, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 50 KG/CM2						
4	8305070913	GAS,CAL,113-AT-7001,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7001 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN-200 PPM,PROPYLENE-300 PPM,ACETYLENE-2 PPM,ETHANE-30%,BALANCE - ETHYLENE,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 50 KG/CM2	EA	3				
5	8305070903	GAS,CAL,113-AT-6701,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6701 ,CAPACITY:10 L, COMPOSITION : ,CARBON MONOXIDE-0.30%,NITROGEN-0.20%, ETHANE-0.10%,ACETYLEN-0.10%,ETHYLENE-0.3 0%,METHANE-18%,CARBON DIOXIDE-0.5%,BALANCE- HYDROGEN, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
6	8305070893	GAS,CAL,113-AT-6702,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6702 ,CAPACITY:10 L,COMPOSITION : ,CARBON MONOXIDE-0.50	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		PPM,METHANE-500 PPM,ACETYLENE-3 PPM,ETHYENE-500 PPM,BALANCEHYDROGEN, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 130 KG/CM2						
7	8305070883	GAS,CAL,113-AT-7801,47L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7801 ,CAPACITY:47 L,COMPOSITION : ,METHYL ACETYLENE-2%,PROPADIENE-2%,PROPANE-10 %,BALANCE- PROYLENE,CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 7 KG/CM2	EA	3				
8	8305070873	GAS,CAL,113-AT-8601,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8601 ,CAPACITY:47 L,COMPOSITION : ,HYDROGEN- 8 PPM,ETHANE-200 PPM,ETHYLENE- 100 PPM,PROPANE-0.20%,METHYL ACETYLENE- 3 PPM,PROPADIENE- 3 PPM,BALANCEPROPYLENE, CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 7 KG/CM2	EA	3				
9	8305070863	GAS,CAL,113-AT-8502,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8502 ,CAPACITY:47 L,COMPOSITION :	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		,CIS-2-BUTENE-0.1%,BUTENE - 1-0.1%,PROPYLENE -2%, ISOBUTANE: 0.2%,METHYL ACETYLENE-0.25%,PROPADIENE-0.25%,NBUTANE-0.2%,BALANACE - PROPANE,CYLINDER CAPACITY: 47 LTRS WC, CYLINDER TYPE: CS,CYLINDER PRESSURE: 7 KG/CM2						
10	8305070853	GAS,CAL,113-AT-8001,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8001 ,CAPACITY:47 L,COMPOSITION : ,CIS-2-BUTENE-3%,TRANS-2-BUTENE-3%,BUTENE-1-3%,PROPADIENE-5%, PROPANE-7%,ISO BUTYLENE-3%,METHYL ACETYLENE-5%, 1,3 BUTADIENE-7%,ISO PENTANE-0.50%,N-PENTANE-0.5.%, BALANCEPROPYLENE, CYLINDER CAPACITY: 47 LTRS WC, CYLINDER MOC : CS CYLINDER QUANTITY:47L, Sample must be gas phase, pressure 7 Kg	EA	3				
11	8305070843	GAS,CAL,113-AT-8002,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8002 ,CAPACITY:10 L,COMPOSITION :,PROPANE-0.15%,PROPYLENE - 0.15%,METHYL ACETYLENE-0.05%,PROPDIENE- 0.05%,ISOBUTANE-5%,NBUTANE-8%,ISOBUTYLENE- 20%,1-BUTENE-15%,CIS-2-BUTENE- 15%,TRANS-2-BUTENE-	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		15%,ISO PENTANE- 1.5%,BALANCE - HEXENE,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER MOC : CS,CYLINDER PRESSURE: 40BAR Nitrogen Reasonable pressure to avoid anypartial vaporization of blend till the complete liquid is consumed;Minimum Volume of calibration mixture (Litre): 4 LTR.						
12	8305070833	GAS,CAL,113-AT-8301,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8301 ,CAPACITY:47 L,COMPOSITION : ,PROPANE-30%,METHYL ACETYLENE- 0.5%,PROPADIENE- 0.5%,1-BUTNE-1000 PPM,BALANCE- PROPYLENE,CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 7 KG/CM2	EA	3				
13	8305070823	GAS,CAL,113-AT-8401,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8401 ,CAPACITY:47 L,COMPOSITION : ,METHYL ACETYLENE-100 PPM,PROPADIENE- 100 PPM, PROPANE-20%, HYDROGEN -0.30%,ISOBUTANE-200 PPM,NBUTANE-200 PPM, CIS-2-BUTENE-200 PPM,TRANS-2-BUTENE-200 PPM, BALANCEPROPYLENE, CYLINDER CAPACITY: 47LTRS	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		WC,CYLINDER TYPE: AL, CYLINDER PRESSUR: 7 KG/CM2						
14	8305070813	GAS,CAL,113-AT-9031,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-9031 ,CAPACITY:47 L,COMPOSITION : ,1- HEXENE-0.20%,BENZENE-0.1%,METHYL ACETYLENE-0.2%,PROPADIIEE-0.2%,CIS - 2 - BUTENE-20%,TRANS - 2 BUTENE-20%, N PENTANE:6%; BALANCE - 1-3 BUTADIENE,CYLINDER CAPACITY:47 LTRS WC,CYLINDER MOC:CS, CYLINDER PRESSURE: 2KG/CM2, sample must be gas phase	EA	3				
15	8305070803	GAS,CAL,113-AT-4901,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-4901 ,CAPACITY:10 L,COMPOSITION : ,CARBON DIOXIDE-2 PPM,CARBON MONOXIDE-0.1%,METHANE-20%,ETHYLNE-30%,BALANCEHYDROGEN, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 100 KG/CM2	EA	3				
16	8305070793	GAS,CAL,113-AT-8501,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-8501 ,CAPACITY:10 L,COMPOSITION : ,PROPYLENE-100%,CYLINDER CAPACITY: 10 LTRS WC,CYLINDERTYPE: CS,CYLINDER	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		PRESSURE: 7 KG/CM2, Minimum Volume of calibrationmixture: 4 Litre						
17	8305070783	GAS,CAL,113-AT-9101,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-9101 ,CAPACITY:47 L,COMPOSITION : ,BUTENE - 1-0.60%,ISOBUTENE-1%,CIS-2-BUTENE-0.60%,TRANS-2-BTENE-0.60%,1-3 BUTADIENE-0.60%,HYDROGEN-0.20%,ISOBUTAN E-1%,NBUTANE-10%,METHANE-5%,ETHYLENE-2%,PROPANE-17%, ISO-PENTANE-0.60%,NPENTANE-0.60%,N-HEXANE-1%,2-METHYLPENTANE-0.60%, 3-METHYLPENTANE-0.60%,2,3 DIMETHYLBUTANE-0.20%,1-PENTENE-0.60%,BALANCEPROPYLENE, CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 4 KG/CM2	EA	3				
18	8305070773	GAS,CAL,113-AT-6303,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6303 ,CAPACITY:10 L,COMPOSITION : ,ETHANE-0.10%,BALANCE - ETHYLENE,CYLINDER CAPACITY: 10 LTRSWC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 50 KG/CM2	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
19	8305070763	GAS,CAL,AT-7151/01,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7151 / 01 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN -0.50%,CARBON MONOXIDE-2.00 PPM,METHANE-100 PPM ,ACETYLENE-0.50%,ETHANE-30%,PROPYLENE -300 PPM,PROPANE-100 PPM, BALANCEETHYLENE, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 50 KG/CM2	EA	3				
20	8305070753	GAS,CAL,113-AT-7401,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7401 ,CAPACITY:10 L, COMPOSITION : ,ETHYLENE - 20%,BALANCENITROGEN, CYLINDER CAPACITY: 10 LTS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
21	8305070743	GAS,CAL,113-AT-7402,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7402 ,CAPACITY:10 L,COMPOSITION : ,ETHYLENE- 0.50%,PROPYLENE-0.20%, "ETHANE BALANCE; CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
22	8305070733	GAS,CAL,114-AT-1201,10L Long Text GAS,CALIBRATION,COMPOSITION:114-AT-1201 ,CAPACITY:47 L,COMPOSITION : ,1,3 BUTADIENE-400 PPM,CIS-2-BUTENE-400 PPM,TRANS-2-BUTENE-400 PPM,ISOPRENE-400 PPM,2-METHYL-2-BUTENE-400 PPM,PROPANE-0.20%,ISOBUTYLENE-2.00%,ISO PENTANE-15%,BALANCE - N-BUTANE,CYLINDER CAPACITY:47 LTRS WC,CYLINDER MOC:AL,CYLINDER PRESSURE:2 KG/CM2, sample shall be in gas phase	EA	3				
23	8305070723	GAS,CAL,113-AT-1202,47L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-1202 ,CAPACITY:47 L,COMPOSITION : ,METHANE-0.90%,ETHANE-53.60%,PROPANE -21.00%,PROPYLENE -0.60%,PROPADIENE-0.30%,METHYL ACETYLENE-0.60%,ISO BUTANE-3.00%,N BUTANE-12.00%,1,3 BUTADIENE-0.6%, 1-BUTENE-0.6%,CIS-2-BUTENE-0.3%,TRANS-2-BUTENE-0.3%,N PENTANE-3%,ISO PENTANE-3%,N HEXANE-0.9%,ISO HEXANE-0.6%,1-HEXENE-0.6%,CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDERPRESSURE: 5 KG/CM2	EA	3				
24	8305070713	GAS,CAL,113-AT-1501,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-1501 ,CAPACITY:10	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		L,COMPOSITION : ,HYDROGEN-30%,METHANE-15%,ETHANE-20%,ETHYLENE-30%,PROPYLENE3%,PROPANE-1%,1,3 BUTADIENE-0.50%,METHYL ACETYLENE-0.10%,PROPADIENE-0.20%,ACETYLENE-0.2%,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 50 KG/CM2						
25	8305070703	GAS,CAL,113-AT-5501,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-5501 ,CAPACITY:10 L,COMPOSITION:,ETHYLENE-5 PPM,ETHANE-50 PPM,PROPANE-5%,PROPYLENE-10%,METHYL ACETYLENE-2%,PROPADIENE-2%,BALANCEHYDROGEN, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE:AL,CYLINDER PRESSURE: 40 KG/CM2	EA	3				
26	8305070693	GAS,CAL,117-AT-1201,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-1201 ,CAPACITY:10 L,COMPOSITION : ,1,2 BUTADIENE-10 PPM,1,3 BUTADIENE-293 PPM,PROPADIENE-123 PPM,ETHYLENE-0.35%,C-2-BUTENE-0.74%,T-2-BUTENE-0.75%,BALANCE- 1-BUTENE,CYLINDER	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		CAPACITY: 10 LTRS WC,CYLINDER MOC : CS,CYLINDER QUANTITY : 4 LIITER LIQUID CONTENT WITH DIP STICKAND NITROGEN PRESSURZATION,CYLINDER PRESSURE: 40-20 Bar nitrogen; Minimum Volume of calibrationmixture: 4 ltr						
27	8305070133	GAS,CAL,117-AT-1602,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-1602 ,CAPACITY:10 L,COMPOSITION: 1,2 BUTADIENE-50 PPM, 1,3 BUTADIENE-50 PPM,PROPADIENE-100 PPM, 1-BUTENE-99.98%,CYLINDER TYPE: CS (4 LTR LIQUID),CYLINDER PRESSURE: 20-30 Bar Nitrogen; Minimum Volume of calibrationmixture (Litre): 4 Ltr	EA	3				
28	8305070683	GAS,CAL,117-AT-1603,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-1603 ,CAPACITY:10 L,COMPOSITION : ,NBUTANE-2.05%,1-BUTENE-97.95%,CYLINDER CAPACITY: 10 LTRSC,CYLINDER MOC: CS,CYLINDER QUANTITY: 4 LTR LIQUID,CYLINDER PRESSURE: 20-30 KG/CM2, Minimum Volume of calibration mixture(Litre): 4 Ltr	EA	3				
29	8305070673	GAS,CAL,113-AT-1201,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-1201 ,CAPACITY:47	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		L,COMPOSITION :,HYDROGEN-0.50%,CARBON DIOXIDE- .30%, METHANE-2.00%,ETHYLENE-.50%,PROPANE-22.00%,PROPYLENE-0.40%,ISOBUTANE-6.00%, NBUTANE-7.00%,1-BUTENE-0.30%, ISOPENTANE-1.00%, N-PENTANE-1.00%,N-HEXNHEXANE-0.33%,HEPTANE-0.33%,OCTANE-0.33%, BALANCE- ETHANE,CYLINDERPRESSURE: 3 kg / cm2						
30	8305070663	GAS,CAL,118-AT- 2001,10L Long Text GAS,CALIBRATION,COMPOSITION:118-AT-2001 ,CAPACITY:47 L,COMPOSITION: METHANE-200 PPM,ETHYLENE-100 PPM,PROPANE-0.40%, CO2-3 PPM,CO-1PPM, BALANCE- PROPYLENE,CYLINDER CAPACITY: 47 LTRS WC, CYLINDER TYPE: AL,CYLINDER PRESSURE: 7 KG/CM2	EA	3				
31	8305070653	GAS,CAL,118-AT- 4001,10L Long Text GAS,CALIBRATION,COMPOSITION:118-AT-4001 ,CAPACITY:47 L,COMPOSITION : ,ETHANE-0.100%,METHANE-0.10%,HYDROGEN-1.00%, ETHYLENE-10%,PROPANE-5%,BALANCEPROPYLENE ,CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDER	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		PRESSURE: 9 KG/CM2						
32	8305070643	GAS,CAL, 113-AT-9061,10L Long Text GAS,CALIBRATION,COMPOSITION: 113-AT-9061 ,CAPACITY:10 L,COMPOSITION : ,OCTANE-0.50%,HEPTANE-2.0 0%,HEXANE-5.00%,PENTENE-1-0.20%,NPENTAN E-0.20%,ISOPENTANE-0.20%,TOLUENE-25%,BALANCEBENZENE, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER MOC: CS,QUANTITY: 4 LI, CYLINDER TYPE: CS, 4 liter Liquid Content with DipStick and Nitrogen Pressurization, CYLINDER PRESSURE: 20 -40barReasonable pressure to avoid any partial vaporization of blend till thecomplete liquid is consumed, Maximum Volume of calibration mixture(Litre): 2 kg/4 ltr	EA	3				
33	8305070633	GAS,CAL,113-AT-6801,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-6801 (STREAM 1) ,CAPACITY:10 L,COMPOSITION : ETHYLENE-1.00 PPM,ETHANE-10 PPM,METHYLACETYLNE-2.00%,PROPADIENE-2.0 0%,PROPANE-10%,NBUTANE-2.00%,ISOBUTANE-2.00%,BALANCEPROPYLENE,	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		CYLINDER TYPE: AL,CYLINDER CAPACITY: 47 LTRS WC,CYLINDERCYLINDER PRESSURE: 7 kg / cm2						
34	8305070623	GAS,CAL,AT-3201/02,LW,10L Long Text "GAS,CALIBRATION,COMPOSITION:117- AT-3201/02 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN- 10%,METHANE-5 %,ETHANE-5%,ETHYLENE-30%,N-BUTANE -10%,1-BUTENE-20%,ISO-PENTANE- 2.50%,NPENTANE- 2.50%,HEXANE-0.05%,1- HEXENE-0.05%,CIS-2-HEXENE-300 PPM,TRANS-2-HEXENE-300 PPM,TRANS-3- HEXENE-300 PPM,BALANCE - NITROGEN,CYLINDER CAPACITY: 47 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 7 KG/CM2"	EA	5				
35	8305070613	GAS,CAL,117-AT-3201/02,10L Long Text "GAS,CALIBRATION,COMPOSITION:117- AT-3201/ 02 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN- 10%,METHANE-5 %,ETHANE-5%,ETHYLENE-30%,N-BUTANE -10%,1-BUTENE-0.50%,ISO-PENTANE- 2.50%,NPENTANE- 2.50%,HEXANE-0.05%,1- HEXENE-0.05%,CIS-2-HEXENE-300 PPM,TRANS-2-HEXENE-300 PPM,TRANS-3- HEXENE-300 PPM,BALANCE - NITROGEN ,CYLINDER CAPACITY: 47 LTRS	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 7 KG/CM2"						
36	8305070603	GAS,CAL,117-AT-5301,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-5301 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN-10%,METHANE-4 % ,ETHANE-3%,ETHYLENE-15%,1-BUTENE-2% ISO-PENTANE-2%,N-BUTANE - 0.50%,BALANCENITROGEN ,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 25 Kg / cm2	EA	3				
37	8305070593	GAS,CAL,117-AT-5302,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-5302 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN-25%,METHANE-1 0%,ETHANE-5%,ETHYLENE-25%,1-BUTENE-0.50%,ISO-PENTANE-0.25%,N-BUTANE -0.50%,BALANCE- NITROGEN,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE:115 kg / cm2	EA	3				
38	8305070583	GAS,CAL,113-AT-7403,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-7403 ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN-1 PPM,CARBON MONOXIDE-2 PPM,ACETYLENE-2 PPM,CARBONDIOXIDE-2 PPM,METHANE-	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		10 PPM,ETHANE-300 PPM,BALANCEETHYLENE, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE - 50 kg / cm2						
39	8305070573	GAS,CAL,117-AT-3204,10L Long Text GAS,CALIBRATION,COMPOSITION:117- AT-3204 ,CAPACITY:10 L, COMPOSITION : ,ETHYLENE- 5.00%,BALANCENITROGEN , CYLINDER CAPACITY: 10 LTS WC,CYLINDER TYPE: AL, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
40	8305070563	GAS,CAL,117-AT-8701/860,10L Long Text GAS,CALIBRATION,COMPOSITION:117- AT-8701/8603 ,CAPACITY:10 L, COMPOSITION :,CARBON MONOXIDE-0.50 PPM,CARBON DIOXIDE-0.50 PPM, BALANE - NITROGEN ,CYLINDER CAPACITY: 10 LTRS WC, CYLINDER TYPE: AL,CYLINDER PRESSURE: 130 KG/CM2	EA	3				
41	8305070553	GAS,CAL,ZERO GAS:9401,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT- 9401 (ZERO GAS) , CAPACITY:10 L,COMPOSITION : ,METHANE-	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		25%,BALANCENITROGEN , CYLINDER CAPACIT: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2						
42	8305070513	GAS,CAL,113-AT-9401,10L Long Text GAS,CALIBRATION,COMPOSITION:113-AT-9401(SPAN GAS) , CAPACITY:10 L,COMPOSITION :,METHANE-100%, CYLINDER CAPACITY: 10 LTRS WC,CYLINDR TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
43	8305070503	GAS,CAL,SO2: 900 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:SO2: 900 PPM ,CAPACITY:10 L, COMPOSITION : ,SO2 -900 PPM,NITROGENBALANCE, CYLINDER CAPACITY: 10 LTRSWC,CYLINDER TYPE: AL, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
44	8305070493	GAS,CAL,NOX: 900 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:AS-01(CALLID US)-NOX ,CAPACITY:10 L,COMPOSITION : NOX-450 PPM,NITROGEN- BALANCE,CYLINDER CAPACITY: 1 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 130 KG/CM2	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
45	8305070483	GAS,CAL,CO: 2250 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:AS-01(CALLID US)- CO , CAPACITY:10 L,COMPOSITION : ,CO -2250 PPM,NITROGEN- BALANCE, CYLINDER CAPACITY:10 LTRS WC,CYLINDER TYPE: AL, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
46	8305070463	GAS,CAL,C4H8 :84 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:AS-01(CALLID US): C4H8 , CAPACITY:10 L,COMPOSITION : ,C4H8 -84 PPM,NITROGEN- BALANCE , CYLINDER CAPACTY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
47	8305070293	GAS,CAL,O2:0.4%,BL N2,10L Long Text GAS,CALIBRATION,COMPOSITION:OXYGEN -0.4%, BALANCE N2 , CAPACITY:10 L,COMPOSITION : ,OXYGEN -0.4%,BALANCE N2, CYLINDER CAPACITY: 10LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	8				
48	8305070433	GAS,CAL,O2:8.2%,BL N2 ,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-8.2%,	EA	8				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		BALANCE N2 , CAPACITY:10 L,COMPOSITION : ,O2-8.2%,BALANCE- N2, CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2						
49	8305070453	GAS,CAL,C4H8:8200PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:AS-01(CALLID US)- C4H8 , CAPACITY:10 L,COMPOSITION : ,C4H8 - 8200 PPM,NITROGEN- BALANCE , CYLINDER CAPAITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
50	8305070413	GAS,CAL,O2:12%,BL N2 ,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-12%, BALANCE N2 ,CAPACITY:10 L, COMPOSITION : ,O2-12%,BALANCEN2, CYLINDER CAPACITY: 10 LTRS WC, CYINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2	EA	3				
51	8305070403	GAS,CAL,O2: 10 PPM ,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-10 PPM, BALANCE N2 , CAPACITY:10 L,COMPOSITION : ,O2-10 PPM,BALANCE- N2, CYLINDER CAPACITY: 10	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		LTRSWC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2						
52	8305070393	GAS,CAL,O2:1.8%,BL N2,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-1.8%, BALANCE N2 , CAPACITY:10 L,COMPOSITION : ,O2-1.8%, BALANCE- N2, CYLINDER CAPACITY: 10 LTRS WCCYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
53	8305070383	GAS,CAL,SO2:80-90PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:SO2-80-90 PPM ,CAPACITY:10 L,COMPOSITION : SO2-90-100 PPM,CYLINDER CAPACITY: 10 LTRS WC,CYLINDERTYPE: AL,CYLINDER PRESSURE: 130 KG/CM2	EA	16				
54	8305070373	GAS,CAL,NOX,10L Long Text GAS,CALIBRATION,COMPOSITION:NOX-100 PPM ,CAPACITY:10 L,COMPOSITION :NOX-100 PPM,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 130 KG/CM2	EA	16				
55	8305070363	GAS,CAL,CO: 100 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:CO -	EA	16				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		100 PPM ,CAPACITY:10 L,COMPOSITION: ,CO - 100 PPM,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 130 KG/CM2						
56	8305070443	GAS,CAL,C2H4:4250PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:AS-01(CALLID US)- ETHYLENE , CAPACITY:10 L,COMPOSITION : ,ETHYLENE-4250 PPM, NITROGEN - BALANCE,CYLINDER CAPACITY: 10 LTRS WC, CYLINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2	EA	3				
57	8305070543	GAS,CAL,117-AT-1401 ,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-1401 ,CAPACITY:10 L,COMPOSITION : ,H2S-0.45 PPM,METHANE-0.5%,ETHYLENE- 99.5%,CYLINDE R CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE: 50 KG/CM2	EA	3				
58	8305070343	GAS,CAL,C3H8 IN N2,10L Long Text GAS,CALIBRATION,COMPOSITION:C3H8 IN N2- 80 PPM ,CAPACITY:10 L, COMPOSITION : ,C3H8 IN N2- 80 PPM, CYLINDER CAPACITY: 10 LTRS	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		WC,CYINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2						
59	8305070533	GAS,CAL,117-AT-1301A/C,10L Long Text GAS,CALIBRATION,COMPOSITION:117-AT-1301A/ C ,CAPACITY:10 L,COMPOSITION : ,HYDROGEN -10 PPM,ACETYLENE-1 PPM,CARBON MONOXIDE -1 PPMACETONE-1 PPM,METHANE-50 PPM,CO2-1 PPM,BALANCEETHYLENE ,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: AL,CYLINDER PRESSURE, pressure 50 kg/cm2	EA	3				
60	8305071033	GAS,CAL,0.7 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:OXYGE N - 0.7 PPM ,CAPACITY:10 L, OXYGEN0.7PPM, CYLINDER CAPACITY: 10LTR, PRESSURE: 130KG/CM2, CYLINDER TYPE :AL; Balance N2	EA	3				
61	8305070313	GAS,CAL,CO2-50 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:CO2-50 PPM, BL N2 ,CAPACITY:10 L, COMPOSITION : ,CARBON DIOXIDE -50 PPM,BALANCE- NITROGEN, CYLINDER CAACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
62	8305070303	GAS,CAL,CO2: 80 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:CO2:80 PPM, BL N2 ,CAPACITY:10 L, COMPOSITION : ,CARBON DIOXIDE - 80 PPM,BALANCE NITROGEN, CYLINDER CAACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
63	8305071023	CO 10PPM Long Text CYLINDER : 10LTR,PRESSURE-130 KG/CM2,CONCENTRATION: CO : 10PPM	EA	2				
64	8305070273	GAS,CAL,PURE N2 GR 5,10L Long Text GAS,CALIBRATION,COMPOSITION:PURE NITROGEN GRADE 5.0: 99.999%,CAPACITY:10 L,COMPOSITION : ,PURE NITROGEN GRADE 5.0,CYLINDER CAPACITY: 10TRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2	EA	10				
65	8305070263	GAS,CAL,RICH GAS CYL,10L Long Text GAS,CALIBRATION,COMPOSITION:RICH GAS CYL ,CAPACITY:10 L,COMPOSITION : ,METHANE-90.5%,ETHANE-3.9 9%,PROPANE-1.498%,I-BUTANE-0.711%,NBUTANE-0.12%,I-PETANE-0.25%,NPENTANE-0.13%, CO2-1.5%,N2-0.95%,C6	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		+0.351%,CYLINDER CAPACITY: 10 LTRS WC, CYLINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2						
66	8305070253	GAS,CAL,LEAN GAS CYL,10L Long Text GAS,CALIBRATION,COMPOSITION:LEAN GAS CYL ,CAPACITY:10 L, COMPOSITION : ,METHANE-98.5%,ETHANE-0.45 % ,N2-1.04%, CYLINDER CAPACITY: 10LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
67	8305070243	GAS,CAL,O2:0.14%,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-0.14%, BALANCE NITROGEN , CAPACITY:10 L,COMPOSITION : ,O2-0.14%,BALANCENITROGEN, CYLINDER CAPACIT: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
68	8305070233	GAS,CAL,O2:21.4%,10L Long Text GAS,CALIBRATION,COMPOSITION:O2-21.4%, BALANCE N2 , CAPACITY:10 L,COMPOSITION : ,O2-21.4%,BALANCE-N2,	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		CYLINDER CAPACITY: 10 LTRS W,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2						
69	8305070213	GAS,CAL,C3H6-45%,10L Long Text GAS,CALIBRATION,COMPOSITION:PROPY LENE -45%, BALANCE N2 ,CAPACITY:10 L,COMPOSITION : ,PROPYLENE - 45%,BALANCE N2,CYLINDER CAPACITY 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 12 KG/CM2	EA	3				
70	8305070193	GAS,CAL,O2- 80-90 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:O2- 80- 90 PPM, BALANCE N2 ,CAPACITY:10 L,COMPOSITION : ,O2- 80-90 PPM,BALANCE : N2,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 130 KG/CM2	EA	3				
71	8305070183	GAS,CAL,C2H4- 1.37%,10L Long Text GAS,CALIBRATION,COMPOSITION:ETHYL ENE- 1.37%, BALANCE -AIR,CAPACITY:10 L,COMPOSITION : ,ETHYLENE- 1.37%,BALANCE NITROGEN: AIR,CYLINDER CAPACITY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE:	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
		130KG/CM2						
72	8305070173	GAS,CAL,CH4-2.5%,10L Long Text GAS,CALIBRATION,COMPOSITION:METHANE- 2.5%, BALANCE -AIR , CAPACITY:10 L,COMPOSITION : ,METHANE- 2.5%,BALANCE: AIR, CYLINDER CAPACIY: 10 LTRS WC,CYLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
73	8305070163	GAS,CAL,H2-2%,BL AIR,10L Long Text GAS,CALIBRATION,COMPOSITION:H2- 2%, BALANCE -AIR , CAPACITY:10 L,COMPOSITION: ,H2- 2%,BALANCE: AIR, CYLINDER CAPACITY: 10 LTRS WC,YLINDER TYPE: CS, CYLINDER PRESSURE: 130 KG/CM2	EA	3				
74	8305070153	GAS,CAL,H2S- 50 PPM,10L Long Text GAS,CALIBRATION,COMPOSITION:H2S- 50 PPM, BALANCE -AIR , CAPACITY:10 L,COMPOSITION: ,H2S- 50 PPM,BALANCE:AIR, CYLINDER CAPACITY: 10LTRS WC,CYLINDER TYPE: AL, CYLINDER PRESSURE: 130 KG/CM2	EA	3				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

SL NO.	MATERIAL CODE	MATERIAL DESCRIPTION	UOM	QTY (A)	Unit Rate (B)	GST% (C)	Total Amount D=A X (B + C)	
							In figures (Rs.)	In words (Rs.)
75	8305070953	GAS,CAL,112-AT-2001,10L Long Text GAS,CALIBRATION,COMPOSITION:112-AT-2001 ,CAPACITY:10 L,COMPOSITION : ,METHANE-1.00 MOL %,BALANCE-ETHANE,CYLINDER CAPACITY: 10 LTR WC,CYLINDER TYPE: CS,CYLINDER PRESSURE: 40KG/CM2	EA	3				
76	8305071013	GAS,CAL,AT-4001STREAM2 ,47L Long Text GAS,CALIBRATION,COMPOSITION:118-AT-4001 STREAM2 ,CAPACITY:47 L,COMPONENTS ,ETHANE : 0.100 %,METHANE : 0.10 %, HYDROGEN: 25 %, ETHYLENE : 10 %, PROPANE : 5 %,PROPYLENE BALANCE, PRESSURE : 7 KG/CM2, CYLINDER TYPE: CS,CYLINDER CAPACITY : 47 LTR	EA	3				
A) TOTAL SUPPLY PORTION (In Rs.)								

B) SERVICE PORTION

SL. No.	SERVICE DESCRIPTION	UOM	QTY (A)	UNIT RATE (B)	GST% (C)	Total Amount D=A X (B + C)	
						In figures (Rs.)	In figures (Rs.)
1	Valve Safety guard replacement Long Text Valve Safety guard missing / damaged. rate - Rs. /- per guard	Nos	52				
2	Cylinder Valve (Brass) replacement Long Text Cylinder Valve (Brass) bent/damaged (New valves confirmed to the	Nos	52				



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

	Indianstandard IS:3224 & are approved CCE Nagpur) - rate Rs. - per valve						
3	Cylinder Painting Long Text Cylinder received with oil / paint contamination painting of cylinders:- Rate - Rs. /- per cylinder.	Nos	269				
4	Hydraulic Testing Charges Long Text Hydraulic Testing Charges rate Rs /- per cylinder	Nos	260				
5	Replacement cost of valve gland nut Long Text Replacement cost of valve gland nut rate – Rs. /- per gland nut.	Nos	52				
6	Changing of Worn-out valve spindle Long Text Changing of Worn-out valve spindle – rate Rs./- per spindle.	Nos	52				
7	Replacement of SS Valve Long Text Replacement of SS Valve : Rs. /- per valve	Nos	8				
8	Cylinder received with oil / paint conta Long Text Cleaning of cylinder Cylinder received with oil / paint contamination	Nos	52				
A) TOTAL SERVICE PORTION (In Rs.)							

TOTAL EVALUATED VALUE: A + B: _____ (Incl. GST)



ब्रह्मपुत्र क्रेकर और पालीमेर लिमिटेड
(भारत सरकार का उपक्रम)
Brahmaputra Cracker and Polymer Ltd.
(A Government of India Enterprise)

<i>Name of authorized person submitting the tender on behalf of the Bidder (s):</i>		
<i>Designation of authorized person:</i>		
<i>Name of firm / Contractor:</i>		
<i>Address of firm / Contractor:</i>		
<i>Date:</i>		
NOTE:	1. The Material shall be consigned to BCPL, Lepetkata in the Invoice Mentioning the PO/LOA NO.	
	2. The above quoted rates should be inclusive of freight and GST to be quoted separately as per SOR	
	3. Form "C" AND road permit (if required) shall be issued by BCPL. However, if entry TAX is applicable on any of the supplied materials, the same will be recovered from the bill submitted by the bidder	
	4. Tax Invoice (Original) is to be submitted along with the billing documents	