

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	10-03-2023 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	10-03-2023 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	65 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Petroleum And Natural Gas
Department Name/विभाग का नाम	Brahmaputra Cracker And Polymer Limited
Organisation Name/संगठन का नाम	Brahmaputra Cracker And Polymer Limited
Office Name/कार्यालय का नाम	Lepetkata
Item Category/मद केटेगरी	Custom Bid for Services - ARC CONTRACT FOR ONSITE CALIBRATION OF MEASURING TOOLS AND TORQUE WRENCH OWNED BY BCPL LEPETKATA FOR A PERIOD OF 03 YEARS
Contract Period	3 Year(s)
MSE Exemption for Years of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover	No
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Indicating Price Breakup Required	Yes

EMD Detail/ईएमडी विवरण

Required	No
----------	----

ePBG Detail/ईपीबीजी विवरण

Required	No
----------	----

Splitting/विभाजन

Bid splitting not applied.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Additional Qualification/Data Required

Introduction about the project /services being proposed for procurement using custom bid functionality:[1676607023.pdf](#)

Instruction To Bidder:[1676610849.pdf](#)

Pre Qualification Criteria (PQC) etc if any required:[1676610857.pdf](#)

Scope of Work:[1676610863.pdf](#)

Service Level Agreement (SLA):[1676610871.pdf](#)

Payment Terms:[1676610872.pdf](#)

GEM Availability Report (GAR):[1676610887.pdf](#)

Buyers are requested to upload the format for price breakup of the lumpsum offering to be provided by the service provider (Please provide the format if financial upload required is selected as "Yes" while creating Bid):[1676610949.pdf](#)

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
22-02-2023 15:00:00	C&P Dept. Administrative Building BCPL , Dibrugarh, Assam

Custom Bid For Services - ARC CONTRACT FOR ONSITE CALIBRATION OF MEASURING TOOLS AND TORQUE WRENCH OWNED BY BCPL LEPETKATA FOR A PERIOD OF 03 YEARS (1)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Values
Core	
Description /Nomenclature of Service Proposed for procurement using custom bid functionality	ARC CONTRACT FOR ONSITE CALIBRATION OF MEASURING TOOLS AND TORQUE WRENCH OWNED BY BCPL LEPETKATA FOR A PERIOD OF 03 YEARS
Regulatory/ Statutory Compliance of Service	YES
Compliance of Service to SOW, STC, SLA etc	YES
Addon(s)	

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	The quantity of procurement "1" indicates Project based or Lumpsum based hiring.	Additional Requirement
1	Ripunjay Baruah	786006,M/s Brahmaputra Cracker And Polymer Limited, Mechanical Department, Administrative Building, Lepetkata - 786006 Dibrugarh &#x 28 ;Assam&#x 29;	1	N/A

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

The bidder must be a NABL approved agency and have to submit valid N

ABL certificate at the time of submission of bids. Without, valid NA BL certificate, bids will not be considered for evaluation.

SI No	Item description	UOM	QTY	Unit rate (Incl. Gst)	Amount (Incl. Gst)
a	CALIBRATION OF MEASURING INSTRUMENTS				
1	Bevel Precision Protector , Bevel Precision Protector ,Blade Length: 12 INCH, Range: -360 degree to + 360 degree, Accuracy: (+)2 " Make : Mitutoyo, Model : 187-552	EA	20		
2	Standard Bore Gauge, 3.7-7.3 mm Standard Bore Gauge ,Measuring range :3.7 - 7.3 mm, Make : Mitutoyo, Model : 526-153	EA	8		
3	Standard Bore Gauge , 6-10mm Standard Bore Gauge ,Measuring range : 6 -10 mm Make : Mitutoyo, Model : 511-211	EA	8		
4	Standard Bore Gauge , 10-18.5 mm Standard Bore Gauge ,Measuring range :10-18.5 mm Make : Mitutoyo, Model : 511-204	EA	8		
5	Standard Bore Gauge , 18-35 mm Standard Bore Gauge ,Measuring range :18-35 mm ,Nos. of anvil : 9 ,No.of spacers: 2, Accuracy (Min): .01 mm <(,>,<)> Make : Mitutoyo, Model : 511-711	EA	8		
6	Standard Bore Gauge , 35-60 mm Standard Bore Gauge ,Measuring range :35-60 mm Make : Mitutoyo, Model : 511-712	EA	8		

7	Standard Bore Gauge , 50-150mm Standard Bore Gauge ,Measuring range :50-150 mm Make : Mitutoyo, Model : 511-713	EA	8		
8	Standard Bore Gauge , 160-250mm Standard Bore Gauge ,Measuring range :160-250 mm Make : Mitutoyo, Model :511-715	EA	10		
9	Standard Bore Gauge , 250-400mm Standard Bore Gauge ,Measuring range :250-400 mm Make : Mitutoyo, Model : 511-816	EA	10		
10	Radius Gauge, 1- 7 mm Radius Gauge,range: 1- 7 mm Make : Mitutoyo, Model :186-105	EA	10		
11	Radius Gauge,7.5- 715mm Radius Gauge,range:7.5- 715mm Make : Mitutoyo, Model : 186-106	EA	10		
12	Radius Gauge, 15.5-25 mm Radius Gauge,range: 15.5-25 mm Make : Mitutoyo, Model : 186-107	EA	10		
13	Digital Depth Gage,0-750mm Depth Gage Type: Digital Range :0-750mm Resolution : 0.01 mm Accuracy:+_ 0.06 mm Base(WXT) : 250 X 10 mm Make : Mitutoyo, Model : 571-20610	EA	12		
14	VERNIER CALIPER ,0-300 MM VERNIER CALIPER (DIGITAL) GRADUATION : 0.01 MM MEASURING RANGE : 0-300 MM Make : Mitutoyo, Model : 500-193	EA	20		

15	VERNIER CALIPER , 0-150 MM VERNIER CALIPER (DIGITAL) Accuracy :(+_)0.02mm MEASURING RANGE : 0-150 MM Make : Mitutoyo, Model : 500-19620	EA	16		
16	Dial Indicator,Range : 10 mm Dial Indicator Graduation : 0.01 Mm Range : 10 mm Range/Rev : 1 mm Accuracy : + 15 Micron Dial Reading : 0-100 Measuring Force : 5 N Or Less	EA	30		
17	DIAL INDICATOR ,RANGE : 5 MM DIAL INDICATOR GRADUATION : 0.01 MM RANGE : 5 MM RANGE/REV : 1 MM ACCURACY : + 10 MICRON DIAL READING : 0-100 MEASURING FORCE : 1.4 N OR LESS	EA	30		
18	DIAL INDICATOR, RANGE : 20 MM DIAL INDICATOR GRADUATION : 0.01 MM RANGE : 20 MM RANGE/REV : 1 MM ACCURACY : + 20 MICRON DIAL READING : 0-100 MEASURING FORCE : 2.0 N OR LESS	EA	14		
19	DIAL INDICATOR,RANGE : 1 MM DIAL INDICATOR GRADUATION : 0.001 MM RANGE : 1 MM RANGE/REV : 0.2 MM ACCURACY : + 4 MICRON DIAL READING : 0-10-0 MEASURING FORCE : 1.5 N OR LESS	EA	4		

20	Inside Micrometer , 25-50 mm Inside Micrometer , Range: 25-50 mm ,Resolution : .001 mm , Accuracy : +_ 6 micron . Make : Mitutoyo, Model :145-186	EA	16		
21	Inside Micrometer , 50-100 mm MICROMETER TYPE : INSIDE RANGE : 50-100 MM GRADUATION : 0.01 MM Make : Mitutoyo, Model :137-204	EA	14		
22	Outside Micrometer ,Range: 1-2", Digital Outside Micrometer ,Range: 1 - 2 " , Resolution : 0.001 " ,Size: 6 1/4" x 3" x 1", Make : Mitutoyo, Model : 293-341	EA	8		
23	Outside Micrometer ,Range: 0-1" Digital Outside Micrometer ,Range: 0-1" ,Resolution : 0.001 " ,Size: 5" X 2" X 3/4 " , Make : Mitutoyo, Model : 293-831	EA	8		
24	OUTSIDE MICROMETER,: 0-150 MM MICROMETER TYPE : OUTSIDE RANGE : 0-150 MM RESOLUTION : 0.01 MM MODEL : 104-135A MAKE ; MITUTOYO	EA	8		
25	OUTSIDE MICROMETER,: 150-300 MM MICROMETER TYPE : OUTSIDE RANGE : 150-300 MM RESOLUTION : 0.01 MM MODEL : 104-136 A MAKE ; MITUTOYO	EA	12		
26	OUTSIDE MICROMETER,: 300-400 MM MICROMETER TYPE : OUTSIDE RANGE : 300-400 MM RESOLUTION : 0.01 MM MODEL : 104-142 A MAKE ; MITUTOYO	EA	10		

27	OUTSIDE MICROMETER,; 400-500 M M MICROMETER TYPE : OUTSIDE RANGE : 400-500 MM RESO LUTION : 0.01 MM MODEL : 104-143 A MAKE ; MITUTOY O	EA	8		
28	OUTSIDE MICROMETER,500-600 MM MICROMETER TYPE : OUTSIDE RANGE : 500-600 MM RESO LUTION : 0.01 MM MODEL : 104-144 A MAKE ; MITUTOY O	EA	8		
29	OUTSIDE MICROMETER,600-700 MM MICROMETER TYPE : OUTSIDE RANGE : 600-700 MM RESO LUTION : 0.01 MM MODEL : 104-145 A MAKE ; MITUTOY O	EA	8		
30	OUTSIDE MICROMETER,700-800 MM MICROMETER TYPE : OUTSIDE RANGE : 700-800 MM RESO LUTION : 0.01 MM MODEL : 104-146 A MAKE ; MITUTOY O	EA	8		
31	OUTSIDE MICROMETER,800-900 MM MICROMETER TYPE : OUTSIDE RANGE : 800-900 MM RESO LUTION : 0.01 MM MODEL : 104-147 A MAKE ; MITUTOY O	EA	8		
32	OUTSIDE MICROMETER,900-1000 M M MICROMETER TYPE : OUTSIDE RANGE : 900-1000 MM RES OLUTION : 0.01 MM Make : Mitutoyo, Model : 104-148A	EA	6		

33	VERNIER HEIGHT GAUGE,0-300 MM VERNIER HEIGHT GAUGE,0-300 MM Long Text: VERNIER HEIGHT GAUGE GRADUATION : 0.01 MM MEASURING RANGE : 0-300 MM Accuracy: (+-)0.03mm Make : Mitutoyo, Model :570-312	EA	4		
34	Torque Wrench, Range : 4-27.7 Nm Torque Wrench Type : Manual Type Drive : 3/8 Inch Range : 4-27.7 Nm	EA	12		
35	Torque Wrench, Range : 10-60 Nm Torque Wrench Type : Manual Type Drive : 3/8 Inch Range : 10-60 Nm	EA	12		
36	Torque Wrench, Range : 40 -200 Nm Torque Wrench Type : Manual Type Drive : 1/2 Inch Range : 40 -200 Nm	EA	12		
37	Adjustable Torque Wrench,Range: 100-600 Type: Adjustable Torque Wrench Range: 100-600 N-m Drive:3/4INCH .	EA	12		
38	Adjustable Torque Wrench, Adjustable Torque Wrench Range: 0-2500 N-m Drive:1INCH	EA	10		
39	Hydraulic Torque Wrench, range: 4339 NM Hydraulic Torque Wrench Maximum Torque: 4339 NM Square Drive:1 Inch Socket range: 20-100 mm	EA	4		
40	Hydraulic Torque Wrench , range 8144 NM Hydraulic Torque Wrench Maximum Torque: 8144 NM Square Drive: 1.5 Inch Socket range: 41-115 mm	EA	4		

41	Hydraulic Torque Wrench , Range: 1 4914 N Hydraulic Torque Wrench Maximum Torque: 14914 NM Square Drive:1 1/2 Inch Socket range: 41-155 mm	EA	4	
Total amount (incl. Gst)				

Bidder has to quote total amount incl. GST in GeM Portal.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is governed by the [General Terms and Conditions/सामान्य नियम और शर्तें](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in General Terms and Conditions/सामान्य नियम और शर्तें is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which share land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इस अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---