

Tender Inviting Authority: BRAHMAPUTRA CRACKER AND POLYMER LIMITED

Name of Work: PROCUREMENT OF PRESSURE GAUGES FOR ALL UNITS OF BCPL

Tender No: BCPL/C&P/CO19S140AP/02730

Name of the Bidder/ Bidding Firm / Company :	
--	--

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)
 After opening of priced bids, a comparative statement shall be generated by the system. However, this may not be the final CS depending on the situation if any further input is to be incorporated by the authority.

SL No.	Item Description	Material Code	Quantity	Units	Per Unit Price Ex-works including packing and forwarding charges	HSN Code	Per Unit Freight upto BCPL Site at Lepetkata (In %). NO NEED TO PLACE %, i.e. 2% will be only 2	Per Unit Freight Rs. P	Per Unit GST (CGST & SGST/UTGST or IGST) NO NEED TO PLACE %, i.e. 2% will be only 2 in %	Per Unit GST (CGST & SGST/UTGS T or IGST) Rs. P	Per Unit Tax Input credit on GST (CGST & SGST/UTGST or IGST) as applicable NO NEED TO PLACE %, i.e. 2% will be only 2 in %	Per Unit Tax Input credit on GST (CGST & SGST/UTGST or IGST) as applicable Rs. P	Per Unit Price FOT Site BCPL LEPETKATA Basis	Total FOT site BCPL LEPETKATA in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	7	8	9	10	11	12	13	14	52	15	17
1	GAUGE,PR,1/2 NPTMIN,150MM,(-1)-1KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELE MENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:(-1) TO 1 KG/CM2	MC-8001010823	45	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
2	PRESSURE GAUGE, RANGE (-1) TO 3 KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON, ELEMENT MATERIAL:STAINLESS STEEL 316, CASE MATERIAL:STAINLESS STEEL, CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:(-1) TO 3 KG/CM2"	MC-8001019233	20	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
3	PRESSURE GAUGE,RANGE: (-1)TO 20 KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON, ELEMENT MATERIAL:STAINLESS STEEL 316, CASE MATERIAL:STAINLESS STEEL, CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:(-1) TO 20 KG/CM2"	MC-8001019243	7	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only

4	GAUGE,PR,1/2 NPTMIN,150MM,RNGE 0-6KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE: BOURDON, ELEMENT MATERIAL:STAINLESS STEEL 316, CASE MATERIAL:STAINLESS STEEL, CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:0 TO 6 KG/CM2"	MC-8001019953	35	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
5	GAUGE,PR,1/2 NPTMIN,150MM,0-10KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELEMENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 10 KG/CM2	MC-8001010503	50	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
6	GAUGE,PR,1/2 NPTMIN,150MM,0-16KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELEMENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 16 KG/CM2	MC-8001010513	55	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
7	GAUGE,PR,1/2 NPTM,150MM,0-25KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELEMENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL 304,CONNECTION LOCATION:BACK,ENCLOSURE PROTECTION:IP65,END CONNECTION:1/2 NPTM,DIAL SIZE:150 MM,RANGE:0 TO 25 KG/CM2	MC-8001011473	55	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
8	GAUGE,PR,1/2 NPTMIN,150MM,0-40KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELEMENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 40 KG/CM2	MC-8001010523	50	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
9	GAUGE,PR,1/2 NPTMIN,150MM,0-60KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELEMENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 60 KG/CM2	MC-8001010533	55	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only

10	GAUGE,PR,1/2 NPTMIN,150MM,0-100KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELE MENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 100 KG/CM2	MC-8001010543	35	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
11	GAUGE,PR,1/2 NPTMIN,150MM,0-160KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELE MENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 160 KG/CM2	MC-8001010553	30	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
12	GAUGE,PR,1/2 NPTMIN,150MM,0-250KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELE MENT MATERIAL:STAINLESS STEEL 316,CASE MATERIAL:STAINLESS STEEL,CONNECTION LOCATION:BOTTOM ENTRY ENCLOSURE PROTECTION:IP55,END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM,RANGE:0 TO 250 KG/CM2	MC-8001010563	20	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
13	GAUGE,PR,1/2 NPTIN,150MM,0-10KG/CM2 Long Text: GAUGE, PRESSURE END CONNECTION :1/2 NPT IN, LOCATION: BOTTOM ENTRY, DIAL SIZE: 150 MM, RANGE : 0-10 KG/CM2	MC-8001012253	2	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
14	PRESSURE GAUGE, RANGE:0-750KG/CM2 Long Text: PRESSURE,GAUGE,DIAL SIZE:150MM, CONNCECTION:1/2 IN NPT-M,TYPE:BOURDON	MC:8001019263	2	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
15	Pressure Gauge,RANGE:0-10KG/CM2, D.seal Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 150# DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019213	20	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
16	PRESSURE GAUGE, RANGE:0-5 KG/CM2 Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1/2 INCH 300#,DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019273	25	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only

17	PRESSURE GAUGE, RANGE:0-6 KG/CM2,DS 1in Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1 INCH 150#, CAPILLARY LENGTH:5000MM,DIAL SIZE:150MM	MC-8001019283	5	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
18	PRESSURE GAUGE, RANGE-0-40KG/CM2,ds Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 600# , DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019303	15	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
19	PRESSURE GAUGE, RANGE: 0- 25KG/CM2 Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 300#,DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019313	12	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
20	GAUGE,PR,FLANGED,150MM,0- 16KG/CM2 Long Text: GAUGE,PRESSURE,TYPE-DIAPHRAGM ,ELEMENT MATERIAL:SS-316L ,CASE MATERIAL:SS304 ,FILL FLUID:GLYCERINE99.7 ,CONNECTION LOCATION:BOTT M,END CONNECTION:FLANGED,RAISED FACE,1.5 ,DIAL SIZE:150 MM,RANGE:0 TO 16 KG/CM2,FLANGED 1.5INCH 150#	MC-8001019383	5	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
21	PRESSURE GAUGE:0-2.5KG/CM2,ds,1.5in 150# Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 150#,DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019333	5	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
22	PRESSURE GAUGE, RANGE:0-10KG/CM2,ds Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 300#,DIAL SIZE:150MM ,CAPILLARY LENGTH:5000MM	MC-8001019343	8	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
23	GAUGE,PR,1/2 NPTIN,150MM,0-2000MMWC Long Text: GAUGE,PRESSURE,TYPE-DIAPHRAGM, ELEMENT MATERIAL:STAINLESS STEEL, 316L, CASE MATERIAL:STAINLESS STEEL, CONNECTION LOCATION:BOTTOM EN RY,ENCLOSURE PROTECTION:IP67 , END CONNECTION:1/2 NPT IN,DIAL SIZE:150 MM, RANGE:0 TO 2000 MMWC	MC-8001010933	4	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
24	PRESSURE GAUGE, RANGE: - 50 TO:100 MMWC Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL DIRECT MOUNTED, FLANGE-1.5 INCH 150# , DIAL SIZE:150MM,CAPILLARY LENGTH: 5000MM	MC-8001019353	15	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only

25	GAUGE,PR,1/2 NPTMIN,DIAL SZMM,0-6000MMWC Long Text: "GAUGE,PRESSURE,TYPE:BOURDON, ELEMENT MATERIAL: SS316L, CASE MATERIAL:STAINLESS STEEL 304, FILL FLUID: GLYCERINE99.7, CONNECTION LOCATION:BOTTOM ,ENCLOSURE PROTECTION:IP68, END CONNECTION:1/2 NPTM IN,DIAL SIZE:160 MM, RANGE: 0 TO 6000 MMWC, PG. 0TO6000MMWC, 160MM, DIRECT MOUNTED, 1/2"NPTM"	MC:8001019923	2	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
26	PRESSURE GAUGE, RANGE:0-16KG/CM2 Long Text: PRESSURE,GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 150#,DIAL SIZE:150MM ,CAPILARY LENGTH:5000MM	MC:8001019323	10	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
27	PRESSURE GAUGE, RANGE:0-40KG/CM2,DS,300# Long Text: PRESSURE,GAUGE,TYPE:DIAPHRAGM SEAL,FLANGE- 1.5 INCH 300#,DIAL SIZE:150MM,CAPILLARY LENGH 3000MM	MC:8001020023	8	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
28	GAUGE,PR,1/2 NPTIN,150MM,0-1000MMWC Long Text: GAUGE,PRESSURE,TYPE:DIAPHRAGM, ELEMENT MATERIAL:STAINLESS STEEL 316L, CASE MATERIAL:STAINLESS STEEL, CONNECTION LOCATION:BOTTOM EN RY,ENCLOSURE PROTECTION:IP67, END CONNECTION:1/2 NPT IN,DIAL SIZE:150 MM, RANGE:0 TO 1000 MMWC,TAG	MC:8001010903	5	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
29	GAUGE,DP,BLW,SS,NPTM,150MM,0- 1KG/CM2 Long Text: GAUGE,DIFFERENTIAL PRESSURE,TYPE:BELLOW, ELEMENT MATERIAL:STAINLESS STEEL 316, CASE MATERIAL:STAINLESS STEEL, SOCKET MATERIAL:STAI LESS STEEL 316,MOUNTING:BOTTOM, END CONNECTION:NPTM,DIAL SIZE:150 MM,RANGE:0 TO 1 KG/CM2, CONNECTION SIZE:1/2 NPTM	MC:8008030013	6	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
30	GAUGE,DP,304,GL,6", 6KG/CM2 Long Text: GAUGE,DIFFERENTIAL PRESSURE,TYPE: DP, ELEMENT MATERIAL:SS 316L,CASE MATERIAL: 304, SOCKET MATERIAL: SS316L ,FILL FLUID:GLYC, MAXIMUM STATIC PRESSURE:60 BAR,MOUNTING:PIPE MOUNTING, END CONNECTION: 1/2NPTM, DIAL SIZE: 6", RANGE:0-6 KG/CM2	MC:8001019403	8	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only
31	GAUGE, DP, RANGE: 0-10 KG/CM2 Long Text: GAUGE,DIFFERENTIAL PRESSURE,TYPE:DPHRGM ,FILL FLUID:GLCRN, MAXIMUM STATIC PRESSURE: 60 KG/CM2, MOUNTING: BACK, END CONNECTION: 1/2"N, TM, DIAL SIZE:150MM, RANGE:0-10 KG/CM2	MC:8008030123	2	EA			0.00		0.00		0.00	0.00	0.00	INR Zero Only

32	PRESSURE GAUGE, RANGE:0-6000MMWC Long Text: DIFFERENTIAL PRESSURE GAUGE,TYPE-DIAPHRAGM SEAL,FLANGE-1.5 INCH 600#, DIAL SIZE:150MM, CAPILLARY LENGTH: 3000MM	MC-8001019363	5	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
33	GAUGE, DP, RANGE (-1) TO 0 KG/CM2 Long Text: GAUGE,DIFFERENTIAL PRESSURE,TYPE: DP, ELEMENT MATERIAL: SS 316L, CASE MATERIAL: SS304, SOCKET MATERIAL: SS316L, MAXIMUM STATIC PRESSURE:60 KG/CM2, MOUNTING:2" PIPE, END CONNECTION:1.5" FLANGED ,DIAL SIZE:150 MM, RANGE: (-1) TO 0, DP GAUGE, RANGE (-1) TO 0 KG/CM2, FLANGED-1.5" 600#	MC-8001019393	3	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
34	GAUGE,PR,1/2 NPTMIN,150MM,0-6KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON TUBE-STAINLESS STEEL 316, CASE MATERIAL-STAINLESS STEEL, CONNECTION, LOCATION:BACK ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:0 TO 6 KG/CM2"	MC-8001019943	6	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
35	GAUGE,PR,1/2 NPTMIN,150MM,0-16KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON TUBE-STAINLESS STEEL 316, CASE MATERIAL-STAINLESS STEEL, CONNECTION, LOCATION:BACK ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:0 TO 16 KG/CM2"	MC-8001019023	10	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
36	GAUGE,PR,1/2 NPTM,150MM,0-25KG/CM2 Long Text: GAUGE,PRESSURE,TYPE:BOURDON,ELE MENT MATERIAL-STAINLESS STEEL 316,CASE MATERIAL-STAINLESS STEEL 304,CONNECTION LOCATION:BACK,ENC OSURE PROTECTION:IP65,END CONNECTION:1/2 NPTM,DIAL SIZE:150 MM,RANGE:0 TO 25 KG/CM2	MC-8001011473	10	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
37	GAUGE,PR,150MM,0-40KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON TUBE-STAINLESS STEEL 316, CASE MATERIAL-STAINLESS STEEL, CONNECTION, LOCATION:BACK ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:0 TO 40 KG/CM2"	MC-8001019553	15	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only
38	GAUGE,PR,1/2 NPTMIN,150MM,0-60KG/CM2 Long Text: "GAUGE,PRESSURE,TYPE:BOURDON TUBE-STAINLESS STEEL 316, CASE MATERIAL-STAINLESS STEEL, CONNECTION, LOCATION:BACK ENTRY ENCLOSURE PROTECTION:IP65, END CONNECTION:1/2 NPTM IN,DIAL SIZE:150 MM, RANGE:0 TO 60 KG/CM2"	MC-8001019873	15	EA				0.00		0.00		0.00	0.00	0.00	INR Zero Only

[illegible]