

[illegible]

BCPL/DIB/C&P/CO18S263MB Dated 16.08.2018											
SUPPLY OF CHECK VALVES FOR BCPL, LEPETKATA											
SCHEDULE OF RATE - UNPRICED SOR											
SN	HSN no.	DESCRIPTION OF MATERIAL	UOM	QTY	UNIT RATE (RS)	P&F @ ____% (RS)	FREIGHT @ ____% on UNIT RATE (RS)	GST @ ____% on (A) + (B) + (C) (RS)	TOTAL UNIT RATE INC TAXES & DUTIES (RS)	TOTAL AMOUNT FOR ALL QUANTITIES (RS)	AMOUNT FOR ITC BENEFIT AGAINST GST (IF ANY) (RS.)
10		VALVE,CHECK,DESIGN STANDARD:BS EN ISO 15761,SERVICE:CRYO, BODY MATERIAL:CARBON STEEL, MATERIAL STANDARD:ASTM A105, TRIM MATERIAL:STELLITED, END CONNECTION:SOCKET WELD, PRESSURE DESIGNATION:CLASS 800,SIZE:1 IN	216	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
11		VALVE,CHECK,TYPE:SWING,DESIGN STANDARD:BS 1868, BODY MATERIAL:CARBON STEEL, MATERIAL STANDARD:ASTM A216 GR.WCB, TRIM MATERIAL:13% CHROMIUM STEEL, END CONNECTION:FLANGED, RAISED FACE, FLANGE DESIGN STANDARD:ASME B 16.5, PRESSURE DESIGNATION:CLASS 150, SIZE:2 IN, FACE FINISH:125AARH	9	EA	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted	Quoted / Not quoted
TOTAL AMOUNT IN FIGURE										Quoted / Not quoted	Quoted / Not quoted
TOTAL AMOUNT IN WORDS: Quoted / Not quoted											

- i) You are requested to quote in the above standard SOR format only. Kindly do not attach any other SOR format and strictly adhere to the aforesaid format.
- ii) All other charges which are not appearing above and become applicable during execution of this PO, same shall be considered included in the quote rates.
- iii) Items shall be properly packed to avoid any damage during Transit and Part No. / Item No. shall be tagged on the supplied item with description for proper identification.
- iv) Vendor shall maintain BCPL material code along with HSN Code in all corresponding documents for ease of identification & scrutiny.
- v) Please mention HSN code against each SOR items.
- vi) The items quoted should be strictly as per the specifications mentioned.
- vii) The evaluation will be done on item-wise basis.