



BRAHMAPUTRA CRACKER AND POLYMER LIMITED

(A Govt. of India Enterprise)

Administrative Building, BCPL Project Site,

Lepetkata-786006,Dibrugarh,Assam,India.

Tel: +91 373-2914604, Website: www.bcplonline.co.in

Corporate Identification Number (CIN): U11101AS2007GOI008290

REQUEST FOR QUOTATION (RFQ)

S.No.	Material Code	Material Description	UOM	Quantity
1	2906120243	BRG,ROLL,CYLD.ROLL.BRG,NU 209 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 209 ECP, NU 209 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 19 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 85 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 9000 R/MIN	EA	8
2	2906110123	BRG,ROLL,CYLD.ROLL.BRG,NU 213 ECP/C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 213 ECPC3 , NU 213 ECP/C3, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 23 MM, BORE DIAMETER: 65 MM, OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 6700 R/MIN, REFERENCE SPEED: 6300 R/MIN	EA	2
3	2903210143	BRG,BALL,ANGULAR CONTACT,3309 A Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3309 A , 3309 A, AGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 39.7 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 6700 R/MIN	EA	1
4	2903340023	BRG,BALL,ANGULAR CONTACT,3311 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING, CONSTRUCTION:ANGULAR CONTACT BALL BEARING,ROWS:2, DESIGNATION:3311,3311 BEARING FO GT-1 EOP	EA	4
5	2903210013	BRG,BALL,BALL BEARINGS,7316 BEP Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7316 BEP , 7316 BEP; ANGULAR CONTACT BLL BEARINGS, SINGLE ROW,WIDTH: 39 MM BORE DIAMETER: 80 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 4500 R/MIN REFERENCE SPEED: 4500 R/MIN	EA	6
6	2903170073	BRG,BALL,ANG CON,7312-BECBJ Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW , DESIGNATION:7312-BECBJ,MAKE:SKF OR EQUIVALENT	EA	14

S.No.	Material Code	Material Description	UOM	Quantity
7	2903170163	BRG,BALL,BALL BEARINGS,7311 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7311 BECBM , 7311 BECBM; ANGULAR CONTAT BALL BEARINGS, SINGLE ROW,WIDTH: 29 MM BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	8
8	2907020023	BRG,BALL,THRUST BALL BEA,51113 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51113 , 51113; THRUST BALL BEARINS, SINGLE DIRECTION,WIDTH: 18 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN REFERENCE SPEED: 3400 R/MIN	EA	30
9	2903651113	BRG,BALL,ANGULAR CONTACT,7314 BECBM Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION: ANGULAR CONTACT ,ROWS:SINGLE ROW , DESIGNATION:7314 BECBM , 7314 BCBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 5600 R/MIN	EA	9
10	2906411033	BRG,ROLL,CYLINDRICAL ROL,NU 212 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 212 ECP , NU 212 ECP;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 22 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	21
11	2902020013	BRG,BALL,BALL BEARINGS,2201 ETN9 Long Text : BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS , CONSTRUCTION:SELF-ALIGNING ,ROWS:SINGLE ROW , DESIGNATION:2201 ETN9 ,2201 ETN9; SEF-ALIGNING BALL BEARINGS, WIDTH: 14 MM OUTSIDE DIAMETER: 32 MM, LIMITING SPEED: 30000 R/MIN REFERENCE SPEED: 45000 R/MIN	EA	6
12	2903340043	BRG,BALL,ANGULAR CONTACT,3311 A/C3 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:ANGULAR CONTACT ,ROWS:DOUBLE ROW , DESIGNATION:3311 A/C3 , 3311 A/C; ANGULAR CONTACT BALL BEARINGS, DOUBLE ROW,WIDTH: 49.2 MM BORE DIAMETER: 55 MM OUTSIDE DIAMETER: 120 MM, LIMITING SPEED: 5300 R/MIN REFERENCE SPEED: 5300 R/MIN	EA	2
13	2906120153	BRG,ROLL,CYLD.ROLL.BRG,NU 320 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 320 ECP, NU 320 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 47 MM, BORE DIAMETER: 100 MM, OUTSIDE DIAMETER: 215 MM, LIMITING SPEED: 3800 R/MIN, REFERENCE SPEED: 3200 R/MIN	EA	1

S.No.	Material Code	Material Description	UOM	Quantity
14	2921041043	BRG,BALL,DEEP GROOVE BAL,6206 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6206 C3 , 6206 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW, ,SPECIAL CLEARANCE, WIDTH: 16 MM, BORE DIAMETER: 30 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN, REFERENCE SPEED: 2400 R/MIN	EA	4
15	2905420023	BRG,ROLL,ROLLER BRG,29430 E Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING ,CONSTRUCTION:SPHERICAL , ROWS:DOUBLE ROW ,DESIGNATION:29430 E , 29430 E; SPHERICAL ROLLER THRUT BEARINGS,WIDTH: 90 MM BORE DIAMETER: 150 MM OUTSIDE DIAMETER: 300 MM, LIMITING SPEED: 2200 R/MIN REFERENCE SPEED: 1200 R/MIN	EA	4
16	2908020013	BRG,ROLL,THRUST BEARINGS,29320 E Long Text : BEARING,ROLLER,TYPE:THRUST BEARINGS , CONSTRUCTION:SPHERICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:29320 E , 29320 E; SPHERICAL ROLER THRUST BEARINGS,WIDTH: 42 MM BORE DIAMETER: 100 MM OUTSIDE DIAMETER: 170 MM, LIMITING SPEED: 3600 R/MIN REFERENCE SPEED: 2200 R/MIN	EA	6
17	2905040023	BRG,ROLL,SPHERICAL ROLLE,23948 CC C3/W33 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW , DESIGNATION:23948 CC C3/W33 , 23948 CC C/W33; SPHERICAL ROLLER BEARINGS,WIDTH: 60 MM BORE DIAMETER: 240 MM OUTSIDE DIAMETER: 320 MM, LIMITING SPEED: 2000 R/MIN REFERENCE SPEED: 1900 R/MIN	EA	1
18	2904990073	BRG,ROLL,TAPERED ROLLER ,JHM516849 - JHM Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:JHM516849 - JHM516810 , JHM51684 - JHM516810, TAPERED ROLLER BEARINGS - TS , (TAPERED SINGLE)	EA	6
19	2901170253	BRG,BALL,DEEP GROOVE BAL,6306-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6306-2Z , 6306-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 19 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 11000 R/MIN REFERENCE SPEED: 20000 R/MIN	EA	6
20	2905020033	BRG,ROLL,SPHERICAL ROLLE,22217 EK + H 31 Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:DOUBLE ROW , DESIGNATION:22217 EK + H 317 , 22217 EK H 317; SPHERICAL ROLLER BEARINGS ON AN ADAPTER SL,WIDTH: 36 MM BORE DIAMETER: 75 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	11
21	2904010063	BRG,ROLL,TAPERED ROLLER ,30207 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30207 J2/Q , 30207 J2/Q; TAPEREDOLLER BEARINGS, SINGLE ROW,WIDTH: 18.25 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
22	5945011953	"SHIELDED DEEP GROOVE BALL BEARG,6305 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING, BEARING NO. - 6305 Z, HYDRAULIC PUMP MOTOR DRIVE END"	EA	30
23	5945011943	"SHIELDED DEEP GROOVE BALL BEARG,6204 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING,BEARING NO. - 6204 Z, HYDRAULIC PUMP MOTOR COMMUTATOR END"	EA	30
24	2908020023	BRG,ROLL,THRUST BEARINGS,29324 E Long Text : BEARING,ROLLER,TYPE:THRUST BEARINGS , CONSTRUCTION:SPHERICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:29324 E , 29324 E; SPHERICAL ROLER THRUST BEARINGS,WIDTH: 54 MM BORE DIAMETER: 120 MM OUTSIDE DIAMETER: 210 MM, LIMITING SPEED: 2800 R/MIN REFERENCE SPEED: 1700 R/MIN	EA	4
25	2904210013	DESIGNATION: 543/532 X Long Text : BRG,TAPER ROLLER,TIMKEN,543/532 X	EA	3
26	2907029893	29586/29520 OR EQV Long Text : BEARING NAME- 29586/29520 OR EQV, TAPERED ROLLER BEARINGS, WIDTH-25.4MM, BORE DIA- 63.5MM, OUTSIDE DIA- 107.95MM	EA	6
27	2906120213	BRG,ROLL,CYLD.ROLL.BRG,NU 324 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 324 ECJ, NU 324 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 55 MM, WIDTH: 55 MM, OUTSIDE DIAMETER: 260 MM, LIMITING SPEED: 3200 R/MIN, REFERENCE SPEED: 2800 R/MIN	EA	6
28	2901011013	BRG,BALL,DEEP GROOVE BAL,608 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:608 , 608, DEEP GROOVE BALL BERINGS, SINGLE ROW,WIDTH: 7 MM, BORE DIAMETER: 8 MM, OUTSIDE DIAMETER: 22 MM, LIMITING SPEED: 48000 R/MIN, REFERENCE SPEED: 75000 R/MIN	EA	7
29	2901050553	BRG,BALL,DEEP GROOVE BAL,6301 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6301 , 6301, DEEP GROOVE BALLEARINGS, SINGLE ROW, WIDTH: 12 MM, BORE DIAMETER: 12 MM,OUTSIDE DIAMETER: 37 MM, LIMITING SPEED: 28000 R/MIN, REFERENCE SPEED: 45000 R/MIN	EA	3
30	2905020023	BRG,ROLL,SPHERICAL ROLLE,21314 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:21314 E , 21314 E; SPERICAL ROLLER BEARINGS; CYLINDRICAL BORE ,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
31	2906110163	BRG,ROLL,CYLD.ROLL.BRG,NU 211 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 211 ECP, NU 211 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 55 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 7500 R/MIN	EA	2
32	2906110153	BRG,ROLL,CYLD.ROLL.BRG,NU 2214 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 2214 EC , NU 2214 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 31 MM, BORE DIAMETER: 70 MM, OUTSIDE DIAMETER: 125 MM, LIMITING SPEED: 6300 R/MIN, REFERENCE SPEED: 6000 R/MIN	EA	2
33	2906120173	BRG,ROLL,CYLD.ROLL.BRG,NU 305 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 305 ECP, NU 305 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 17 MM, BORE DIAMETER: 25 MM, OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN, REFERENCE SPEED: 12000 R/MIN	EA	8
34	2906370013	BRG,ROLL,CYLD.ROLL.BRG,NUP 2212 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NUP 2212 ECP , NUP 221 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 28 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	1
35	2903170113	BRG,BALL,BALL BEARINGS,7322 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7322 BECBM , 7322 BECBM; ANGULAR CONTACT BALL BEARINGS, SINGLE ROW,WIDTH: 50 MM BORE DIAMETER: 110 MM OUTSIDE DIAMETER: 240 MM, LIMITING SPEED: 3600 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	2
36	2903170033	BRG,BALL,ANG CON,7310-BECBJ Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW ,DESIGNATION:7310-BECBJ,MAKE:SKF OR EQUIVALENT	EA	19
37	2903170053	BRG,BALL,ANG CON,7313-BECBM Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW ,DESIGNATION:7313-BECBM,MAKE:SKF OR EQUIVALENT	EA	6
38	2901490013	BRG,BALL,DEEP GROOVE BAL,16026 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:16026 , 16026; DEEP GROOVEALL BEARINGS, SINGLE ROW,WIDTH: 22 MM BORE DIAMETER: 130 MM OUTSIDE DIAMETER: 200 MM, LIMITING SPEED: 4300 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	3

S.No.	Material Code	Material Description	UOM	Quantity
39	2907020033	BRG,BALL,THRUST BALL BEA,51100 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51100 , 51100; THRUST BALL BEARINGS, SINGLE DIRECTION,WIDTH: 9 MM BORE DIAMETER: 10 MM OUTSIDE DIAMETER: 24 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 9500 R/MIN	EA	1
40	2906411063	BRG,ROLL,CYLINDRICAL ROL,NU 208 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 208 ECP , NU 208 ECP;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 18 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN REFERENCE SPEED: 9500 R/MIN	EA	8
41	2903340013	BRG,BALL,ANG CON,3309 A/C3 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT,ROWS:DOUBLE ROW ,DESIGNATION:3309 A/C3	EA	4
42	2904070033	BRG,ROLL,TAPERED ROLLER ,33209/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:33209/Q , 33209/Q; TAPERED ROLLERBEARINGS, SINGLE ROW,WIDTH: 32 MM BORE DIAMETER: 45 MM OUTSIDE DIAMETER: 85 MM, LIMITING SPEED: 7500 R/MIN REFERENCE SPEED: 5300 R/MIN	EA	2
43	2904990013	BRG,ROLL,TPR,B2 74500/850 Long Text : BEARING,ROLLER,TYPE:TAPER,ROWS:SINGLE ROW ,DESIGNATION:B2 74500/850	EA	4
44	2903170033	BRG,BALL,ANG CON,7310-BECBJ Long Text : BEARING , BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW ,DESIGNATION:7310-BECBJ,MAKE:SKF OR EQUIVALENT	EA	14
45	2905020043	BRG,BALL,SPHERICAL ROLLE,22215 EK + H 31 Long Text : BEARING,BALL,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:SPHERICAL ,ROWS:SINGLE ROW , DESIGNATION:22215 EK + H 315 , 22215 EK + 315; SPHERICAL ROLLER BEARINGS ON AN ADAPTER SL,WIDTH: 31 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6300 R/MIN REFERENCE SPEED: 4800 R/MIN	EA	8
46	5945012003	"TAPERED ROLLER BEARING, - 30209 J2/Q Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 30209 J2/Q, REAR WHEEL (INNER)"	EA	30
47	5945011973	"SHIELDED DEEP GROOVE BALL BEARG,6206 Z Long Text : "SHIELDED DEEP GROOVE BALL BEARING, BEARING NO. - 6206 Z, TRACTION MOTOR DRIVE END"	EA	30
48	2906429113	BRG,ROLL,ROLLER BRG,NU 308ECJ Long Text : BEARING,ROLLER,TYPE:ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:1 , DESIGNATION:NU 308ECJ	EA	18

S.No.	Material Code	Material Description	UOM	Quantity
49	2906120193	BRG,ROLL,CYLD.ROLL.BRG,NU 310 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 310 ECJ, NU 310 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 27 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 6700 R/MIN	EA	9
50	2906120183	BRG,ROLL,CYLD.ROLL.BRG,NU 312 ECJ Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 312 ECJ, NU 312 ECJ, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 31 MM, BORE DIAMETER: 60 MM, OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6700 R/MIN, REFERENCE SPEED: 5600 R/MIN	EA	2
51	2901040043	BRG,BALL,DEEP GRV,6214 Long Text : BEARING, BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6214 ,MAKE:SKF OR EQUIVALENT	EA	4
52	2901060013	BRG,BALL,DEEP GROOVE BAL,6405 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6405 , 6405, DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 25 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 13000 R/MIN, REFERENCE SPEED: 20000 R/MIN	EA	3
53	2921061013	BRG,BALL,DEEP GROOVE BAL,6410 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6410 C3 , 6410 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 31 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 7500 R/MIN, REFERENCE SPEED: 1200 R/MIN	EA	2
54	2905020023	BRG,ROLL,SPHERICAL ROLLE,21314 E Long Text : BEARING,ROLLER,TYPE:SPHERICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL BORE ,ROWS:DOUBLE ROW , DESIGNATION:21314 E , 21314 E; SPERICAL ROLLER BEARINGS; CYLINDRICAL BORE ,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4000 R/MIN	EA	2
55	2904021013	BRG,ROLL,TAPERED ROLLER ,30308 J2/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:30308 J2/Q , 30308 J2/Q; TAPEREDOLLER BEARINGS, SINGLE ROW,WIDTH: 25.25 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 6000 R/MIN	EA	8
56	2911010013	GE 20 C Long Text : GE 20 C; RADIAL SPHERICAL PLAIN BEARINGS, WIDTH: 16 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 35 MM	EA	1

S.No.	Material Code	Material Description	UOM	Quantity
57	2906420093	BRG,CYLINDRICAL,ROLLER,SKF-NU 308 ECP Long Text : 'DESIGNATION: NU 308 ECP INNER DIAMETER: 40 OUTER DIAMETER: 90 WIDTH: 23	EA	4
58	2906421073	BRG,ROLL,CYLINDRICAL ROL,NU 314 ECP/C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 314 ECP/C3 , NU 314 EP/C3; CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 35 MM BORE DIAMETER: 70 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 5600 R/MIN REFERENCE SPEED: 4800 R/MIN	EA	2
59	2901060023	BRG,BALL,DEEP GROOVE BAL,6408 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6408 , 6408; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 27 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 110 MM, LIMITING SPEED: 9000 R/MIN REFERENCE SPEED: 14000 R/MIN	EA	8
60	2906120163	BRG,ROLL,CYLD.ROLL.BRG,NU 307 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 307 ECP, NU 307 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN, REFERENCE SPEED: 9500 R/MIN	EA	12
61	2903400013	BRG,BALL,BALL BEARINGS,7410 BCBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7410 BCBM , 7410 BCBM; ANGULAR CONTACTBALL BEARINGS, SINGLE ROW,WIDTH: 31 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 6700 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	2
62	2903300013	BRG,BALL,BALL BEARINGS,7324 BCBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7324 BCBM , 7324 BCBM; ANGULAR CONTACTBALL BEARINGS, SINGLE ROW,WIDTH: 55 MM BORE DIAMETER: 120 MM OUTSIDE DIAMETER: 260 MM, LIMITING SPEED: 3000 R/MIN REFERENCE SPEED: 3000 R/MIN	EA	4
63	2903630053	BRG,BALL,SINGLE ROW,SKF-7214 BECBJ Long Text : 'DESIGNATION: 7214 BECBJ	EA	1
64	2904990103	BRG,ROLL,RAD TPR RLR BRG,B5 HH 224346/HH Long Text : BEARING,ROLLER,TYPE:RADIAL TAPER ROLLER BEARINGS , CONSTRUCTION:RADIAL TAPER ,ROWS:SINGLE ROW , DESIGNATION:B5 HH 224346/HH 224310, B5 HH 224346/HH 224310; RADIAL TAPER ROLLER BEARINGS	EA	4
65	2904990033	BRG,ROLL,TPR,B6 932/6 Long Text : BEARING,ROLLER,TYPE:TAPER,ROWS:SINGLE ROW,DESIGNATION:B6 932/6	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
66	2904480013	BRG,HM926710/HM926740,WPIL Long Text : BEARING BEARING NO: HM926710/HM926740 MAKE: TIMKEN	EA	10
67	2910070033	BRG,ROLL,YOKE TYPE TRACK,NATR10-PP Long Text : BEARING,ROLLER,TYPE:YOKE TYPE TRACK ROLLERS NATR , CONSTRUCTION:ROLLERS NATR ,ROWS:SINGLE ROW , DESIGNATION:NATR10-PP , NATR10-PP;YOKE TYPE TRACK ROLLERS NATR.PP, AXIAL PLAIN WASHERS ON BOTH SIDES	EA	1
68	2910070023	BRG,ROLL,YOKE TYPE TRACK,NATR6 Long Text : BEARING,ROLLER,TYPE:YOKE TYPE TRACK ROLLERS NATR , CONSTRUCTION:ROLLERS NATR ,ROWS:SINGLE ROW ,DESIGNATION:NATR6 , NATR6; YOKE TYP TRACK ROLLERS NATR, WITH AXIAL GUIDANCE, , GAP SEALS ON BOTH SIDES	EA	1
69	2904310033	BRG,ROLL,TPRED RLR,4T-15100/15250 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-15100/15250 , 4T-15100/15250;APERED ROLLER BEARING; SINGLE ROW	EA	10
70	2904990123	BRG,ROLL,TPRED RLR,JHM516849 Long Text : "BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING ,CONSTRUCTION:TAPERED ,ROWS:SINGLE CONE ,DESIGNATION:JHM516849 ,JHM516849 TAPERED ROLLER BEARINGS - SINGLE CONE"	EA	2
71	2904310013	BRG,ROLL,TPRED RLR,4T-3188/3120 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-3188/3120 , 4T-3188/3120; TAPEED ROLLER BEARING; SINGLE ROW	EA	30
72	2904070043	BRG,ROLL,TAPERED ROLLER ,33217/Q Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:33217/Q , 33217/Q; TAPERED ROLLERBEARINGS, SINGLE ROW,WIDTH: 49 MM BORE DIAMETER: 85 MM OUTSIDE DIAMETER: 150 MM, LIMITING SPEED: 4300 R/MIN REFERENCE SPEED: 3000 R/MIN	EA	2
73	2911030013	GE 25 ES-2RS Long Text : GE 25 ES-2RS; RADIAL SPHERICAL PLAIN BEARINGS, WIDTH: 16 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 42 MM	EA	1
74	2906110133	BRG,ROLL,HYBRID CYLINDRI,NU 211ECM/HC5C3 Long Text : BEARING,ROLLER,TYPE:HYBRID CYLINDRICAL ROLLER , CONSTRUCTION:HYBRID CYLINDRICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:NU 211 ECM/H5C3 , NU 211 ECM/HC5C3, HYBRID CYLINDRICAL ROLLER BEARINGS, SINGLE,WIDTH: 21 MM, BORE DIAMETER: 55 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 8000 R/MIN, REFERENCE SPEED: 7000 R/MIN	EA	22

S.No.	Material Code	Material Description	UOM	Quantity
75	2907030013	BRG,BALL,THRUST BALL BEA,51203 Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS ,CONSTRUCTION:THRUST , ROWS:SINGLE DIRECTION ,DESIGNATION:51203 , 51203; THRUST BALL BEARINGS, SINGLE DIRECTION,WIDTH: 12 MM BORE DIAMETER: 17 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 6700 R/MIN	EA	1
76	2906140023	BRG,ROLL,CYLINDRICAL ROL,NU 1007 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 1007 ECP , NU 1007 EC; CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 14 MM BORE DIAMETER: 35 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 13000 R/MIN	EA	8
77	5945012023	"TAPERED ROLLER BEARING, NO. - 30213 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 30213	EA	30
78	5945012013	"TAPERED ROLLER BEARING, NO. - 32012 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 32012, FRONT WHEEL (OUTER)"	EA	30
79	5945011993	"TAPERED ROLLER BEARING, - 32306 J2/Q Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 32306 J2/Q, REAR WHEEL (OUTER)"	EA	30
80	5945011963	"CYLINDRICAL ROLLER BEARING, NO. - NU205 Long Text : "CYLINDRICAL ROLLER BEARING, BEARING NO. - NU205, TRACTION MOTOR COMMUTATOR END"	EA	30
81	5945011923	"NEEDLE ROLLER BEARING, BRG NO - HK 2216 Long Text : "NEEDLE ROLLER BEARING, BEARING NO. - HK 2216, STEERING ASSEMBLY"	EA	30
82	2904990053	BRG,ROLL,TAPERED ROLLER ,742/749 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARINGS , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW ,DESIGNATION:742/749 , 742/749 ; TAPERED ROLLER BEARINGS - TS , (TAPERED SINGLE) IMPERIAL	EA	10
83	2902010013	BRG,BALL,BALL BEARINGS,1206 EKTN9 + H Long Text : BEARING,BALL,TYPE:SELF-ALIGNING BALL BEARINGS , CONSTRUCTION:SELF-ALIGNING ,ROWS:SINGLE ROW , DESIGNATION:1206 EKTN9 + H 206 , 120 EKTN9 + H 206; SELF-ALIGNING BALL BEARINGS,WIDTH: 16 MM BORE DIAMETER: - OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 15000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	6
84	2904310023	BRG,ROLL,TPRED RLR,4T-15100/15245 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:TAPERED ,ROWS:SINGLE ROW , DESIGNATION:4T-15100/15245 , 4T-15100/15245;APERED ROLLER BEARING; SINGLE ROW	EA	32

S.No.	Material Code	Material Description	UOM	Quantity
85	2906020083	BRG,BALL,ROLLER BRG,N308 ECM/C3 Long Text : BEARING,BALL,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:BEARING ,ROWS:SINGLE ROW , DESIGNATION:CYL ROLL BRG N308 ECM/C3 , WIDT: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 9500 R/MIN REFERENCE SPEED: 8000 R/MIN"	EA	6
86	2901990013	BRG,BALL,SINGLE ROW,SKF-357/354 A Long Text : DESIGNATION: 357/354 A	EA	6
87	2902020023	BRG,BALL,SELF ALIGNMENT,2217C3 Long Text : BEARING,BALL,TYPE:SELF ALIGNMENT BALL BEARING , CONSTRUCTION:DOUBLE ROW SELF ALIGNMENT ,ROWS:DOUBLE ROW , DESIGNATION:2217C3 , 227C3, PRODUCT TABLE: SELF ALLIGNEMENT BALL BEARINGS, , DOUBLE ROW WIDTH: 36 MM BORE DIAMETER: 85 MM, OUTSIDE DIAMETER: 15	EA	4
88	2902010033	BRG,BALL,ANGULAR CONTACT,1224 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION: ANGULAR CONTACT ,ROWS:2 ,DESIGNATION:1224 , 1224 SELF ALIGNING BAL BEARING,BORE DIA- 120 MM,OD- 215 MM, WIDTH - 42,LIMITING SPEED - 4000 R/MIN, REFERENCE SPEED - 6300 R/MIN	EA	2
89	2907029843	51119 OR EQV Long Text : BEARING NAME- 51119 OR EQV, THRUST BALL BEARINGS, WIDTH-22MM, BORE DIA- 95MM, OUTSIDE DIA- 120MM	EA	12
90	2906210053	BR,NJ206 EAC3Q(INNER),RNU206 EAP(OUTER) Long Text : BEARING, NJ206 EA C3Q (INNER), RNU206.EAP (OUTER), WIDTH: 16, BORE DIA: 30, OD: 62, LIMITING SPEED: 14000, REFERENCE SPEED: 13000	EA	2
91	2904300023	BRG,ROLL,TPRED RLR,3192/3120 Long Text : BEARING,ROLLER,TYPE:TAPERED ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:1 , DESIGNATION:3192/3120 ,3192/3120, PRODUCT TBLE : TAPERED ROLLER BEARING,WIDTH : 30.162 MM,BORE DIAMETER : 28.575 MM,OUTSIDE DIAMETER : 72.626 MM, LUBRICATION SPEED (OIL) : 7700 R/MIN, BASIC DYNAMIC LOAD RATING : 78.8 KN,BASIC STATIC LOAD RATING : 89.3 KN	EA	10
92	5945011983	"TAPERED ROLLER BEARING, NO. - 509043 Long Text : "TAPERED ROLLER BEARING, BEARING NO. - 509043, STEERING COLUMN BEARING"	EA	30
93	5945011933	"NEEDLE ROLLER BEARING, BRG NO. - DL2520 Long Text : "NEEDLE ROLLER BEARING, BEARING NO. - DL2520, BELL CRANK LEVER ASSEMBLY"	EA	30

S.No.	Material Code	Material Description	UOM	Quantity
94	5945011913	"ROLLER BEARING, BERING NO - DL 3016 NA Long Text : "ROLLER BEARING, BEARING NO. - DL 3016 NA, THRUST BEARING OF KING PIN"	EA	30
95	2910990013	BEARING, HMK1012L Long Text : BEARING, HMK1012L, WIDTH: 16, BORE DIA: 15, OD: 22, LIMITING SPEED: 10000	EA	20
96	2910990023	BEARING, HMK 1516LL Long Text : BEARING, HMK 1516LL, WIDTH: 16, BORE DIA: 15, OD: 22, LIMITING SPEED: 10000	EA	20
97	2907990013	BRG,BALL,THRUST BALL BEA,53411U Long Text : BEARING,BALL,TYPE:THRUST BALL BEARINGS,CONSTRUCTION:THRUST, ROWS:1,DESIGNATION:53411U,THRUST BALL BEARINGS 53411U, FOR DRYER SHAFTOF PELLET ROTARY DRYER,TAG NO.118- LD-372X., MANUFACTURER:SKF,REFERENCE NO.:53411U	EA	2
98	2901130023	BRG,BALL,DEEP GROOVE BAL,608 ZZ Long Text : "BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING ,CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:608 ZZ ,BEARING,BALL,DEEP GROOVE TYPE,SINGLE ROW ,DESIGNATION:608 ZZ"	EA	4
99	2901130013	BRG,BALL,DEEP GROOVE BAL,626-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:626-2Z , 626-2Z; DEEP GROOVEBALL BEARINGS, SINGLE ROW,WIDTH: 6 MM BORE DIAMETER: 6 MM OUTSIDE DIAMETER: 19 MM, LIMITING SPEED: 40000 R/MIN REFERENCE SPEED: 80000 R/MIN	EA	4
100	502010223	BALL BEARING FOR S.L.GUIDE 6200ZZ Long Text : BALL BEARING FOR S.L.GUIDE , Part No 47-10-09-08, Drive End Side Tag No 113-PA-150A/B	EA	6
101	2901140033	BRG,BALL,DEEP GRV,6003 ZZ C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE,ROWS:SINGLE ROW, DESIGNATION:6003 ZZ C3, BALL BEARING,DEEPGROVE,SINGLE ROW,DOUBLE SHIELD,6003ZZC3	EA	4
102	2901140093	BRG,BALL,DEEP GROOVE BAL,6003-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6003-2Z , 6003-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 10 MM BORE DIAMETER: 17 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 22000 R/MIN REFERENCE SPEED: 45000 R/MIN	EA	20
103	2901020013	BRG,BALL,DEEP GRV,6004 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6004 ,MAKE:SKF OR EQUIVALENT	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
104	2901140083	BRG,BALL,DEEP GROOVE BAL,6004-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6004-2Z , 6004-2Z; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 12 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 42 MM, LIMITING SPEED: 19000 R/MIN REFERENCE SPEED: 38000 R/MIN	EA	4
105	2901990233	BRG,BALL,DEEP GROOVE BAL,60042ZR Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS ,ROWS:SINGLE ROW ,DESIGNATION:60042ZR , DEEP GROOVE BALL BEARIN 60042ZR	EA	4
106	2901990253	BRG,BALL,DEEP GROOVE BAL,6004ZZC3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6004ZZC3 ,DEE GROOVE BALL BEARING 6004ZZC3	EA	4
107	2901140113	6004-ZZ/C4,BALL BEARING ,DEEP GROOVE Long Text : BORE DIA -20 MM,OUTER DIA -42 MM,SHIELDED METTALIC SEAL	EA	4
108	2901020053	BRG,BALL,DEEP GROOVE BAL,6005 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6005 , BEARING, BALL, SINGLE RW, DEEP GROOVE, DESIGNATION:6005	EA	4
109	2901020073	BRG,BALL,DEEP GROOVE BAL,6005 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6005 ZZ , BEARING, BALL, SINGE ROW, DEEP GROOVE, RADIAL CONTACT, SHIELD SEAL ON BOTH SIDES , DESIGNATION: 6005 ZZ	EA	20
110	2901020083	BRG,BALL,DEEP GROOVE BAL,6005 ZZ/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6005 ZZ/C3 , EARING,BALL,SINGLE ROW,DEEP GROOVE,RADIAL CONTACT, SHIELD SEAL ON BOTH SIDES,C3 CLEARANCE, DESIGNATION: 6005 ZZ/C3	EA	4
111	2901020063	BRG,BALL,DEEP GROOVE BAL,6005 2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6005 2RS , BEARING, BALL, SINLE ROW, DEEP GROOVE, RADIAL CONTACT, RUBBER SEAL WITH SHEET STEEL REINFORCEMENT ON BOTH, , DESIGNATION: 6005 2RS	EA	4
112	2901020023	BRG,BALL,DEEP GRV,6038-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:OPEN SEAL TYPE, ROWS:SINGLE ROW,DESIGNATION:6038-C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
113	2901160293	BRG,BRG,C3,C3 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6201-ZZ ,DEEP GROOVE BALL BEARING, INNER DAMETER:12, OUTER DIAMETER:32, WIDTH:10	EA	52
114	2901040383	BRG,BALL,DEEP GROOVE BAL,6201 ZZ/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6201 ZZ/C3 , EARING,BALL,SINGLE ROW,DEEP GROOVE,RADIAL CONTACT, SHIELD SEAL ON BOTH SIDES,C3 CLEARANCE , DESIGNATION: 6201 ZZ/C3	EA	24
115	2901280053	BRG,BALL,ANGULAR CONTACT,6201-2RS1 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:1 ,DESIGNATION:6201-2RS1 , TYPE : DEEP GROOVE BAL BEARING	EA	42
116	2901160283	BRG,BALL,DEEP GROOVE BAL,6202-ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6202-ZZ , 6202-ZZ; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 11 MM BORE DIAMETER: 15 MM OUTSIDE DIAMETER: 35 MM, LIMITING SPEED: 22000 R/MIN REFERENCE SPEED: 43000 R/MIN	EA	110
117	2901990193	BRG,BALL,DEEP GRV,6202 2ZR Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6202 2ZR , DEEP GROVE BALL BEARING 6202 2ZR	EA	4
118	2901990183	BRG,BALL,DEEP GROOVE BAL,6202 2ZR C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6202 2ZR C3 ,EEP GROVE BALL BEARING 6202 2ZR C3	EA	4
119	2901160123	BRG,BALL,DEEP GRV,6202-ZZ-C3 Long Text : 'DESIGNATION: 6202 ZZ INNER DIAMETER: 15 OUTER DIAMETER: 35 WIDTH: 11	EA	44
120	2901280073	6203-2RS BALL BEARING,DEEP GROOVE Long Text : DEEP GROOVE BALL BEARING,INNER DIA -17 MM,OUTER DIA -40 MM, INNER DIA -17 MM,OUTER DIA -40 MM	EA	40
121	2901160133	BRG,BALL,SINGLE ROW,SKF-6309 C3 Long Text : 'DESIGNATION: 6204 ZZ INNER DIAMETER: 20 OUTER DIAMETER: 47 WIDTH: 14	EA	82
122	2901160143	BRG,BALL,DEEP GRV,6203-ZZ-C3 Long Text : 'DESIGNATION: 6205 ZZ INNER DIAMETER: 25 OUTER DIAMETER: 52 WIDTH: 15	EA	70

S.No.	Material Code	Material Description	UOM	Quantity
123	2901160343	6203-ZZ/C4 ,BALL BEARING,DEEP GROOVE Long Text : SINGLE ROW BALL BEARING,INNER DIA-17 MM,OUTER DIA -40 MM, BOTH SIDE METAL SHIELDED,C4 CLEARANCE	EA	10
124	2901280073	6203-2RS BALL BEARING,DEEP GROOVE Long Text : DEEP GROOVE BALL BEARING,INNER DIA -17 MM,OUTER DIA -40 MM, INNER DIA -17 MM,OUTER DIA -40 MM	EA	50
125	2901040163	BRG,BALL,DEEP GRV,6204 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:OPEN SEAL TYPE, ROWS:SINGLE ROW,DESIGNATION:6204, BALL BEARING,DEEP GROVE,SINGLE ROW,OPN TYPE,6204	EA	4
126	2901040333	BRG,BALL,DEEP GROOVE BAL,6204-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6204-2Z , 6204-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 14 MM BORE DIAMETER: 20 MM OUTSIDE DIAMETER: 47 MM, LIMITING SPEED: 17000 R/MIN REFERENCE SPEED: 32000 R/MIN	EA	10
127	2901990263	BRG,BALL,DEEP GROOVE BAL,6204ZZ C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6204 ZZ C3 ,DEP GROVE BALL BEARING 6204ZZ C3	EA	6
128	2901160333	6204-2Z/C4,BALL BEARING Long Text : BALL BEARING DEEP GROOVE,INNER DIA -20 MM,OUTER DIA -47 MM, BOTH SIDE METAL SEAL,CLEARANCE C4	EA	8
129	2901280063	6205 -2RS,BALL BEARING Long Text : DEEP GROOVE BALL BEARING,SINGLE ROW,INNER DIA -25 MM, OUTER DIA -52 MM,BOTH SIDE RUBBER SEAL	EA	4
130	2901160053	BRG,BALL,DEEP GRV,6205-2Z/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6205-2Z/C3	EA	14
131	2901161203	BRG,BALL,DEEP GROOVE BAL,6205-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6205-2Z , 6205-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 15 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 52 MM, LIMITING SPEED: 14000 R/MIN REFERENCE SPEED: 28000 R/MIN	EA	6
132	2901040563	6205/C3,BALL BEARING Long Text : DEEP GROOVE,INNER DIA -25 MM, OUTER DIA -52 MM, SINGLE ROW	EA	6
133	2901040463	BRG,BALL,ANGULAR CONTACT,6205 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:1 ,DESIGNATION:6205 , DEEP GROOVE BALL BEARING	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
134	2901990073	BRG,BALL,DEEP GRV,6205 2ZR Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6205 2ZR , DEEP GROVE BALL BEARING 6205 2ZR	EA	4
135	2901040023	BRG,BALL,DEEP GRV,6206 Long Text : BEARING, BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6206 ,MAKE:SKF OR EQUIVALENT	EA	4
136	2901161263	BRG,BALL,DEEP GROOVE BAL,6206-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6206-2Z , 6206-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 16 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 12000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	4
137	2901161263	BRG,BALL,DEEP GROOVE BAL,6206-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6206-2Z , 6206-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 16 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 12000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	20
138	2901160063	BRG,BALL,DEEP GRV,6206-2Z/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6206-2Z/C3	EA	4
139	2901160153	BRG,BALL,DEEP GRV,6207-ZZ Long Text : 'DESIGNATION: 6208 ZZ INNER DIAMETER: 40 OUTER DIAMETER: 80 WIDTH: 18	EA	4
140	2901040143	BRG,BALL,BALL BRG NO 620,6208 Long Text : BEARING,BALL,TYPE:BALL BEARING NO.6208,ROWS:1, DESIGNATION:6208, SINGLE ROW DEEP GROOVE BALL BEARING NO.6208 DE,, FOR PEROXIDE CIRCULATION PUMP (118-PA-210), LIQUID ADDITIVE METERING PUMP (118-PA-240),, SILANE CIRCULATION PUMP (118-PA-190A/ B),MANUFACTURER:SKF,REFERENCE NO.:6208	EA	2
141	2901160043	BRG,BALL,DEEP GROOVE BAL,6206Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6208-2Z	EA	6
142	2921041033	BRG,BALL,DEEP GROOVE BAL,6208 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6208 C3 , 6208 C3, DEE GROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 18 MM, BORE DIAMETER: 40 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN, REFERENCE SPEED: 1800 R/MIN	EA	4
143	2901160073	BRG,BALL,DEEP GRV,6208-2Z/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6208-2Z/C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
144	2901220013	BRG,BALL,DEEP GRV,6208-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 RUBBER SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6208-2RS, BALL BEARING,DEEP GROVE,SINGLEOW,2 RUBBE SHIELD,6208 2RS	EA	4
145	2901160163	BRG,BRG,C3,C3 Long Text : 'DESIGNATION: 6209 ZZ INNER DIAMETER: 45 OUTER DIAMETER: 85 WIDTH: 19	EA	4
146	2901160083	BRG,BALL,DEEP GRV,6209-2Z/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6209-2Z/C3	EA	4
147	2901990273	BRG,BALL,DEEP GRV,62092ZR Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:62092ZR , DEEP GROVE BALL BEARING 62092ZR	EA	4
148	2901040183	BRG,BALL,DEEP GRV,6209-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 RUBBER SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6209-2RS, BALL BEARING,DEEP GROVE,SINGLEOW,2 RUBBE SHIELDS,6209-2RS	EA	4
149	2901040343	BRG,BALL,DEEP GROOVE BAL,6210 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6210 , 6210; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 20 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 15000 R/MIN	EA	4
150	2901160173	BRG,BRG,C3,C3 Long Text : 'DESIGNATION: 6210 ZZ INNER DIAMETER: 50 OUTER DIAMETER: 90 WIDTH: 20	EA	4
151	2901040253	BRG,BALL,DEEP GROOVE BAL,6210/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210/C3 , 6210/C3; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 20 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 15000 R/MIN	EA	4
152	2901040243	BRG,BALL,DEEP GROOVE BAL,6210/C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210/C4 , 6210/C4; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 20 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 10000 R/MIN REFERENCE SPEED: 15000 R/MIN	EA	4
153	2901161233	BRG,BALL,DEEP GROOVE BAL,6210-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210-2Z , 6210-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 20 MM BORE DIAMETER: 50 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 8000 R/MIN REFERENCE SPEED: 15000 R/MIN	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
154	2901280043	BRG,BALL,DEEP GROOVE BAL,6210-2RS1 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6210-2RS1 , 6210-2RS1, DEEP GOOVE BALL BEARINGS, SINGLE ROW, WIDTH: 20 MM, BORE DIAMETER: 50 MM, OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 4800 R/MIN	EA	4
155	2901040033	BRG,BALL,DEEP GRV,6212 Long Text : BEARING, BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6212 ,MAKE:SKF OR EQUIVALENT	EA	4
156	2901100013	BRG,BALL,DEEP GROOVE BAL,6212-Z-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE,ROWS:SINGLE ROW, DESIGNATION:6212-Z-C3,MODE- 6212-Z-C3, SINGLE ROW DEEP GROOVE BALL BEARING,WITH TWO METAL SHIELDS, WITH C3 CLEARANCE	EA	4
157	2901040193	BRG,BALL,DEEP GRV,6212 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:OPEN SEAL,C3 CLEARNCE,ROWS:SINGLE ROW, DESIGNATION:6212 C3, BALL BEARING,DEEP GROVE,SIGLE ROW,OPEN TYPE,6212-C3	EA	4
158	2901040123	BRG,BALL,DEEP GRV,6212-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6212-2RS	EA	4
159	2901160193	BRG,BALL,DEEP GRV,6212 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6212-ZZ, BALL BEARING,DEEP GROVE,SINGLE ROW,DOUBE SHIELD,6212- ZZ	EA	4
160	2901040133	BRG,BALL,DEEP GRV,6213-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6213-2RS	EA	4
161	2901040133	BRG,BALL,DEEP GRV,6213-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6213-2RS	EA	4
162	2901040083	BRG,BALL,DEEP GRV,6213/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6213/C3	EA	4
163	2901040093	BRG,BALL,DEEP GRV,6215/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6215/C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
164	2901040203	BRG,BALL,DEEP GRV,6215 2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 RUBBER SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6215 2RS, BALL BEARING,DEEP GROVE,SINGLEOW,2 RUBBER SHIELDS,6215 2RS	EA	2
165	2901040203	BRG,BALL,DEEP GRV,6215 2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 RUBBER SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6215 2RS, BALL BEARING,DEEP GROVE,SINGLEOW,2 RUBBER SHIELDS,6215 2RS	EA	4
166	2901050583	BRG,BALL,DEEP GROOVE BAL,6317 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6317 , 6317; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 41 MM BORE DIAMETER: 85 MM OUTSIDE DIAMETER: 180 MM, LIMITING SPEED: 5000 R/MIN REFERENCE SPEED: 8000 R/MIN	EA	4
167	2901990143	BRG,BALL,DEEP GROOVE BAL,6217 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6217 C3 ,DEEPROVE BALL BEARING 6217 C3	EA	4
168	2901040103	BRG,BALL,DEEP GRV,6218/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:STEEL CAGE , ROWS:SINGLE ROW ,DESIGNATION:6218/C3	EA	4
169	2901990083	BRG,BRG,C3,C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6219C3 ,DEEPROVE BALL BEARING 6219C3	EA	4
170	2901990223	BRG,BALL,DEEP GRV,6222C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6222C3	EA	4
171	2901990103	BRG,BALL,DEEP GROOVE BAL,6224C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION: C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6224 C3 ,DEEP GROOVE BALL BARING 6224 C3	EA	4
172	2901040233	BRG,BALL,DEEP GROOVE BAL,6224 C3 VL0241 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION: C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6224 C3 VL0241 , BALL BEARIG, DEEP GROVE, SINGLE ROW,6224 C3 VL0241	EA	2
173	2901040113	BRG,BALL,DEEP GRV,6226/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6226/C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
174	2921040013	BRG,BALL,DEEP GROOVE BAL,6236 M C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:WTH BRASS CAGE&C3 CLRNC,ROWS:SINGLE ROW,DESIGNATION:6236 M C3,6236 M C3- DEEP GROOVE BALL BEARING, SINGLE ROW WITH BRASS CAGE,WITH C3 CLEARANCE, SIZE- 180 MM INSIDE X 320MM OUTSIDE,X 52 MM WIDTH	EA	2
175	2901040223	BRG,BALL,DEEP GRV,6236-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:OPEN SEAL, C3 CLEARNCE ,ROWS:SINGLE ROW , DESIGNATION:6236-C3 , BALL BEARING,DEEP GROE,SINGLE ROW,OPEN TYPE,6236-C3	EA	2
176	2921050033	BRG,BALL,SINGLE ROW,SKF-6303 Long Text : 'DESIGNATION: 6303 INNER DIAMETER: 17 OUTER DIAMETER: 47 WIDTH: 14	EA	4
177	2901050543	BRG,BALL,DEEP GROOVE BAL,6304 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6304 , 6304, DEEP GROOVE BALLBEARINGS, SINGLE ROW	EA	4
178	2901170093	BRG,BALL,DEEP GRV,6304-ZZ Long Text : 'DESIGNATION: 6304 ZZ INNER DIAMETER: 17 OUTER DIAMETER: 47 WIDTH: 14	EA	4
179	2901170093	BRG,BALL,DEEP GRV,6304-ZZ Long Text : 'DESIGNATION: 6304 ZZ INNER DIAMETER: 17 OUTER DIAMETER: 47 WIDTH: 14	EA	4
180	2901170293	6304 -ZZR/C3,BALL BEARING Long Text : DEEP GROOVE BALL BEARING,INNER DIA -20 MM,OUTER DIA -52 MM, BOTH SIDE METAL SEAL ,CLEARANCE C3	EA	4
181	2901170263	BRG,BALL,DEEP GROOVE BAL,6305-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6305-2Z , 6305-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 17 MM BORE DIAMETER: 25 MM OUTSIDE DIAMETER: 62 MM, LIMITING SPEED: 13000 R/MIN REFERENCE SPEED: 24000 R/MIN	EA	2
182	2901050273	BRG,BALL,DEEP GRV,6306 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW, DESIGNATION:6306	EA	4
183	2901170253	BRG,BALL,DEEP GROOVE BAL,6306-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6306-2Z , 6306-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 19 MM BORE DIAMETER: 30 MM OUTSIDE DIAMETER: 72 MM, LIMITING SPEED: 11000 R/MIN REFERENCE SPEED: 20000 R/MIN	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
184	2901170083	BRG,BRG,C3,C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:WITH 2 SHIELDS,ROWS:SINGLE ROW, DESIGNATION:6306 ZZ,6306 ZZ- DEEP GROOVEALL BEARING, SINGLE ROW DOUBLE SHIELDS,MATERIAL-CHROME STEEL, SELF LUBRICATED SERIES- SKF 6300 ZZ	EA	4
185	2901990173	BRG,BALL,DEEP GROOVE BAL,6306 2Z C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS C4 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6306 2Z C4 ,DEEP GOVE BALL BEARING 6306 2ZC4	EA	4
186	2901110023	BRG,BALL,SINGLE ROW,SKF-6307 Z Long Text : 'DESIGNATION: 6307 Z INNER DIAMETER: 35 OUTER DIAMETER: 80 WIDTH: 21	EA	4
187	2901171213	BRG,BALL,DEEP GROOVE BAL,6307-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6307-2Z , 6307-2Z, DEEP GROOV BALL BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 19000 R/MIN	EA	4
188	2921050063	BRG,BALL,SINGLE ROW,SKF-6308 Long Text : 'DESIGNATION: 6308 INNER DIAMETER: 40 OUTER DIAMETER: 90 WIDTH: 23	EA	2
189	2901170243	BRG,BALL,DEEP GROOVE BAL,6308-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS ,CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6308-2Z ,6308-2Z; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM,LIMITING SPEED: 8500 R/MIN REFERENCE SPEED: 17000 R/MIN	EA	6
190	2901290033	6308 -2RS ,BALL BEARING Long Text : DEEP GROOVE BALL BEARING, SINGLE ROW,INNER DIA -40 MM,OUTER DIA -90 MM, BOTH SIDE SHIELDED WITH RUBBER SEAL	EA	4
191	2901171193	BRG,BALL,DEEP GROOVE BAL,6308-2Z/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6308-2Z/C3 , 6308-2Z/C3; DEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 23 MM BORE DIAMETER: 40 MM OUTSIDE DIAMETER: 90 MM, LIMITING SPEED: 8500 R/MIN REFERENCE SPEED: 17000 R/MIN	EA	4
192	2901050713	BRG,BALL,BALL BEARINGS,6309 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE DIRECTION ,DESIGNATION:6309 ,DEEP GROOVE BEARING	EA	2
193	2901170133	BRG,BALL,DEEP GRV,6309 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS ,ROWS:SINGLE ROW ,DESIGNATION:6309 ZZ ,BALL BEARING,DEEP GROVE,SINGLE ROW,DOUBLE SHIELD,6309-ZZ	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
194	2901170143	BRG,BALL,DEEP GRV,6309 ZZ-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6309 ZZ-C3 , BALL BEARING,EPP GROVE,SINGLE ROW,DOUBLE SHIELD,6309-ZZ-C3	EA	4
195	2921051053	BRG,BALL,DEEP GROOVE BAL,6309 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6309 C3 , 6309 C3, DEEPGROOVE BALL BEARINGS, SINGLE ROW,WITH C3 CLEARANCE, WIDTH: 25 MM, BORE DIAMETER: 45 MM, OUTSIDE DIAMETER: 100 MM, LIMITING SPEED: 9500 R/MIN, REFERENCE SPEED: 1500 R/MIN	EA	4
196	2901050243	BRG,BALL,DEEP GRV,6309-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6309-2RS	EA	4
197	2901050663	BRG,BALL,DEEP GROOVE BAL,6309 2RS/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:DEEP GROOVE,ROWS:SINGLE ROW, DESIGNATION:6309 2RS/C3,BEARING,BALL,SINGLE ROW,DEEP GROOVE,RADIAL CONTACT, RUBBER SEAL WITH SHEET STEEL REINFORCEMENT ON BOTH SIDES; C3 CLEARANCE,DESIGNAION: 6309 2RS/C3	EA	4
198	2901990023	BRG,BALL,DEEP GRV,6309RSR Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6309RSR , DEEP GROVE BALL BEARING 6309RSR	EA	4
199	2901050723	BRG,BALL,BALL BEARINGS,6310 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6310 ,DEEP GROOVE BALL BEARING	EA	4
200	2901160023	BRG,BALL,DEEP GRV,6310 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6205-ZZ	EA	4
201	2901050133	BRG,BALL,DEEP GRV,6004 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6310/C3	EA	4
202	2901170163	BRG,BALL,DEEP GRV,6310 ZZ C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6310 ZZ C3 , BALL BEARING,EPP GROVE,SINGLE ROW,DOUBLE SHIELD,6310-ZZ-C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
203	2901990063	BRG,BALL,DEEP GRV,6310C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6310C4 , DEEP GROVE BALL BEARING 6310C4	EA	4
204	2901050363	BRG,BALL,DEEP GRV,6210-ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 RUBBER SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6310 2RS , BALL BEARING,DEEP GROVE,SINLE ROW,2 RUBBER SHIELDS,6310-2RS	EA	4
205	2901050303	BRG,BALL,DEEP GROOVE BAL,6311/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:DEEP GROOVE,ROWS:1,DESIGNATION:6311/C3, DEEP GROOVE BALL BEARING 6311/C3,FOR PELLET WATER PUMP 118-PA-370AX/BX,CATALYST PREPARATION VESSEL AGITATOR 118-VM-301, CATALYST METERING VESSEL AGITATOR 118-VM-302A/B., MANUFACTURER:SKF,REFERENCE NO.:311/C3	EA	4
206	2901170013	BRG,BALL,DEEP GRV,6311-2Z Long Text : BEARING, BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS ,ROWS:SINGLE ROW,DESIGNATION:6311-2Z,MAKE:SKF OR EQUIVALENT	EA	4
207	2901170173	BRG,BALL,DEEP GRV,6311-ZZ-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6311-ZZ-C3 , BALL BEARING,EEP GROVE,SINGLE ROW,DOUBLE SHIELD,6311-ZZ-C3	EA	4
208	2906990153	BRG,BALL,BALL,6312C3 Long Text : BEARING,BALL,TYPE:BALL ,DESIGNATION:6312 C3	EA	2
209	2901050623	BRG,BALL,DEEP GROOVE BAL,6312 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6312 , 6312; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 31 MM BORE DIAMETER: 60 MM OUTSIDE DIAMETER: 130 MM, LIMITING SPEED: 7000 R/MIN REFERENCE SPEED: 11000 R/MIN	EA	4
210	2901170183	BRG,BALL,DEEP GRV,6312-ZZ-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6312-ZZ-C3 , BALL BEARING,EEP GROVE,SINGLE ROW,DOUBLE SHIELD,6312-ZZ-C3	EA	4
211	2901050253	BRG,BALL,DEEP GRV,6312-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6312-2RS	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
212	2901290023	6312-2RS/C3,BALL BEARING Long Text : DEEP GROOVE BALL BEARING, SINGLE ROW,INNER DIA -60 MM,OUTER DIA - 130 MM, BOTH SIDE RUBBER SEAL WITH CLEARANCE C3	EA	4
213	2901050263	BRG,BALL,DEEP GRV,6313-2RS Long Text : BEARING,BALL,TYPE:DEEP GROOVE, CONSTRUCTION:TWO SEALS (CONTACT),ROWS:SINGLE ROW, DESIGNATION:6313-2RS	EA	4
214	2901050093	BRG,BALL,DEEP GRV,6313 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW, DESIGNATION:6313	EA	4
215	2901170033	BRG,BALL,DEEP GRV,6313-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:2 SHIELDS, ROWS:SINGLE ROW,DESIGNATION:6313-2Z	EA	4
216	2901050473	BRG,BALL,DEEP GROOVE BAL,6313/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6313/C3 , 6313/C3; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 33 MM BORE DIAMETER: 65 MM OUTSIDE DIAMETER: 140 MM, LIMITING SPEED: 6700 R/MIN REFERENCE SPEED: 10000 R/MIN	EA	4
217	2901050283	BRG,BALL,DEEP GRV,6314 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6314	EA	4
218	2901050153	BRG,BALL,DEEP GRV,6205-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6314/C3	EA	2
219	2901050233	BRG,BALL,DEEP GRV,6314/C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6314/C4	EA	2
220	2901050743	BRG,BALL,BALL BEARINGS,6315 Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:DEEP GROOVE , ROWS:SINGLE ROW ,DESIGNATION:6315 ,DEEP GROOVE BALL BEARING	EA	4
221	2906990143	BRG,BALL,BALL,6315 C3 Long Text : BEARING,BALL,TYPE:BALL ,DESIGNATION:6315 C3	EA	4
222	2901050383	BRG,BALL,DEEP GRV,6315 C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:OPEN SEAL, C3 CLEARNCE ,ROWS:SINGLE ROW , DESIGNATION:6315 C4 , BALL BEARING,DEEP GROE,SINGLE ROW,OPEN TYPE,6315-C3	EA	6
223	2901050393	BRG,BALL,DEEP GRV,6316 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:OPEN SEAL TYPE , ROWS:SINGLE ROW ,DESIGNATION:6316 , BALL BEARING,DEEP GROVE,SINGLE RO,OPEN TYPE,6316	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
224	2901050163	BRG,BALL,DEEP GRV,6206-2Z Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6316/C3	EA	4
225	2901050653	BRG,BALL,DEEP GRV,6316/C3VL0241 Long Text : "BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:BALL BEARING ,ROWS:SINGLE ROW ,DESIGNATION:6316/C3VL0241 "	EA	2
226	2901990033	BRG,BALL,DEEP GRV,6316C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:2 SHIELDS C4 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6316C4 ,DEEP GROVE BALL BERING316C4	EA	2
227	2901050223	BRG,BALL,DEEP GRV,6316-M-C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:STEEL CAGE , ROWS:SINGLE ROW ,DESIGNATION:6316-M-C3	EA	4
228	2901050323	BRG,BALL,DEEP GRV,6317 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6317, BEARING,TYPE:DEEP GROOVE BALL,CONST.: STELCAGE,, ROWS:SINGLE ROW,DESIGNATION:6317	EA	2
229	2901990163	BRG,BALL,DEEP GROOVE BAL,6317 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:2 SHIELDS WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6317 C3 ,DEEPGROVE BALL BEARING 6317 C3	EA	2
230	2901050183	BRG,BALL,DEEP GRV,6318/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6318/C3	EA	4
231	2901050843	6318,BALL BEARING Long Text : DEEP GROOVE BALL BEARING, SINGLE ROW, INNER DIA -90 MM,OUTER DIA -190 MM	EA	4
232	2901050463	BRG,BALL,DEEP GROOVE BAL,6319/C3 Long Text : BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6319/C3 , 6319/C3; DEEP GROVE BALL BEARINGS, SINGLE ROW,WIDTH: 45 MM BORE DIAMETER: 95 MM OUTSIDE DIAMETER: 200 MM, LIMITING SPEED: 4500 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	6
233	2901990043	BRG,BALL,DEEP GRV,6319MC3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6319MC3 ,DEEP GROVE BALL BEARING 6319MC3	EA	4
234	2901990053	BRG,BALL,DEEP GRV,6319C4 Long Text : BEARING,BALL,TYPE:DEEP GROOVE ,CONSTRUCTION:2 SHIELDS , ROWS:SINGLE ROW ,DESIGNATION:6319C4 , DEEP GROVE BALL BEARING 6319C4	EA	2

S.No.	Material Code	Material Description	UOM	Quantity
235	2901050573	BRG,BALL,DEEP GROOVE BAL,6319 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW ,DESIGNATION:6319 , 6319; DEEP GROOVE BAL BEARINGS, SINGLE ROW,WIDTH: 45 MM BORE DIAMETER: 95 MM OUTSIDE DIAMETER: 200 MM, LIMITING SPEED: 4500 R/MIN REFERENCE SPEED: 7000 R/MIN	EA	2
236	2901170063	BRG,BALL,DEEP GROOVE BAL,6319 ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING, CONSTRUCTION:WITH 2 SHIELDS,ROWS:SINGLE ROW, DESIGNATION:6319 ZZ,DESIGNATION::6319 ZZ,RADIAL CONTACT SINGLE ROW DEEP GROOVE, BALL BEARING WITH TWO SHIELDS	EA	2
237	2901050063	BRG,BALL,DEEP GRV,6320 Long Text : BEARING, BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6320 ,MAKE:SKF OR EQUIVALENT	EA	2
238	2901050453	BRG,BALL,DEEP GROOVE BAL,6321/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARINGS , CONSTRUCTION:DEEP GROOVE ,ROWS:SINGLE ROW , DESIGNATION:6321/C3 , 6321/C3; DEEP GROOVE BALL BEARINGS, SINGLE ROW,WIDTH: 49 MM BORE DIAMETER: 105 MM OUTSIDE DIAMETER: 225 MM, LIMITING SPEED: 4000 R/MIN REFERENCE SPEED: 6300 R/MIN	EA	2
239	2901050073	BRG,BALL,DEEP GRV,6322 Long Text : BEARING, BALL,TYPE:DEEP GROOVE,ROWS:SINGLE ROW,DESIGNATION:6322 ,MAKE:SKF OR EQUIVALENT	EA	4
240	2901050413	BRG,BALL,DEEP GRV,6209-ZZ Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION:OPEN SEAL, C3 CLEARNCE ,ROWS:SINGLE ROW , DESIGNATION:6322 C3 , BALL BEARING,DEEP GROE,SINGLE ROW,OPEN TYPE,6322-C3	EA	4
241	2901990123	BRG,BALL,DEEP GROOVE BAL,6322 M C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION: C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6322 M C3 ,DEEP GROVE BALLEARING 6322 MC3	EA	4
242	2901050213	BRG,BALL,DEEP GRV,6324/C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE,CONSTRUCTION:STEEL CAGE, ROWS:SINGLE ROW,DESIGNATION:6324/C3	EA	4
243	2901990213	BRG,BALL,DEEP GRV,6324 MC3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE , CONSTRUCTION: C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6324 MC3 ,DEEP GROVE BALL BEARING 6324 M3	EA	4
244	2901990203	BRG,BALL,DEEP GROOVE BAL,6330 C3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION: C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6330 C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
245	2901990113	BRG,BALL,DEEP GROOVE BAL,6334 MC3 Long Text : BEARING,BALL,TYPE:DEEP GROOVE BALL BEARING , CONSTRUCTION:C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:6334 MC3	EA	4
246	2903990023	BRG,BALL,ANGULAR CONTACT,3312 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:2 SHIELDS ,ROWS:DOUBLE ROW ,DESIGNATION:3312 , ANGULAR CONTACT BALLBEARING,DOUBLE ROW,3312	EA	4
247	2903170113	BRG,BALL,BALL BEARINGS,7322 BECBM Long Text : BEARING,BALL,TYPE:BALL BEARING ,CONSTRUCTION:ANGULAR CONTACT , ROWS:SINGLE ROW ,DESIGNATION:7322 BECBM , 7322 BECBM; ANGULAR CONTAT BALL BEARINGS, SINGLE ROW,WIDTH: 50 MM BORE DIAMETER: 110 MM OUTSIDE DIAMETER: 240 MM, LIMITING SPEED: 3600 R/MIN REFERENCE SPEED: 3600 R/MIN	EA	4
248	2906990053	BRG,ROLL,CYLD.ROLL.BRG,NU1038 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU1038 C3 ,CYLINDRICAL ROLER BEARING NU1038C3	EA	4
249	2906990023	BRG,ROLL,CYLD.ROLL.BRG,NU230M(INSU) Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE , DESIGNATION:NU230M(INSU) ,ROLLER CYLINDRIAL NU230M(INSU)	EA	2
250	2906180023	BRG,ROLL,CYLD.ROLL.BRG,Y Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING, CONSTRUCTION:CYLINDRICAL,ROWS:SINGLE,DESIGNATION:NU 236 M, BRG.,CYL.ROLLER BRG.,NU236 M, CYLINDERICAL ROLLER BEARING,SINGLE ROW, DESIGNATION - NU 236 M,ID - 180MM,OD - 320MM,THK.- 52MM, MAKE - SKF/NTN OR EQUIVALENT.	EA	4
251	2903500013	BRG,BALL,ANGULAR CONTACT,QJ 224 Long Text : BEARING,BALL,TYPE:ANGULAR CONTACT BALL BEARING , CONSTRUCTION:FOUR POINT CONTACT ,ROWS:SINGLE ROW , DESIGNATION:QJ 224 , BALL BEARNG,ANGULAR CONTACT,SINGLE ROW,QJ 224	EA	4
252	2906990063	BRG,ROLL,CYLD.ROLL.BRG,NU221C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU221C3 ,CYLINDRICAL ROLLR BEARING NU221C3	EA	4
253	2906110093	BRG,ROLL,CYLD.ROLL.BRG,NU 224M Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 224M , ROLLER BEARING,CYLINDICAL,SINGLE ROW,BRASS CAGE, NU 224 M	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
254	2906170023	BRG,ROLL,CYLD.ROLL.BRG,NU 224 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:SINGLE ROW , DESIGNATION:NU 224 , BEARING,ROLLER,SINGLE ROW,CYLINDRICAL TYPE,STEEL CAGE, , DESIGNATION: NU 224	EA	4
255	2906110103	BRG,ROLL,CYLD.ROLL.BRG,NU 226 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 226 , ROLLER BEARING,CYLINDRICAL,SINGLE ROW,SEPARABLE RING, NU 226	EA	4
256	2906010013	BRG,ROLL,CYLD.ROLL.BRG,N 217 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ,DESIGNATION:N 217 , ROLLER BEARING,CYLINDRICAL,INGLE ROW,N 217	EA	4
257	2906411013	BRG,ROLL,CYLINDRICAL ROL,NU 218 ECM Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARINGS , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 218 ECM , NU 218 ECM;CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 30 MM BORE DIAMETER: 90 MM OUTSIDE DIAMETER: 160 MM, LIMITING SPEED: 5000 R/MIN REFERENCE SPEED: 4500 R/MIN	EA	4
258	2906110033	BRG,ROLL,CYL,NU 219 M Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 219 M	EA	4
259	2906020023	BRG,ROLL,CYLD.ROLL.BRG,N 313 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:N 313 , ROLLER BEARING,CYLINDRICAL,SINGLE ROW,OPEN SEAL, N 313	EA	4
260	2906020053	BRG,ROLL,CYLD.ROLL.BRG,N 318 ECP Long Text : OUTSIDE DIAMETER: 190 MM, LIMITING SPEED: 4500 R/MIN, REFERENCE SPEED: 3800 R/MIN	EA	4
261	2906990033	BRG,ROLL,CYLD.ROLL.BRG,N318 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW ,DESIGNATION:N318 , CYLINDRICAL ROLLER BEARING N318	EA	4
262	2906020033	BRG,ROLL,CYLD.ROLL.BRG,N 319 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:N 319 , ROLLER BEARING,CYLINDRICAL,SINGLE ROW, N 319	EA	4
263	2906990043	BRG,ROLL,CYLD.ROLL.BRG,NU317C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU317C3 ,CYLINDRICAL ROLLER BEARING NU317 C3	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
264	2906990083	BRG,ROLL,CYLD.ROLL.BRG,NU319 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU319 C3 ,CYLINDRICAL ROLER BEARING NU319 C3	EA	4
265	2906420133	NU 319 ECJ,ROLLER BEARING Long Text : CYLINDRICAL ROLLER BEARING,SINGLE ROW ,INNER DIA -95 MM, OUTER DIA -200 MM,CLEARANCE NORMAL	EA	4
266	2906120123	BRG,ROLL,CYLD.ROLL.BRG,NU 318 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER WITH C3 CLEARANCE ,ROWS:SINGLE ROW , DESIGNATION:NU 318 C3 , OLLER BEARING,CYLINDRICAL,SINGLE ROW,C3 CLEARANCE, NU 318C3	EA	4
267	2906120113	BRG,ROLL,CYLD.ROLL.BRG,NU 313 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 313 , ROLLER BEARING,CYLINDRCAL,SINGLE ROW,NU 313	EA	4
268	2906990113	BRG,ROLL,CYLD.ROLL.BRG,NU312 ECPC3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , ROWS:SINGLE ROW ,DESIGNATION:NU312 ECPC3 , CYLINDRICAL ROLLER BEARING,SINGLE ROW,U312 ECPC3	EA	4
269	2906120103	BRG,ROLL,CYLD.ROLL.BRG,NU 313 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 313 C3 , ROLLER BEARING,CYLIDRICAL,SINGLE ROW,C3 CLEARANCE, NU 313C3	EA	4
270	2906990093	BRG,ROLL,CYLD.ROLL.BRG,NU321 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU321 C3 ,CYLINDRICAL ROLER BEARING NU321 C3	EA	4
271	2906110073	BRG,ROLL,CYLD.ROLL.BRG,NU 218 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 218 C3 , ROLLER BEARING,CYLIDRICAL,SINGLE ROW,C3 CLEARANCE, NU 218C3	EA	4
272	2906990073	BRG,ROLL,CYLD.ROLL.BRG,NU215 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU215 C3 ,CYLINDRICAL ROLER BEARING NU215C3	EA	4
273	2906110063	BRG,ROLL,CYL,NU 216 M Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ,ROWS:SINGLE ROW , DESIGNATION:NU 216 M	EA	4
274	2906120073	BRG,ROLL,CYLD.ROLL.BRG,NU 309 Long Text : BRG,3NU 05EC,CPH 32/16QF,KBL	EA	4

S.No.	Material Code	Material Description	UOM	Quantity
275	2906120083	BRG,ROLL,CYLD.ROLL.BRG,NU 309 C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 309 C3 , ROLLER BEARING,CYLIDRICAL,SINGLE ROW,C3 CLEARANCE, NU 309C3	EA	4
276	2906120093	BRG,ROLL,CYLD.ROLL.BRG,NU 310 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:NU 310 , ROLLER BEARING,CYLINDRCAL,SINGLE ROW,NU 310	EA	4
277	2906990103	BRG,ROLL,CYLD.ROLL.BRG,NU310C3 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER ,ROWS:SINGLE , DESIGNATION:NU310C3 ,CYLINDRICAL RLLER BEARING NU310 C3	EA	4
278	2906020013	..G,ROLL,CYLD.ROLL.BRG,N 309 Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:ROLLER ,ROWS:SINGLE ROW ,DESIGNATION:N 309 , ROLLER BEARING,CYLINDRIAL,SINGLE ROW,N 309	EA	4
279	2906430013	BRG,ROLL,CYLD.ROLL.BRG,N 310 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING, CONSTRUCTION:CYLINDRICAL,ROWS:SINGLE ROW, DESIGNATION:N 310 ECP,N 310 ECP-CYLINDRIAL ROLLER BEARING, SINGLE ROW CYLINDRICAL ROLLER BEARING, EXTERNAL LUBRICATION REQUIRED	EA	4
280	2905990063	BRG,ROLL, SPHERICAL ROLL,22314 EVB/C4 Long Text : BEARING,ROLLER,TYPE: SPHERICAL ROLLER BEARINGS , ROWS:DOUBLE ROW ,DESIGNATION:22314 EVB/C4 , SPHERICAL ROLLER BEARING,22314 EVB/C4	EA	4
281	2903010013	BRG,BALL,ANG CON,7216-BECBP Long Text : BEARING, BALL,TYPE:ANGULAR CONTACT,ROWS:SINGLE ROW ,DESIGNATION:7216-BECBP,MAKE:SKF OR EQUIVALENT	EA	4
282	2906990163	BRG,ROLL,ROLL,NU222 M Long Text : BEARING,ROLLER,TYPE:ROLL ,ROWS:1 ,DESIGNATION:NU222 M INSUL	EA	4
283	2906120163	BRG,ROLL,CYLD.ROLL.BRG,NU 307 ECP Long Text : BEARING,ROLLER,TYPE:CYLINDRICAL ROLLER BEARING , CONSTRUCTION:CYLINDRICAL ROLLER BEARING ,ROWS:SINGLE ROW , DESIGNATION:NU 307 ECP, NU 307 ECP, CYLINDRICAL ROLLER BEARINGS, SINGLE ROW,WIDTH: 21 MM, BORE DIAMETER: 35 MM, OUTSIDE DIAMETER: 80 MM, LIMITING SPEED: 11000 R/MIN, REFERENCE SPEED: 9500 R/MIN	EA	4
284	2905990053	BRG,ROLL, SPHERICAL ROLL,22316 EVB/C4 Long Text : BEARING,ROLLER,TYPE: SPHERICAL ROLLER BEARINGS , ROWS:DOUBLE ROW ,DESIGNATION:22316 EVB/C4 , SPHERICAL ROLLER BEARING,22316 EVB/C4	EA	4
285	2905030093	22316EF800/22316EJA/VA405 ROLLER BEARING Long Text : SPHERICAL ROLLER BEARING,INNER DIA - 80 MM,OUTER DIA -170 MM	EA	4

Enclosed: - Enquiry with details

Thanking You,

(Signature with Seal of Vendor)
